# PRIDE Questionnaire Report for Grades 6 thru 12 2004-05 National Summary

August 17, 2006

## **Contents**

1	Intro	oduction 1
	1.1	Drug Use Summary
	1.2	Cigarette Use
	1.3	Beer Use
	1.4	Marijuana Use
	1.5	Cocaine Use
	1.6	Hallucinogen Use
2	Nati	ional Summary Statistics
	2.1	Outline of Procedures Used to Obtain PRIDE National Summary Data
	2.2	National Summary Tables
	2.3	National Summary Graphics
3	Star	ndard Graphics 25
	3.1	Frequency of Use
	3.2	Where Do You Use
	3.3	When Do You Use
	3.4	Harmfulness to Health
	3.5	Availability
	3.6	Friends Use
4	Adv	anced Graphics 72
	4.1	Effect of Use By Students Who Use Drugs
	4.2	Frequency of Use by Sex
	4.3	Illicit Drug Use by Risk & Protective Factors
5	Sum	nmary Statistics 111
	5.1	Guns
	5.2	Gangs
	5.3	Suicide
	5.4	Threatening Behaviors
	5.5	Trouble With The Police
	5.6	Personal Safety
	5.7	Risk and Protective Factors
		5.7.1 Community - Risk Factors
		5.7.2 Community - Protective Factors
		5.7.3 School - Risk Factors

*CONTENTS* iii

		5.7.4School - Protective Factors15.7.5Family - Risk Factors15.7.6Family - Protective Factors15.7.7Individual - Risk Factors15.7.8Individual - Protective Factors1	.20 .20 .21
6	Drug	g-Free Communities Support Program 1	23
	6.1	Monthly Use	.24
	6.2	Perception of Risk	
	6.3	Perception of Disapproval	.28
	6.4	Age of First Use	
	6.5	Availability	.33
7	Perc	centage Tables 1	38
•	7.1	Personal & Family Information	
	7.2	Student Characteristics	
	7.3	Harmful To Health	
	7.4	Within The Past Year How Often Have You Used	
	7.5	At What Age Did You First	.73
	7.6	Where Do You Use	.79
	7.7	When Do You Use	.86
	7.8	While At School Have You	.93
	7.9	What Effect Do You Most Often Get When You Use	.98
	7.10	How Easy Is It To Get	<u>2</u> 04
	7.11	In My School, I Feel Safe	10
	7.12	In My Neighborhood, I Feel Safe	14
	7.13	Would Your Parents Disapprove Of You	17
	7.14	Would Your Friends Disapprove Of You	20
	7.15	Frequency of Use	23
8	Year	r-to-Year Graphics 2	30
	8.1	Annual & Monthly Frequency of Use Across Years	231
	8.2	Availability Across Years	
	8.3	Effect of Use Across Years	

# **List of Tables**

2.1	Sample Sizes of Annual Summaries for Grades 6 thru 12	9
2.2	Comparisions of Demographic Variables - Grades 6 thru 12	9
2.3	Sample Distribution by Percentage Drawn from Each State - Grades 6 thru 12	10
2.4	Percentage of Students Who Report Using Drugs - Tobacco and Alcohol	11
2.5	Percentage of Students Who Report Using Drugs - Illicit Drugs	12
2.6	Chi-Square Analysis of Junior High Student Who Used These Drugs At Least $1/\mathrm{Year}$	13
2.7	Chi-Square Analysis of Senior High Student Who Used These Drugs At Least $1/\mathrm{Year}$	14
2.8	PRIDE Summary Report - Violence	15
2.9	Percentage of Annual Drug Use Across Years for Tobacco and Alcohol	16
2.10	Percentage of Annual Drug Use Across Years for Illicit Drugs	17
6.1	Monthly Use of Alcohol	124
6.2	Monthly Use of Tobacco	124
6.3	Monthly Use of Marijuana	125
6.4	Perception of Risk of Alcohol	126
6.5	Perception of Risk of Tobacco	126
6.6	Perception of Risk of Marijuana	127
6.7	Perception of Parents Disapproval of Tobacco	128
6.8	Perception of Parents Disapproval of Alcohol	
6.9	Perception of Parents Disapproval of Marijuana	129
6.10	Perception of Friends Disapproval of Tobacco	129
6.11	Perception of Friends Disapproval of Alcohol	129
	Perception of Friends Disapproval of Marijuana	
6.13	When did you first use any alcohol?	131
	When did you first use any tobacco?	
6.15	When did you first use marijuana?	132
6.16	Availability of Alcohol	133
6.17	Availability of Tobacco	133
6.18	Availability of Marijuana	134
6.19	Outcomes Measures by Grade	135
6.20	Outcomes Measures by Gender	136
6.21	Outcomes Measures by Race	137
7.1	Ethnic Origin	139
7.2	Sex	139
7.3	Age	140
7.4	Do you live with:	140
7.5	Do you have a job?	140

LIST OF TABLES

7.6	Does your father have a job?	141
7.7	Does your mother have a job?	141
7.8	What is the educational level of your father?	141
7.9	What is the educational level of your mother?	142
	Do you make good grades?	
7.11	Do you get into trouble at school?	143
	Do you take part in school sports teams?	
7.13	Do you take part in school activities such as band, clubs, etc?	144
7.14	Do you take part in community activities such as scouts, rec. teams, youth clubs, etc?	144
7.15	Do you attend church, synagogue, etc.?	145
7.16	Have you threatened to harm a teacher?	145
	Have you threatened to harm one or both of your parents, guardians, etc.?	
7.18	Do your parents talk with you about the problems of tobacco use?	146
7.19	Do your parents talk with you about the problems of alcohol use?	146
7.20	Do your parents talk with you about the problems of drug use?	146
	Do your teachers talk with you about the problems of alcohol use?	
7.22	Do your teachers talk with you about the problems of drug use?	147
7.23	Does your school set clear rules on bringing a gun to school?	147
7.24	Does your school set clear rules on using drugs at school?	148
	Does your school set clear rules on bullying or threatening other students at school? .	
7.26	Does your school punish you when you break the rules?	148
7.27	Do your parents set clear rules for you?	149
	Do your parents punish you when you break the rules?	
	Have you been in trouble with the police?	
7.30	Do you take part in gang activities?	150
7.31	Have you thought about committing suicide?	151
	While NOT at school have you carried a gun for protection or as a weapon?	
	Have you received treatment or counseling for alcohol and/or drug use?	
	Have you been caught using alcohol?	
7.35	Have you been caught using drugs?	152
	Do you have an adult, other than your parent or guardian, that you talk to about problems	
	Do you buy or sell drugs at school?	
	Do you buy or sell drugs when NOT at school?	
	Do your friends use tobacco? (cigarettes, cigars, etc)?	
	Do your friends use alcohol? (beer, liquor, etc)?	
	Do your friends use drugs? (marijuana, cocaine, etc)?	
7.42	Do your parents set clear rules about violent TV, movies and video games?	154
	Have you had 5 or more glasses of beer, wine or liquor within a few hours?	
	Have you driven a car after or while drinking alcohol??	
	Do you surf the internet for fun?	
	Have you skipped school in the past year?	
	Have you seen ads on TV that encourage NO drug use?	
	Does your school have a security officer?	
	Do you think your school needs a security officer?	
	Does your school have a drug screening program?	
7.51	Does your school's drug screening program include all students?	157

LIST OF TABLES vi

7.52	If your school does not screen all students, do you participate in an activity that is part	
	of the drug screening program?	
	Have you been screened for drugs at school?	
	Does you school have a student assistance program?	
	Have you participated in the student assistance program?	
	If you particiated, was the student assistance program helpful?	
	Do you feel that using cigarettes is harmful to your health?	
	Do you feel that using smokeless tobacco is harmful to your health?	
	Do you feel that using cigars is harmful to your health?	
	Do you feel that using beer is harmful to your health?	
	Do you feel that using wine coolers is harmful to your health?	
	Do you feel that using liquor is harmful to your health?	
	Do you feel that using marijuana is harmful to your health?	
	Do you feel that using cocaine is harmful to your health?	
	Do you feel that using uppers is harmful to your health?	
	Do you feel that using downers is harmful to your health?	
	Do you feel that using inhalants is harmful to your health?	
	Do you feel that using hallucinogens is harmful to your health?	
	Do you feel that using heroin is harmful to your health?	
	Do you feel that using steroids is harmful to your health?	
	Do you feel that using ecstasy is harmful to your health?	
	Do you feel that using OxyContin is harmful to your health?	
	Within the past year how often have you smoked cigarettes?	
	Within the past year how often have you used smokeless tobacco?	
	Within the past year how often have you smoked cigars?	
	Within the past year how often have you drunk beer?	
	Within the past year how often have you drunk wine coolers?	
	Within the past year how often have you drunk liquor?	
7.79	Within the past year how often have you smoked marijuana?	160
	Within the past year how often have you used cocaine?	
	Within the past year how often have you used uppers?	
	Within the past year how often have you used inhalants?	
	Within the past year how often have you used hallucinogens?	
	Within the past year how often have you used heroin?	
	Within the past year how often have you used steroids?	
	Within the past year how often have you used ecstasy?	
	Within the past year how often have you used OxyContin?	
	Within the past year how often have you used tobacco?	
	Within the past year how often have you drunk alcohol?	
	Within the past year how often have you used illicit drugs?	
	At what age did you first smoke cigarettes?	
	At what age did you first use smokeless tobacco?	
	At what age did you first smoke cigars?	
	At what age did you first drink beer?	
	At what age did you first drink wine coolers?	
	At what age did you first drink liquor?	

LIST OF TABLES vii

7.98 At what age did you first smoke marijuana?	175
7.99 At what age did you first use cocaine?	175
7.100At what age did you first use uppers?	176
7.101At what age did you first use downers?	176
7.102At what age did you first use inhalants?	176
7.103At what age did you first use hallucinogens?	177
7.104At what age did you first use heroin?	177
7.105At what age did you first use steroids?	177
7.106At what age did you first use ecstasy?	178
7.107At what age did you first use OxyContin?	
7.108Where do you smoke cigarettes?	179
7.109Where do you use smokeless tobacco?	179
7.110Where do you smoke cigars?	
7.111Where do you drink beer?	
7.112Where do you drink wine coolers?	
7.113Where do you drink liquor?	181
7.114Where do you smoke marijuana?	
7.115Where do you use cocaine?	
7.116Where do you use uppers?	
7.117Where do you use downers?	
7.118Where do you use inhalants?	182
7.119Where do you use hallucinogens?	
7.120Where do you use heroin?	
7.121Where do you use steroids?	
7.122Where do you use ecstasy?	
7.123Where do you use OxyContin?	
7.124Where do you use any tobacco?	
7.125Where do you use any alcohol?	
7.126Where do you use any illicit drugs?	
7.127When do you smoke cigarettes?	
7.128When do you use smokeless tobacco?	
7.129When do you smoke cigars?	
7.130When do you drink beer?	
7.131When do you drink wine coolers?	
7.132When do you drink liquor?	
7.133When do you smoke marijuana?	
7.134When do you use cocaine?	
7.135When do you use uppers?	
7.136When do you use downers?	
7.137When do you use inhalants?	
7.138When do you use hallucinogens?	
7.139When do you use heroin?	
7.140When do you use steroids?	
7.141When do you use ecstasy?	
7.142When do you use OxyContin?	
7.143When do you use any tobacco?	
7.144When do you use any alcohol?	
,	-

LIST OF TABLES viii

7.145When do you use any illicit drugs?	. 192
7.146While at school have you carried a gun?	. 193
7.147While at school have you carried a knife, club or other weapon?	. 193
7.148While at school have you threatened a student with a gun, knife or club?	. 194
7.149While at school have you threatened to hurt a student by hitting, slapping or kicking?	. 194
7.150While at school have you hurt a student by using a gun, knife or club?	. 194
7.151While at school have you hurt a student by hitting, slapping or kicking?	. 195
7.152While at school have you been threatened with a gun, knife or club by a student?	. 195
7.153While at school have you had a student threaten to hit, slap or kick you?	. 195
7.154While at school have you been afraid a student may hurt you?	. 196
7.155While at school have you been hurt by a student using a gun, knife or club?	. 196
7.156While at school have you been hurt by a student who hit, slapped or kicked you?	
7.157While at school have you been helped by a school security officer?	. 197
7.158While at school have you been in trouble with school security officer?	. 197
7.159What effect do you most often get when you smoke cigarettes?	. 198
7.160What effect do you most often get when you use smokeless tobacco?	. 198
7.161What effect do you most often get when you smoke cigars?	. 199
7.162What effect do you most often get when you drink beer?	
7.163What effect do you most often get when you drink wine coolers?	. 199
7.164What effect do you most often get when you drink liquor?	. 200
7.165What effect do you most often get when you smoke marijuana?	. 200
7.166What effect do you most often get when you use cocaine?	. 200
7.167What effect do you most often get when you use uppers?	. 201
7.168What effect do you most often get when you use downers?	. 201
7.169What effect do you most often get when you use inhalants?	. 201
7.170What effect do you most often get when you use hallucinogens?	. 202
7.171What effect do you most often get when you use heroin?	. 202
7.172What effect do you most often get when you use steroids?	. 202
7.173What effect do you most often get when you use ecstasy?	. 203
7.174What effect do you most often get when you use OxyContin?	. 203
7.175How easy is it to get cigarettes?	. 204
7.176How easy is it to get smokeless tobacco?	. 204
7.177How easy is it to get cigars?	. 205
7.178How easy is it to get beer?	. 205
7.179How easy is it to get wine coolers?	. 205
7.180How easy is it to get liquor?	. 206
7.181How easy is it to get marijuana?	. 206
7.182How easy is it to get cocaine?	. 206
7.183How easy is it to get uppers?	. 207
7.184How easy is it to get downers?	. 207
7.185How easy is it to get inhalants?	
7.186How easy is it to get hallucinogens?	
7.187How easy is it to get heroin?	. 208
7.188How easy is it to get steroids?	. 208
7.189How easy is it to get ecstasy?	
7.190How easy is it to get OxyContin?	
7.191In my school, I feel safe in the classroom?	. 210

LIST OF TABLES ix

7.192In my school, I feel safe in the cafeteria?	210
7.193In my school, I feel safe in the halls?	211
7.194In my school, I feel safe in the bathroom?	211
7.195In my school, I feel safe in the gym?	211
7.196In my school, I feel safe on the school bus?	212
7.197In my school, I feel safe at school events?	212
7.198In my school, I feel safe on the playground?	212
7.199In my school, I feel safe in the parking lot?	213
7.200In my school, I feel safe in all school areas?	213
7.201In my neighborhood, I feel safe where I live?	214
7.202In my neighborhood, I feel safe in the streets?	
7.203In my neighborhood, I feel safe at the movies?	215
7.204In my neighborhood, I feel safe on the playground?	215
7.205In my neighborhood, I feel safe at my friend's house?	
7.206In my neighborhood, I feel safe at the mall?	
7.207Would you parents disapprove of you using tobacco?	217
7.208Would you parents disapprove of you using alcohol?	217
7.209Would you parents disapprove of you using marijuana?	218
7.210Would you parents disapprove of you using other illicit drugs?	
7.211Would you parents disapprove of you fighting with a student?	218
7.212Would you parents disapprove of you carrying a weapon to school?	219
7.213Would you parents disapprove of you threatening a student?	
7.214Would you parents disapprove of you joining a gang?	
7.215Would you friends disapprove of you using tobacco?	
7.216Would you friends disapprove of you using alcohol?	220
7.217Would you friends disapprove of you using marijuana?	
7.218Would you friends disapprove of you using other illicit drugs?	
7.219Would you friends disapprove of you fighting with a student?	
7.220Would you friends disapprove of you carrying a weapon to school?	
7.221Would you friends disapprove of you threatening a student?	
7.222Would you friends disapprove of you joining a gang?	222
7.223Frequency of Use – Cigarettes?	
7.224Frequency of Use – Smokeless Tobacco?	
7.225Frequency of Use – Cigars?	
7.226Frequency of Use – Beer?	
7.227Frequency of Use – Wine Coolers?	
7.228Frequency of Use – Liquor?	
7.229Frequency of Use – Marijuana?	
7.230Frequency of Use – Cocaine?	
7.231Frequency of Use – Uppers?	
7.232Frequency of Use – Downers?	
7.233Frequency of Use – Inhalants?	
7.234Frequency of Use – Hallucinogens?	
7.235Frequency of Use – Heroin?	
7.236Frequency of Use – Steroids?	
7.237Frequency of Use – Ecstasy?	
7.238Frequency of Use – OxyContin?	228

LIST OF TABLES x

7.239Frequency of Use – Any Tobacco?	228
7.240Frequency of Use – Any Alcohol?	229
7.241Frequency of Use – Any Illicit Drugs?	220

# **List of Figures**

2.1	Percentage of Students Who Use Cigarettes & Alcohol - Grades 6 to 8	
2.2		20
2.3	Percentage of Students Who Use Marijuana, Cocaine, Inhalants & Hallucinogens - Grades	
	6 to 8	21
2.4	Percentage of Students Who Use Marijuana, Cocaine, Inhalants & Hallucinogens - Grades	
	9 to 12	22
2.5	Percentage of Students Who Use Uppers, Downers & Any Illicit Drugs - Grades 6 to 8 $$ .	23
2.6	Percentage of Students Who Use Uppers, Downers & Any Illicit Drugs - Grades 9 to 12	24
3.1	% Students Who Use Cigarettes, Smokeless Tobacco & Cigars	27
3.2	% Students Who Use Beer, Wine Coolers, Liquor & Marijuana	28
3.3		29
3.4	% Students Who Use Hallucinogens, Heroin & Steroids	
3. <del>4</del>	% Students Who Use Ecstasy & OxyContin	
3.6	Where Do You Use Beer	
3.7 3.8	Where Do You Use Liquor	
3.9	Where Do You Use Marijuana	
	Where Do You Use Cocaine	
	Where Do You Use Inhalants	
	Where Do You Use Hallucinogens	30 39
	Where Do You Use Ecstasy	39 40
	Where Do You Use OxyContin	40
	When Do You Use Beer	
	When Do You Use Liquor	43
	When Do You Use Marijuana	44
	When Do You Use Cocaine	45
	When Do You Use Inhalants	46
	When Do You Use Hallucinogens	
	When Do You Use Ecstasy	48
	When Do You Use OxyContin	49
	Is It Harmful To Use Beer	
	Is It Harmful To Use Liquor	
	Is It Harmful To Use Marijuana	
	Is It Harmful To Use Cocaine	
	Is It Harmful To Use Inhalants	
	Is It Harmful To Use Hallucinogens	
3.28	Is It Harmful To Use Ecstasy	57

LIST OF FIGURES xii

	Is It Harmful To Use OxyContin	
3.30	How Easy Is It To Get Beer	60
3.31	How Easy Is It To Get Liquor	61
3.32	How Easy Is It To Get Marijuana	62
3.33	How Easy Is It To Get Cocaine	63
3.34	How Easy Is It To Get Inhalants	64
3.35	How Easy Is It To Get Hallucinogens	65
	How Easy Is It To Get Ecstasy	
3.37	How Easy Is It To Get OxyContin	67
3.38	Friends Use of Tobacco	69
	Friends Use of Alcohol	
	Friends Use of Illicit Drugs	
4.1	% Students Who Get Very High or Bombed When Using Beer, Wine Coolers or Liquor .	74
4.2	% Students Who Get Very High or Bombed When Using Marijuana, Cocaine or Uppers .	
4.3	% Students Who Get Very High or Bombed When Using Downers, Inhalants or Hallu-	
1.0	cinogens	76
4.4	% Students Who Get Very High or Bombed When Using Heroin, Steroids, Ecstasy or	. 0
	OxyContin	77
4.5	% Students Who Use Beer by Sex	
4.6	% Students Who Use Liquor by Sex	
4.7	% Students Who Use Marijuana by Sex	
4.8	% Students Who Use Cocaine by Sex	
4.9	% Students Who Use Inhalants by Sex	
4.10	% Students Who Use Hallucinogens by Sex	
	% Students Who Use Ecstasy by Sex	
4.12	% Students Who Use OxyContin by Sex	86
4.13	% Students Who Use Illicit Drugs by Attend Church, Synagogue, etc.	88
4.14	% Students Who Use Illicit Drugs by Take Part in Community Activities	89
4.15	% Students Who Use Illicit Drugs by Make Good Grades	90
4.16	% Students Who Use Illicit Drugs by Take Part in Sports Teams	91
4.17	% Students Who Use Illicit Drugs by Take Part in School Activities	92
4.18	% Students Who Use Illicit Drugs by Get Into Trouble at School	93
4.19	% Students Who Use Illicit Drugs by Parents Talk About Dangers of Drugs	94
	% Students Who Use Illicit Drugs by Parents Set Clear Rules	
4.21	% Students Who Use Illicit Drugs by Parents Punish for Breaking Rules	96
4.22	% Students Who Use Illicit Drugs by School Sets Clear Rules on Guns at School	97
	% Students Who Use Illicit Drugs by School Sets Clear Rules on Drugs at School	
	% Students Who Use Illicit Drugs by School Sets Clear Rules on Bullying at School	
	% Students Who Use Illicit Drugs by School Punishes for Breaking Rules	
	% Students Who Use Illicit Drugs by Received Treatment for Alcohol/Drug Use	
	% Students Who Use Illicit Drugs by Been Caught Using Alcohol	
	% Students Who Use Illicit Drugs by Been Caught Using Drugs	
	% Students Who Use Illicit Drugs by Buy/Sell Drugs at School	
	% Students Who Use Illicit Drugs by Buy/Sell Drugs While NOT at School	
	% Students Who Use Illicit Drugs by Friends Use Alcohol	
4.32	% Students Who Use Illicit Drugs by Friends Use Drugs	107

LIST OF FIGURES xiii

	% Students Who Use Illicit Drugs by Parents Set Rules About TV, Movies, etc 10	
	% Students Who Use Illicit Drugs by Drinking 5 or More Glasses of Alcohol 10	
4.35	$\%$ Students Who Use Illicit Drugs by Skipped School $\dots \dots \dots$	10
	D 11 (C) 1 ( ) 1/1 (C) (C) (C) 1 ( ) 1/1 (D) 1	
5.1	Drug Use of Students Who Carry Guns vs Students Who Do Not	
5.2	Drug Use of Students In Gangs vs Students Not In Gangs	
5.3	Drug Use of Students Who Think of Suicide	
5.4	Drug Use of Students Who Threaten vs Students Who Do Not	
5.5	Drug Use of Students Who Get In Trouble With Police vs Those Who Do Not 1	16
8.1	Annual Use of Cigarettes	22
8.2		
	Monthly Use of Cigarettes	
8.3	Annual Use of Beer	
8.4	Monthly Use of Beer	
8.5	Annual Use of Wine Coolers	
8.6	Monthly Use of Wine Coolers	
8.7	Annual Use of Liquor	
8.8	Monthly Use of Liquor	
8.9	Annual Use of Marijuana	
	Monthly Use of Marijuana	
8.11	Annual Use of Cocaine	42
8.12	Monthly Use of Cocaine	43
8.13	Annual Use of Uppers	44
8.14	Monthly Use of Uppers	45
8.15	Annual Use of Downers	46
8.16	Monthly Use of Downers	47
8.17	Annual Use of Inhalants	48
	Monthly Use of Inhalants	
	Annual Use of Hallucinogens	
	Monthly Use of Hallucinogens	
	Annual Use of Alcohol	
	Monthly Use of Alcohol	
	Annual Use of Illicit Drugs	
	Monthly Use of Illicit Drugs	
	Availability of Beer	
	Availability of Wine Coolers	
	Availability of Liquor	
	Availability of Marijuana	
	Availability of Cocaine	
	·	
	Availability of Uppers	
	Availability of Downers	
	Availability of Inhalants	
	Availability of Hallucinogens	
	Effect of Use of Beer	
	Effect of Use of Wine Coolers	
	Effect of Use of Liquor	
	Effect of Use of Marijuana	
8.38	Effect of Use of Cocaine	71

LIST OF FIGURES xiv

8.39	Effect of Use of Uppers									 				272
8.40	Effect of Use of Downers									 				273
8.41	Effect of Use of Inhalants									 				274
8 42	Effect of Use of Hallucinogens													275

### Chapter 1

### Introduction

The following graphs, summary and tables are compiled from data collected in the 2004-05 school(s) using the **PRIDE Surveys Questionnaire**. These data reflect prevalence and patterns of drug and alcohol use, violence, gang activity and suicide. It is important that this report be utilized as part of drug abuse and violence awareness and prevention programs. We strongly suggest that you:

**COPY THE FOLLOWING PAGES,** (which highlight and graphically summarize drug use and violent behavior by students in schools)

### DISTRIBUTE THEM TO THE FACULTY

### AND SHARE THIS INFORMATION WITH PARENTS.

Most of all, we strongly encourage a parent meeting at school to share this information!

**NOTE:** Most drug use occurs at nights and weekends when school is not in session. You will find statistics in this report which support these findings.

FOR GREATEST SUCCESS IN DECREASING DRUG USE, FACULTY, STUDENTS AND PARENTS MUST WORK TOGETHER TOWARD A DRUG-FREE LIFESTYLE.

If you have questions about this report or if you wish to have information on other **PRIDE Surveys** services and products, please call the **PRIDE Surveys** Office or write to the following address:

### **PRIDE Surveys**

Janie Pitcock 160 Vanderbilt Court Bowling Green, KY 42103 1-800-279-6361 1-270-746-9596 www.pridesurveys.com

The following information is for PRIDE Surveys internal use only.

• Data Files: us049999

• Filter:

### 1.1 Drug Use Summary

• Number of 6th grade students surveyed: 22218

• Number of 7th grade students surveyed: 36112

• Number of 8th grade students surveyed: 33374

• Number of 9th grade students surveyed: 30526

• Number of 10th grade students surveyed: 31019

• Number of 11th grade students surveyed: 23050

• Number of 12th grade students surveyed: 17359

• Number of students surveyed: 193658

### 1.2 Cigarette Use

**9.9** percent of the 2004-05 6th grade students said they used cigarettes within the past year (2003-2004 PRIDE National Avg = 9.1%). **15.8** percent of the 2004-05 7th grade students said they used cigarettes within the past year (2003-2004 PRIDE National Avg = 14.4%). **20.7** percent of the 2004-05 8th grade students said they used cigarettes within the past year (2003-2004 PRIDE National Avg = 22.2%). **27.7** percent of the 2004-05 9th grade students said they used cigarettes within the past year (2003-2004 PRIDE National Avg = 28.2%). **30.1** percent of the 2004-05 10th grade students said they used cigarettes within the past year (2003-2004 PRIDE National Avg = 31.5%). **34.3** percent of the 2004-05 11th grade students said they used cigarettes within the past year (2003-2004 PRIDE National Avg = 37.1%). **37.4** percent of the 2004-05 12th grade students said they used cigarettes within the past year (2003-2004 PRIDE National Avg = 37.1%). **37.4** percent of the 2004-05 12th grade students said they used cigarettes within the past year (2003-2004 PRIDE National Avg = 39.3%).

### 1.3 Beer Use

14.7 percent of the 2004-05 6th grade students said they used beer within the past year (2003-2004 PRIDE National Avg = 13.8%). 21.3 percent of the 2004-05 7th grade students said they used beer within the past year (2003-2004 PRIDE National Avg = 21.2%). 31.0 percent of the 2004-05 8th grade students said they used beer within the past year (2003-2004 PRIDE National Avg = 32.5%). 40.4 percent of the 2004-05 9th grade students said they used beer within the past year (2003-2004 PRIDE National Avg = 40.4%). 48.1 percent of the 2004-05 10th grade students said they used beer within the past year (2003-2004 PRIDE National Avg = 48.3%). 51.4 percent of the 2004-05 11th grade students said they used beer within the past year (2003-2004 PRIDE National Avg = 54.2%). 56.0 percent of the 2004-05 12th grade students said they used beer within the past year (2003-2004 PRIDE National Avg = 57.3%).

Of those 6th grade students who reported using beer, 16.5 percent of them reported getting *very high* or *bombed* when they used. Of those 7th grade students who reported using beer, 14.8 percent of them reported getting *very high* or *bombed* when they used. Of those 8th grade students who reported using beer, 18.2 percent of them reported getting *very high* or *bombed* when they used. Of those 9th grade students who reported using beer, 27.1 percent of them reported getting *very high* or *bombed* when they used. Of those 10th grade students who reported using beer, 32.4 percent of them reported getting *very high* or *bombed* when they used. Of those 11th grade students who reported using beer, 37.6 percent of them reported getting *very high* or *bombed* when they used. Of those 12th grade students who reported using beer, 42.5 percent of them reported getting *very high* or *bombed* when they used.

### 1.4 Marijuana Use

**4.7** percent of the 2004-05 6th grade students said they used marijuana within the past year (2003-2004 PRIDE National Avg = 4.2%). **8.2** percent of the 2004-05 7th grade students said they used marijuana within the past year (2003-2004 PRIDE National Avg = 7.1%). **13.7** percent of the 2004-05 8th grade students said they used marijuana within the past year (2003-2004 PRIDE National Avg = 14.3%). **22.6** percent of the 2004-05 9th grade students said they used marijuana within the past year (2003-2004 PRIDE National Avg = 22.1%). **27.3** percent of the 2004-05 10th grade students said they used marijuana within the past year (2003-2004 PRIDE National Avg = 28.0%). **31.7** percent of the 2004-05 11th grade students said they used marijuana within the past year (2003-2004 PRIDE National Avg = 33.0%). **33.6** percent of the 2004-05 12th grade students said they used marijuana within the past year (2003-2004 PRIDE National Avg = 35.5%).

Of those 6th grade students who reported using marijuana, 73.4 percent of them reported getting very high or bombed when they used. Of those 7th grade students who reported using marijuana, 72.0 percent of them reported getting very high or bombed when they used. Of those 8th grade students who reported using marijuana, 74.6 percent of them reported getting very high or bombed when they used. Of those 9th grade students who reported using marijuana, 77.6 percent of them reported getting very high or bombed when they used. Of those 10th grade students who reported using marijuana, 77.1 percent of them reported getting very high or bombed when they used. Of those 11th grade students who reported using marijuana, 77.2 percent of them reported getting very high or bombed when they used. Of those 12th grade students who reported using marijuana, 76.8 percent of them reported getting very high or bombed when they used.

2.4 percent of the 2004-05 6th grade students reported they used marijuana on weekends vs. 0.8 percent who reported use during school. 5.2 percent of the 2004-05 7th grade students reported they used marijuana on weekends vs. 0.6 percent who reported use during school. 8.9 percent of the 2004-05 8th grade students reported they used marijuana on weekends vs. 1.1 percent who reported use during school. 15.1 percent of the 2004-05 9th grade students reported they used marijuana on weekends vs. 2.5 percent who reported use during school. 19.1 percent of the 2004-05 10th grade students reported they used marijuana on weekends vs. 3.0 percent who reported use during school. 21.5 percent of the 2004-05 11th grade students reported they used marijuana on weekends vs. 3.6 percent who reported use during school. 22.9 percent of the 2004-05 12th grade students reported they used marijuana on weekends vs. 4.6 percent who reported use during school.

### 1.5 Cocaine Use

**2.5** percent of the 2004-05 6th grade students said they used cocaine within the past year (2003-2004 PRIDE National Avg = 2.2%). **2.5** percent of the 2004-05 7th grade students said they used cocaine within the past year (2003-2004 PRIDE National Avg = 2.3%). **3.7** percent of the 2004-05 8th grade students said they used cocaine within the past year (2003-2004 PRIDE National Avg = 3.8%). **5.3** percent of the 2004-05 9th grade students said they used cocaine within the past year (2003-2004 PRIDE National Avg = 5.3%). **5.7** percent of the 2004-05 10th grade students said they used cocaine within the past year (2003-2004 PRIDE National Avg = 5.9%). **7.5** percent of the 2004-05 11th grade students said they used cocaine within the past year (2003-2004 PRIDE National Avg = 7.2%). **8.8** percent of the 2004-05 12th grade students said they used cocaine within the past year (2003-2004 PRIDE National Avg = 9.5%).

Of those 6th grade students who reported using cocaine, **76.2** percent of them reported getting very high or bombed when they used. Of those 7th grade students who reported using cocaine, **68.6** percent of them reported getting very high or bombed when they used. Of those 8th grade students who reported using cocaine, **72.1** percent of them reported getting very high or bombed when they used. Of those 9th grade students who reported using cocaine, **69.6** percent of them reported getting very high or bombed when they used. Of those 10th grade students who reported using cocaine, **73.6** percent of them reported getting very high or bombed when they used. Of those 11th grade students who reported using cocaine, **75.0** percent of them reported getting very high or bombed when they used. Of those 12th grade students who reported using cocaine, **75.4** percent of them reported getting very high or bombed when they used.

### 1.6 Hallucinogen Use

**2.2** percent of the 2004-05 6th grade students said they used hallucinogens within the past year (2003-2004 PRIDE National Avg = 2.2%). **2.1** percent of the 2004-05 7th grade students said they used hallucinogens within the past year (2003-2004 PRIDE National Avg = 2.1%). **3.2** percent of the 2004-05 8th grade students said they used hallucinogens within the past year (2003-2004 PRIDE National Avg = 3.1%). **4.9** percent of the 2004-05 9th grade students said they used hallucinogens within the past year (2003-2004 PRIDE National Avg = 4.6%). **4.9** percent of the 2004-05 10th grade students said they used hallucinogens within the past year (2003-2004 PRIDE National Avg = 5.5%). **6.4** percent of the 2004-05 11th grade students said they used hallucinogens within the past year (2003-2004 PRIDE National Avg = 6.6%). **7.3** percent of the 2004-05 12th grade students said they used hallucinogens within the past year (2003-2004 PRIDE National Avg = 8.0%).

Of those 6th grade students who reported using hallucinogens, **73.7** percent of them reported getting *very high* or *bombed* when they used. Of those 7th grade students who reported using hallucinogens, **62.3** percent of them reported getting *very high* or *bombed* when they used. Of those 8th grade students who reported using hallucinogens, **69.3** percent of them reported getting *very high* or *bombed* when they used. Of those 9th grade students who reported using hallucinogens, **74.7** percent of them reported getting *very high* or *bombed* when they used. Of those 10th grade students who reported using hallucinogens, **75.2** percent of them reported getting *very high* or *bombed* when they used. Of

those 11th grade students who reported using hallucinogens, **79.0** percent of them reported getting *very high* or *bombed* when they used. Of those 12th grade students who reported using hallucinogens, **80.8** percent of them reported getting *very high* or *bombed* when they used.

### Chapter 2

### **National Summary Statistics**

# 2.1 Outline of Procedures Used to Obtain PRIDE National Summary Data

Since 1982, the PRIDE Survey has been used by schools, school systems, communities, and states, to gather data on student drug and alcohol use. In recent years, questions on violence and threatening behaviors have been added. The PRIDE Questionnaire for Grades 6-12 has been utilized by thousands of school systems across the United States, as well as in six other countries. Developmental studies (Adams, 1994; Craig and Emshoff, 1987; Metze, 2000) have indicated that the survey procedures developed by PRIDE result in reliable data on the prevalence and patterns of drug and alcohol use and other behaviors. Further, the evolution of PRIDE Questionnaires since 1980 not only provides research quality data, it provides information that can be easily used by educators, parents and others at the local school and community level to study and monitor the drug and alcohol use, and violent or threatening behaviors.

From the beginning, the PRIDE Survey has assisted local schools and communities with obtaining accurate, defensible information about the drug and alcohol use and related behaviors among their youth. The PRIDE Survey has been utilized by several state education and other government agencies in providing state-wide and regional information on student drug and alcohol use and related behaviors. These state-wide surveys have included near-census studies as well as surveys employing sophisticated sampling designs. Survey results have been used in program and policy decision making at state and regional levels. In addition, each statewide survey also included reports to participating schools for use at the local school level.

Each year the PRIDE data is archived from each student questionnaire. This procedure allows local or state educational agencies to retrieve their data for multi-year comparisons should such a service be needed. This archiving process also provides for summary data to be compiled to create a national database. This national level summary data can be used by local and state clients as comparison data.

The PRIDE national archived data provide a rich source of information for the study of adolescent

prevalence and patterns of drug and alcohol use and related behaviors. In the years prior to the 1989-90 school year, sample sizes of national annual summaries ranged from 14,815 in 1982-83 to 392,003 in 1988-89. The annual summaries for the past ten years involved a weighting system for states that conducted state-wide surveys and states where relatively large numbers of school systems used the PRIDE Questionnaire in local surveys. This weighting system was implemented to prevent any one state from having a disproportionate influence on annual summary results. Random samples were drawn from those states where disproportionately large numbers of students were surveyed. Tables 1-3 contain information regarding national samples for the past ten years.

Table 1 contains the total number of students surveyed in Grades 6-12 for the ten-year period. The large number of total students surveyed in certain years reflects statewide surveys conducted in those years. Table 2 provides percentage information by state for those states that comprised the PRIDE national summaries for each of the ten years. No state contributed more than approximately 10% for any year. Table 3 provides a year by year comparison by sex and race. These demographic comparisons indicate no inordinate differences among years.

As indicated in the previous discussion, the purpose of the PRIDE Questionnaire was to assist state and local education agencies in conducting quality surveys of student prevalence and patterns of drug and alcohol use. Questions concerning violence and other threatening behaviors have been added to the questionnaires in recent years. The national annual summary reports represent large numbers of students who have completed the PRIDE Questionnaire using standardized procedures. While not randomly drawn, the sheer magnitude of the numbers represented in the annual summaries, suggest that these data take on the properties of the population. In addition, the samples appear to have somewhat similar patterns of students sampled across the various states (see Table 2). Discussion of sample sizes may be found in Guilford's *Fundamentals Statistics in Psychology and Education*. While it is desirable to have non-biased sampling, e.g., samples based on random procedures; this is not always possible. Guilford states:

Where there is less than customary experimental control of the observations, every possible effort should be made to know the conditions under which the data are obtained. Thorough knowledge of the conditions should be a basis for deciding whether selection of cases has been biased. (Page 140)

Probably the information that speaks most to consistent findings of the PRIDE annual summary analyses across the ten years, was the finding of other drug studies. For example, the PRIDE findings reflect similar findings of the NIDA funded studies conducted at the Institute for Social Research, University of Michigan, from the 1990-91 school year to the present.

### 2.2 National Summary Tables

This section contains tables of national summary statitistics for the following:

• sample size for the past ten years,

- sex and race demographics for the past ten years,
- the sample distribution by state for the past ten years,
- comparisons of the frequency of drug use for the current year vs the previous year,
- chi-square analysis of the difference in use for the current year vs the previous year,
- violence summary for the current year and
- frequency of drug use for every year since the 1987-88 school year.

Table 2.1: Sample Sizes of Annual Summaries for Grades 6 thru 12

Year	# Students Surveyed	*Sample
1995-96	258,433	129,560
1996-97	160,308	141,077
1997-98	162,623	154,350
1998-99	265,430	138,079
1999-00	183,781	114,318
2000-01	89,661	75,804
2001-02	320,169	101,882
2002-03	459,906	109,919
2003-04	503,732	114,402
2004-05	609,151	193,658

<sup>\*</sup>Sample (number drawn from the total number of students)

Table 2.2: Comparisions of Demographic Variables - Grades 6 thru 12

100	10 2.2.	companis	10113 01 1	Jennogra	ipilic vai	labics	Grades (	tillu 12	_	
	95-96	96-97	97-98	98-99	99-00	00-01	01-02	02-03	03-04	04-05
SEX										
Male	49.4	49.7	49.6	49.3	48.7	49.4	49.2	48.5	48.8	48.9
Female	50.6	50.3	50.4	50.7	51.3	50.6	50.8	51.5	51.2	51.1
RACE										
African American	13.8	12.0	9.8	10.6	15.2	12.5	14.2	18.2	17.9	17.3
Asian	2.8	2.5	3.0	4.9	2.4	2.5	2.5	2.3	2.6	2.5
Hispanic	4.9	5.5	5.9	7.0	6.9	5.0	5.5	6.7	5.3	4.9
Mixed Origin*				4.9	4.9	4.7	4.5	3.8	3.7	4.0
Native American	0.7	0.9	0.7	0.9	0.9	1.1	0.9	1.0	1.2	1.3
Other*	1.9	2.1	2.1					1.6	1.7	1.7
White	75.9	77.0	78.5	71.7	69.6	74.1	72.4	66.5	67.7	68.4

<sup>\*</sup>Category not asked for all years

Table 2.3	: Sampl	e Distril	bution b		ntage D	rawn fro	om Eacl	n State -	- Grades	s 6 thru 12
State	95-96	96-97	97-98	98-99	99-00	00-01	01-02	02-03	03-04	04-05
AK	0.0	0.6	1.3	0.0	0.0	0.0	0.0	0.0	0.1	0.0
AL	0.0	0.0	0.0	1.7	5.5	1.4	10.2	8.7	10.5	10.6
AR	0.0	3.4	0.0	7.7	4.5	5.4	9.6	7.9	3.4	1.6
ΑZ	4.1	0.0	3.5	0.0	1.2	0.0	0.0	0.0	0.0	0.0
CA	7.2	3.2	7.7	8.4	2.1	0.0	0.0	0.0	0.0	0.0
CO	0.1	3.1	0.0	0.0	0.0	4.9	0.0	3.1	0.1	1.6
CT	1.7	1.1	0.0	8.0	0.0	2.3	0.0	0.0	0.0	0.0
DC	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
DE	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
FL	8.0	6.9	8.2	4.9	5.7	0.0	0.0	0.0	0.0	0.0
GA	5.4	5.0	5.0	2.4	1.7	0.0	0.5	8.7	10.5	10.6
HI	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
IA	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5
ID	1.6	0.0	0.9	0.0	1.2	0.0	1.3	0.0	1.4	0.0
IL	9.5	4.9	4.8	3.3	4.7	6.3	3.1	3.5	4.8	3.3
IN	0.0	0.0	0.3	1.1	0.0	0.0	0.0	0.5	0.0	0.4
KS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
KY	9.5	8.9	9.8	9.9	10.2	10.2	10.4	8.7	5.4	2.8
LA	1.7	0.0	0.7	0.0	0.0	0.1	8.7	4.0	0.0	0.0
MA	0.0	0.8	2.0	3.1	5.0	1.2	1.2	0.4	0.3	0.5
MD	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
ME	0.0	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
MI	0.5	2.5	0.7	2.5	0.0	4.6	0.0	2.1	0.0	0.0
MN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	3.3
MO	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
MS	6.8	2.4	1.8	2.8	5.7	10.2	5.1	8.7	10.5	10.6
MT	0.0	0.0	0.1	0.0	0.2	0.0	0.0	0.0	0.0	0.0
NC	0.0	0.0	0.0	0.8	0.0	0.0	0.0	0.6	0.0	1.2
ND NE	0.0 0.0	0.6 0.0	0.5 0.4	0.0 0.5	0.0 0.0	0.0 0.0	0.0 0.0	0.0 0.0	0.0 0.0	0.0 0.0
NH	0.0	1.0	0.4		0.0		0.0	0.0	0.0	0.0
NЛ	3.7	7.1	2.9	0.4 6.3	9.3	0.0 2.8	1.6	0.0	0.6	0.0
NM	1.2	0.0	0.0	1.1	9.3 1.4	1.9	0.5	1.2	0.0	0.8
NV	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
NY	9.5	10.1	7.5	9.9	10.2	10.2	10.4	8.2	10.5	10.6
OH		10.1	9.8	8.1	3.1	2.1	10.4		5.5	5.4
		0.4	0.6	1.8	0.5		0.9		0.8	0.3
OR	0.0	0.4	0.0	0.0	0.0		0.9		0.0	0.0
PA	1.8	0.2	3.9	2.4	3.8		2.5		0.0	0.6
RI	0.0	0.4	0.0	0.0	0.0	0.9	0.0		0.0	0.0
SC	0.0	0.0	0.0	0.0	0.0	0.0	0.0		0.0	0.0
SD		0.0	0.0	0.0	0.0	0.0	0.0		0.0	0.0
TN		5.6	9.9	4.5	4.4	8.3	3.8		7.6	8.5
TX		3.5	1.1	2.8	0.7	1.2	1.7		10.5	3.1
UT	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
VA	8.1	6.5	9.4	9.0	10.2	10.2	10.4		10.5	10.6
VT	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
WA	0.6	7.5	0.0	1.9	3.2		0.6	0.5	0.0	0.0
	2.4	2.1	0.9	1.2	2.8		3.3		0.7	1.4
	1.2	0.2	4.5	0.1	2.7		3.9		4.7	10.6
WY		1.0	0.0	0.7			0.0		0.8	0.0
	0.0	1.0	0.0	0.1	0.0	1.7	0.0	0.0	0.0	<u> </u>

Table 2.4: Percentage of Students Who Report Using Drugs - Tobacco and Alcohol

		Students Who Report Using Drugs - Tobacco and					
DRUG	GRADE		Annual Use			lonthly Us	
	LEVEL	2003-04	2004-05	change	2003-04	2004-05	change
Cigarettes	Junior High	16.2	16.2	0.0	8.4	8.1	-0.3*
	Senior High	33.3	31.6	-1.7*	21.9	20.3	-1.6*
	12th Graders	39.3	37.4	-1.9*	28.0	25.8	-2.2*
	Total	24.8	24.3	-0.5*	15.2	14.5	-0.7*
Smokeless Tobacco	Junior High	6.5	6.9	0.4*	3.5	3.7	0.2
	Senior High	13.5	13.3	-0.2	8.4	8.2	-0.2
	12th Graders	15.0	15.7	0.7	9.6	10.0	0.4
	Total	10.0	10.2	0.2*	6.0	6.1	0.1
Cigars	Junior High	7.9	8.0	0.1	3.6	3.6	0.0
	Senior High	20.7	20.4	-0.3	10.2	9.9	-0.3*
	12th Graders	26.7	27.4	0.7	13.8	13.3	-0.5
	Total	14.3	14.6	0.3	6.9	6.9	0.0
Any Tobacco	Junior High	19.2	19.2	0.0	9.9	9.8	-0.1
	Senior High	39.7	38.1	-1.6*	26.1	24.5	-1.6*
	12th Graders	46.6	45.7	-0.9	32.8	30.9	-1.9*
	Total	29.4	29.1	-0.3	18.0	17.5	-0.5*
Beer	Junior High	24.0	23.2	-0.8*	8.9	8.4	-0.5*
	Senior High	49.0	47.9	-1.1*	28.4	26.7	-1.7*
	12th Graders	57.3	56.0	-1.3	38.1	35.8	-2.3*
	Total	36.5	36.2	-0.3	18.6	18.1	-0.5*
Wine Coolers	Junior High	25.5	24.0	-1.5*	8.6	8.1	-0.5*
	Senior High	44.1	41.7	-2.4*	19.7	18.5	-1.2*
	12th Graders	46.3	44.5	-1.8*	22.5	21.1	-1.4*
	Total	34.8	33.3	-1.5*	14.2	13.6	-0.6*
Liquor	Junior High	17.7	17.1	-0.6*	7.1	6.7	-0.4*
	Senior High	48.6	47.5	-1.1*	27.0	26.0	-1.0*
	12th Graders	59.2	57.9	-1.3*	36.4	34.4	-2.0*
	Total	33.2	33.1	-0.1	17.1	16.9	-0.2
Any Alcohol	Junior High	34.0	32.6	-1.4*	12.0	11.3	-0.7*
	Senior High	62.3	60.3	-2.0*	34.3	32.6	-1.7*
	12th Graders	69.8	68.0	-1.8*	44.5	41.8	-2.7*
	Total	48.1	47.2	-0.9*	23.1	22.5	-0.6*
*C 11	. 1:00	05 1 1	. ,.	•		-	

<sup>\*</sup>Statistically significant difference at .05 level using chi-square with variables year and no

### N-Sizes by Grade

	,	
Grade	2003-04	2004-05
Junior High	57,380	91,704
Senior High	57,022	101,954
12th Graders	9,120	17,359
Total	114,402	193,658

Table 2.5: Percentage of Students Who Report Using Drugs - Illicit Drugs

Table 2.5: Percentage of Students Who Report Using Drugs - Illicit Drugs									
DRUG	GRADE		Annual Use	9		lonthly Us	е		
	LEVEL	2003-04	2004-05	change	2003-04	2004-05	change		
Marijuana	Junior High	9.3	9.4	0.1	5.6	5.6	0.0		
	Senior High	28.8	27.9	-0.9*	17.9	17.4	-0.5*		
	12th Graders	35.5	33.6	-1.9*	22.6	20.7	-1.9*		
	Total	19.1	19.1	0.0	11.8	11.8	0.0		
Cocaine	Junior High	2.9	2.9	0.0	1.9	1.9	0.0		
	Senior High	6.7	6.5	-0.2	4.1	4.0	-0.1		
	12th Graders	9.5	8.8	-0.7*	5.7	5.4	-0.3		
	Total	4.8	4.8	0.0	3.0	3.0	0.0		
Uppers	Junior High	3.0	2.7	-0.3*	1.9	1.8	-0.1		
	Senior High	6.8	6.3	-0.5*	4.2	4.0	-0.2*		
	12th Graders	8.6	7.7	-0.9*	5.6	5.2	-0.4		
	Total	4.9	4.6	-0.3*	3.1	3.0	-0.1		
Downers	Junior High	3.4	3.3	-0.1	2.2	2.1	-0.1		
	Senior High	7.9	7.7	-0.2	5.1	4.9	-0.2		
	12th Graders	9.6	9.0	-0.6	6.4	6.0	-0.4		
	Total	5.7	5.6	-0.1	3.7	3.6	-0.1		
Inhalants	Junior High	5.7	5.9	0.2	2.9	2.9	0.0		
	Senior High	5.8	6.1	0.3*	3.4	3.6	0.2		
	12th Graders	5.7	5.9	0.2	3.9	4.0	0.1		
	Total	5.7	6.0	0.3*	3.2	3.2	0.0		
Hallucinogens	Junior High	2.6	2.5	-0.1	1.8	1.7	-0.1		
	Senior High	5.9	5.6	-0.3*	3.5	3.4	-0.1		
	12th Graders	8.0	7.3	-0.7*	4.5	4.4	-0.1		
	Total	4.2	4.2	0.0	2.6	2.6	0.0		
Heroin	Junior High	2.4	2.3	-0.1	1.6	1.6	0.0		
	Senior High	3.9	3.9	0.0	2.7	2.8	0.1		
	12th Graders	4.9	5.0	0.1	3.5	3.7	0.2		
	Total	3.1	3.1	0.0	2.2	2.2	0.0		
Steroids	Junior High	2.5	2.4	-0.1	1.7	1.6	-0.1		
	Senior High	3.8	3.7	-0.1	2.7	2.7	0.0		
	12th Graders	4.7	4.7	0.0	3.5	3.6	0.1		
	Total	3.1	3.1	0.0	2.2	2.2	0.0		
Ecstasy	Junior High	3.0	2.7	-0.3*	1.9	1.7	-0.2*		
	Senior High	6.1	5.7	-0.4*	3.4	3.4	0.0		
	12th Graders	7.9	7.2	-0.7*	4.3	4.3	0.0		
0.0	Total	4.5	4.3	-0.2*	2.7	2.6	-0.1		
OxyContin	Junior High	2.8	2.8	0.0	1.9	1.8	-0.1		
	Senior High	6.2	6.3	0.1	3.7	3.7	0.0		
	12th Graders	7.3	7.2	-0.1	4.5	4.3	-0.2		
A Illisis D	Total	4.5	4.6	0.1	2.8	2.8	0.0		
Any Illicit Drugs	Junior High	13.5	13.3	-0.2	7.7	7.5	-0.2		
	Senior High	31.4	30.4	-1.0*	20.0	19.2	-0.8*		
	12th Graders	37.5	35.6	-1.9*	24.6	22.5	-2.1*		
	Total	22.5	22.3	-0.2	13.8	13.7	-0.1		

<sup>\*</sup>Statistically significant difference at .05 level using chi-square with variables year and no

N-Sizes by Grade

Grade	2003-04	2004-05
Junior High	57,380	91,704
Senior High	57,022	101,954
12th Graders	9,120	17,359
Total	114,402	193,658

Table 2.6: Chi-Square Analysis of Junior High Student Who Used These Drugs At Least 1/Year

DRUG	2003-04	2004-05	Chi-Square	Change
Cigarettes	16.2	16.2	0.1	0.0
Smokeless Tobacco	6.5	6.9	6.9*	0.4
Cigars	7.9	8.0	0.5	0.1
Any Tobacco	19.2	19.2	0.0	0.0
Beer	24.0	23.2	10.0*	-0.8
Wine Coolers	25.5	24.0	44.6*	-1.5
Liquor	17.7	17.1	7.9*	-0.6
Any Alcohol	34.0	32.6	27.8*	-1.4
Marijuana	9.3	9.4	0.0	0.1
Cocaine	2.9	2.9	0.0	0.0
Uppers	3.0	2.7	5.7*	-0.3
Downers	3.4	3.3	1.8	-0.1
Inhalants	5.7	5.9	2.9	0.2
Hallucinogens	2.6	2.5	0.1	-0.1
Heroin	2.4	2.3	0.3	-0.1
Steroids	2.5	2.4	0.2	-0.1
Any Illicit Drugs	13.5	13.3	1.3	-0.2

<sup>\*</sup>Statistically significant difference at .05 level using chi-square with 1 degree of freedom

N-Sizes by Grade

	•	
Grade	2003-04	2004-05
Junior High	57,380	91,704
Senior High	57.022	101.954

Table 2.7: Chi-Square Analysis of Senior High Student Who Used These Drugs At Least 1/Year

DRUG	2003-04	2004-05	Chi-Square	Change
Cigarettes	33.3	31.6	49.2*	-1.7
Smokeless Tobacco	13.5	13.3	0.8	-0.2
Cigars	20.7	20.4	1.6	-0.3
Any Tobacco	39.7	38.1	38.2*	-1.6
Beer	49.0	47.9	19.1*	-1.1
Wine Coolers	44.1	41.7	84.1*	-2.4
Liquor	48.6	47.5	16.5*	-1.1
Any Alcohol	62.3	60.3	61.7*	-2.0
Marijuana	28.8	27.9	14.3*	-0.9
Cocaine	6.7	6.5	1.7	-0.2
Uppers	6.8	6.3	16.3*	-0.5
Downers	7.9	7.7	3.5	-0.2
Inhalants	5.8	6.1	6.3*	0.3
Hallucinogens	5.9	5.6	5.5*	-0.3
Heroin	3.9	3.9	0.1	0.0
Steroids	3.8	3.7	1.0	-0.1
Any Illicit Drugs	31.4	30.4	17.1*	-1.0

<sup>\*</sup>Statistically significant difference at .05 level using chi-square with 1 degree of freedom

### N-Sizes by Grade

Grade	2003-04	2004-05
Junior High	57,380	91,704
Senior High	57,022	101,954

Table 2.8: PRIDE Summary	Report -	Violence
--------------------------	----------	----------

6-8th grade $n = 91,704$	9-12th grade n = 101,954
Percentage of Junior High (6-8th)	Percentage of Senior High (9-12th)
students who report	students who report
carrying a gun to school $= 3.2\%$	carrying a gun to school $=4.3\%$
taking part in gang activities $=12.3\%$	taking part in gang activities $=11.3\%$
thinking of suicide often or a lot $= 6.2\%$	thinking of suicide often or a lot $= 7.7\%$
threatening to harm another $=35.0\%$	threatening to harm another $=36.4\%$
getting into trouble with police $= 21.7\%$	getting into trouble with police $=27.6\%$
Drug Use of Junior High (6-8th)	Drug Use of Senior High (9-12th)
Students Who Report	Students Who Report

### carrying a gun to school

### carrying a gun to school

Drug	Yes	No	Drug	Yes	No
Liquor	62.3%	15.4%	Liquor	82.6%	45.7%
Marijuana	57.1%	7.6%	Marijuana	75.5%	25.2%
Cocaine	37.0%	1.7%	Cocaine	49.3%	4.3%
Inhalants	38.7%	4.7%	Inhalants	45.2%	4.1%
N-sizes	2,649	82,434	N-sizes	4,017	89,825

### taking part in gang activities taking part in gang activities

Drug	Yes	No	Drug	Yes	No
Liquor	47.4%	12.9%	Liquor	73.1%	44.3%
Marijuana	38.6%	5.3%	Marijuana	64.1%	23.3%
Cocaine	16.2%	1.0%	Cocaine	28.9%	3.6%
Inhalants	21.8%	3.6%	Inhalants	25.9%	3.6%
N-sizes	10,632	77,371	N-sizes	10,906	87,319

### thinking of suicide often or a lot thinking of suicide often or a lot

Drug	Yes	No	Drug	Yes	No
Liquor	47.6%	15.1%	Liquor	68.5%	45.8%
Marijuana	36.0%	7.6%	Marijuana	55.3%	25.7%
Cocaine	18.4%	1.9%	Cocaine	25.8%	4.8%
Inhalants	27.7%	4.4%	Inhalants	26.3%	4.4%
N-sizes	5,437	82,553	N-sizes	7,492	90,810

### threatening to harm another threatening to harm another

Drug	Yes	No	Drug	Yes	No
Liquor	30.7%	9.5%	Liquor	63.4%	38.1%
Marijuana	18.1%	4.3%	Marijuana	42.4%	18.9%
Cocaine	5.9%	1.1%	Cocaine	12.0%	3.0%
Inhalants	11.8%	2.6%	Inhalants	11.7%	2.5%
N-sizes	29.875	55.477	N-sizes	34.224	59.803

### getting into trouble with police getting into trouble with police

Drug	Yes	No	Drug	Yes	No
Liquor	40.7%	10.7%	Liquor	70.8%	38.7%
Marijuana	30.4%	3.6%	Marijuana	54.9%	17.7%
Cocaine	10.2%	0.9%	Cocaine	16.9%	2.5%
Inhalants	15.4%	3.3%	Inhalants	14.4%	2.9%
N-sizes	18,760	68,922	N-sizes	26,820	70,968

<sup>\*</sup>Drug use figures represent annual usage (at least 1 per year)

Table 2.9:	Percen	tage of	Annua	al Drug	Use Ac	cross Ye	ars for	Tobaco	o and	Alcohol
DRUG	95-96	96-97	97-98	98-99	99-00	00-01	01-02	02-03	03-04	04-05
Cigarettes										
Jr. High	31.1	31.8	29.4	26.2	21.0	19.1	16.2	19.6	16.2	16.2
Sr. High	48.2	50.2	48.9	46.5	43.9	41.8	35.6	34.8	33.3	31.6
12th Grade	50.0	52.4	54.0	51.4	49.7	48.1	41.7	41.0	39.3	37.4
Total	40.5	41.3	40.3	37.9	32.0	30.5	26.4	27.3	24.8	24.3
Smokeless T	obacco**	•								
Jr. High				6.3	5.3	5.5	4.7	7.0	6.5	6.9
Sr. High				13.0	12.6	12.5	10.9	12.6	13.5	13.3
12th Grade				14.9	14.5	15.0	13.2	14.4	15.0	15.7
Total				10.1	8.8	9.0	7.9	9.8	10.0	10.2
Cigars**										
Jr. High				12.2	9.5	8.6	6.7	8.9	7.9	8.0
Sr. High				29.2	26.3	24.5	19.5	20.2	20.7	20.4
12th Grade				35.4	32.8	32.1	26.5	26.0	26.7	27.4
Total				22.0	17.6	16.6	13.5	14.6	14.3	14.6
Any Tobacco	0**									
Jr. High				28.9	23.6	21.9	18.5	23.0	19.2	19.2
Sr. High				52.2	49.7	47.8	40.7	40.8	39.7	38.1
12th Grade				58.4	56.5	55.6	48.8	47.5	46.6	45.7
Total				42.3	36.2	34.9	30.2	32.0	29.4	29.1
Beer										
Jr. High	33.1	33.2	30.3	29.6	27.2	24.5	22.5	25.7	24.0	23.2
Sr. High	59.1	59.6	57.0	55.9	55.2	54.5	50.3	49.3	49.0	47.9
12th Grade	64.9	65.3	64.5	63.2	61.8	62.4	57.6	56.9	57.3	56.0
Total	47.4	46.9	45.2	44.7	40.7	39.7	37.2	37.6	36.5	36.2
Wine Cooler										
Jr. High	33.2	33.6	31.6	31.2	30.3	27.4	25.7	28.5	25.5	24.0
Sr. High	52.6	52.9	51.5	52.0	51.8	50.6	48.8	45.8	44.1	41.7
12th Grade	54.5	55.4	54.9	55.1	55.4	54.4	53.6	48.7	46.3	44.5
Total	43.8	43.6	42.7	43.2	40.7	39.1	37.9	37.3	34.8	33.3
Liquor										
Jr. High	22.9	23.7	21.0	21.1	18.8	17.3	15.4	19.1	17.7	17.1
Sr. High	53.4	54.9	52.1	52.9	52.5	52.8	48.1	48.3	48.6	47.5
12th Grade	59.9	62.3	61.8	61.9	62.2	62.5	59.4	58.3	59.2	57.9
Total	39.6	39.9	38.4	39.5	35.1	35.2	32.7	33.9	33.2	33.1
Any Alcohol										
Jr. High	44.5	44.7	41.8	41.4	39.5	36.5	34.0	37.0	34.0	32.6
Sr. High	70.6	71.0	68.8	68.1	68.1	67.5	65.0	63.0	62.3	60.3
12th Grade	75.6	76.5	75.6	74.5	74.4	74.6	72.3	70.1	69.8	68.0
Total	58.8	58.3	56.9	56.8	53.3	52.1	50.4	50.1	48.1	47.2
*New drug o	atogon, a	ddod 05	06 cchoo	Lyon						

<sup>\*</sup>New drug category added 95-96 school year. \*\*New drug category added 98-99 school year.

<sup>\*\*\*</sup>New drug category added 02-03 school year.

					Drug U					ugs
DRUG	95-96	96-97	97-98	98-99	99-00	00-01	01-02	02-03	03-04	04-05
Marijuana										
Jr. High	13.6	14.7	12.5	11.0	9.2	9.3	8.3	11.7	9.3	9.4
Sr. High	34.0	35.8	33.4	32.3	31.4	32.3	29.4	30.0	28.8	27.9
12th Grade	37.9	39.4	38.6	37.8	38.0	39.0	35.7	35.5	35.5	33.6
Total	24.8	25.6	24.2	23.3	19.9	20.9	19.5	20.9	19.1	19.1
Cocaine										
Jr. High	2.7	3.0	2.8	2.7	2.2	2.1	2.1	3.1	2.9	2.9
Sr. High	5.6	5.9	6.0	6.1	5.3	5.5	5.1	6.3	6.7	6.5
12th Grade		7.0	7.9		7.1		7.1			
	7.1			8.0		7.9		8.6	9.5	8.8
Total	4.3	4.5	4.6	4.7	3.7	3.8	3.7	4.7	4.8	4.8
Uppers						• •				
Jr. High	4.6	4.9	4.7	3.8	3.0	2.9	2.4	3.3	3.0	2.7
Sr. High	10.5	10.3	10.4	9.2	9.1	9.8	7.0	7.1	6.8	6.3
12th Grade	11.6	10.7	11.8	10.9	11.1	12.3	8.5	8.8	8.6	7.7
Total	7.8	7.7	7.9	6.9	6.0	6.4	4.8	5.2	4.9	4.6
Downers										
Jr. High	3.5	4.0	3.6	3.1	2.5	2.5	2.4	3.5	3.4	3.3
Sr. High	7.1	7.2	7.7	7.0	7.1	7.7	6.9	7.7	7.9	7.7
12th Grade	7.4	7.4	8.6	8.3	8.6	9.8	8.1	9.4	9.6	9.0
Total	5.5	5.7	5.9	5.3	4.7	5.2	4.8	5.6	5.7	5.6
Inhalants	0.0		0.5	0.0						
Jr. High	8.5	8.9	8.1	7.0	5.6	5.4	4.9	5.9	5.7	5.9
_										
Sr. High 12th Grade	7.6	7.1	7.1	6.5	5.7	5.6	4.6	5.7	5.8	6.1
	6.6	5.8	5.8	6.0	5.2	5.6	4.3	5.7	5.7	5.9
Total	8.0	8.0	7.6	6.7	5.6	5.5	4.8	5.8	5.7	6.0
Hallucinoger										
Jr. High	3.3	3.6	3.2	2.8	2.2	2.2	1.9	2.6	2.6	2.5
Sr. High	9.5	9.5	8.7	8.8	7.8	7.9	5.9	5.7	5.9	5.6
12th Grade	12.1	11.7	11.3	12.0	10.9	11.3	8.3	7.8	8.0	7.3
Total	6.7	6.6	6.2	6.3	4.9	5.1	4.0	4.2	4.2	4.2
Heroin*										
Jr. High	2.1	2.4	2.1	1.9	1.6	1.6	1.5	2.3	2.4	2.3
Sr. High	3.1	3.1	3.2	3.1	2.9	3.2	2.9	3.8	3.9	3.9
12th Grade	3.5	3.4	3.8	3.6	3.2	4.4	3.7	5.0	4.9	5.0
Total	2.7	2.7	2.7	2.6	2.2	2.4	2.2	3.0	3.1	3.1
Steroids**										
Jr. High				2.7	2.4	2.6	1.9	2.5	2.5	2.4
Sr. High				3.1	3.2	3.5	3.0	3.7	3.8	3.7
_				3.2						
12th Grade					3.2	4.0	3.4	4.8	4.7	4.7
Total				3.0	2.8	3.0	2.5	3.1	3.1	3.1
Ecstasy***								0.1	2.0	0.7
Jr. High								3.1	3.0	2.7
Sr. High								6.7	6.1	5.7
12th Grade								8.9	7.9	7.2
Total								4.9	4.5	4.3
OxyContin**	**									
Jr. High								2.8	2.8	2.8
Sr. High								5.5	6.2	6.3
12th Grade								7.0	7.3	7.2
Total								4.2	4.5	4.6
Any Illicit D	rugs									-
Jr. High	19.7	20.7	18.6	16.3	13.6	13.7	11.9	15.8	13.5	13.3
Sr. High	37.6	38.9	36.7	35.2	34.3	35.3	31.6	32.7	31.4	30.4
12th Grade	40.8	41.6	41.0	40.2	40.2	41.4	37.4	37.8	37.5	35.6
Total	29.5	30.1	28.7	27.1	23.6	24.6	22.3	24.3	22.5	22.3


<sup>\*</sup>New drug category added 95-96 school year.

\*\*New drug category added 98-99 school year.


\*\*\*New drug category added 02-03 school year.

### 2.3 National Summary Graphics

This section contains graphs of national summary statitistics for Junior & Senior High Drug Use for the past six years.



2004-05 National Summary




6 to 8 2.5 Percentage of Students Who Use Marijuana, Cocaine, Inhalants & Hallucinogens - Grades 6 to 8 USA - PRIDE Survey - Annual Use Hallucinogens 2.6 9.2 ۱.9 2004-05 2.2 2.2 99-00=59,243 00-01=37,653 01-02=48,026 02-03=54,520 03-04=57,380 04-05=91,704 2003-04 6.6 7.8 Inhalants 6.3 6.4 2002-03 4.8 9.6 2001-02 2.9 6.2 Cocaine 1.5 2000-01 ۲.2 1.2 2.2 1999-00 t<sup>.</sup>6 8.9 Marijuana # Surveyed by Years -7.11 £.8

Figure 2.3: Percentage of Students Who Use Marijuana, Cocaine, Inhalants & Hallucinogens - Grades

6.3

2.6

Figure 2.4: Percentage of Students Who Use Marijuana, Cocaine, Inhalants & Hallucinogens - Grades 9 to 12






Figure 2.6: Percentage of Students Who Use Uppers, Downers & Any Illicit Drugs - Grades 9 to 12 4.08 4.18 Any Illicit Drugs Percentage of Students Who Use Uppers, Downers & Any Illicit Drugs - Grades 9 to 12 USA - PRIDE Survey - Annual Use 7.25 2004-05 31.6 # Surveyed by Years - 99-00=55,075 00-01=38,151 01-02=53,856 02-03=55,399 03-04=57,022 04-05=101,954 8.35 2003-04 8.48 Τ.Τ 2002-03 6.7 Downers ۲.۲ 2001-02 6.9 Τ.Τ ۲.۲ 2000-01 £.3 1999-00 8.8 Uppers ۲.۲ 0.7 8.6 ١.6

### Chapter 3

### **Standard Graphics**


The following graphs will assist you in understanding the relationship of student behavior to alcohol and other drug usage. You are encouraged to make overheads or slides from the graphs for presentations to school faculty, parents, media, and other audiences in the community.


The Location and Time of drug use graphs will be helpful in understanding the need for a commitment to drug abuse prevention by parents and the larger community - not just by schools. Student alcohol and other drug use occurs most often outside the school and at times when school is not in session.

The *Perceived Harm* of alcohol and other drugs will assist with understanding how the false assumptions concerning harm are related to drug use. When drugs are perceived as harmless, the probability of use increases.


Research indicates that easy access, *Availability*, to drugs increases the probability of use. Availability of alcohol and other drugs normally increases at higher grade levels.

### 3.1 Frequency of Use





2004-05 National Summary




2004-05 National Summary

۲.4 3.9 % Students Who Use Hallucinogens, Heroin & Steroids 10 ε.ε 3.5 0  $\infty$ 7.2 1.2 / 2.5 9 Steroids 12 0.8 7 2.4 Heroin 10 4.5 3.5 0 Hallucinogens | 8.2  $\infty$ 0.2 / 2.2 9 12 ۲.3 7 **p**.8 10 6.4 0 Source: PRIDE Surveys 6.4 3.5  $\infty$ 1.2 / 9 2.2


Figure 3.4: % Students Who Use Hallucinogens, Heroin & Steroids

2004-05 National Summary





### 3.2 Where Do You Use

















## Where Do You Use Cocaine




## Where Do You Use Inhalants




# Where Do You Use Hallucinogens



### Where Do You Use Ecstasy




## Where Do You Use OxyContin




### 3.3 When Do You Use


When Do You Use Beer




When Do You Use Liquor




When Do You Use Marijuana




When Do You Use Cocaine




## When Do You Use Inhalants




# When Do You Use Hallucinogens




### When Do You Use Ecstasy




## When Do You Use OxyContin




### 3.4 Harmfulness to Health









Is It Harmful To Use Marijuana




Is It Harmful To Use Cocaine




Is It Harmful To Use Inhalants




Is It Harmful To Use Hallucinogens



Is It Harmful To Use Ecstasy




Is It Harmful To Use OxyContin




### 3.5 Availability


How Easy Is It To Get Beer




### How Easy Is It To Get Liquor




## How Easy Is It To Get Marijuana




### How Easy Is It To Get Cocaine




## How Easy Is It To Get Inhalants




# How Easy Is It To Get Hallucinogens




### How Easy Is It To Get Ecstasy





## How Easy Is It To Get OxyContin




### 3.6 Friends Use










Friends Use of Illicit Drugs



0.68

### Chapter 4

### **Advanced Graphics**

The following graphs will assist you in understanding the relationship of student behavior to alcohol and other drug usage. You are encouraged to make presentations to school faculty, parents, media, and other audiences in the community.

The graphs on effect of use present data on how intoxicated students become when they use particular drugs. These figures are calculated by looking at the question *What Effect Do You Most Often Get When You* ... The percentage is calculated as follows; Of those students who reported some use (i.e. all students whose response to the question was other than *Do Not Use*), the percentage of students who responded either *Very High* or *Bombed*. Typically, even though use of most illicit drugs may not seem very high, when they are used by students a high percentage of those students become very intoxicated. This would indicate that there is very little *casual* use of illicit drugs. Students tend to take these drugs in order to become intoxicated.

The graphs on frequency of use by sex present data on gateway and illicit drug use broken down by male and female students.

The graphs on illicit drug use by risk & protective factors show for each category of a risk or protective factor question the percentage of students who report using illicit drugs. For example, on the question of taking part in school activities, if the bar labeled NEVER was 40%, this means that of those students who responded NEVER to the question 40% reported using an illicit drug.

### 4.1 Effect of Use By Students Who Use Drugs

9.69 6.93 10 7.03 % Students Who Get Very High or Bombed When Using Beer, Wine Coolers or Liquor 9.44 0 32.8  $\infty$ 7.92 30.0 9 12 23.3 7 9.02 Wine Coolers 10 6.91 တ 1.31 2.11  $\infty$ £.01 / Beer 13.1 9 45.5 7 3.75 10 32.4 1.72 တ Source: PRIDE Surveys 18.2  $\infty$ 8.41 / 3.91 9


Figure 4.1: % Students Who Get Very High or Bombed When Using Beer, Wine Coolers or Liquor

Figure 4.2: % Students Who Get Very High or Bombed When Using Marijuana, Cocaine or Uppers 0.17 £.69 10 9.89 % Students Who Get Very High or Bombed When Using Marijuana, Cocaine or Uppers 1.78 0 £.39  $\infty$ 3.19 8.89 9 4.87 7 0.87 Cocaine 10 9.67 0 9.69  $\infty$ 1.27 Marijuana 9.89 / 9 2.97 8.97 S.7710 1.77 Source: PRIDE Surveys 9.77 0 9.47  $\infty$ 0.27 / 9 4.67

8.08 0.67 10 2.27 % Students Who Get Very High or Bombed When Using Downers, Inhalants or Hallucinogens 7.47 0 8.69  $\infty$ 62.3 / 7.57 9 Hallucinogens 12 1.69 1.09 10 3.13 Inhalants 0 6.84 ۲.۱4  $\infty$ 32.7 / Downers 8.64 9 12 2.48 9.19 10 ۲.78 Source: PRIDE Surveys 6.43 0  $\infty$ 8.48 7.64 / 9 9.09

Figure 4.3: % Students Who Get Very High or Bombed When Using Downers, Inhalants or Hallucinogens


Figure 4.4: % Students Who Get Very High or Bombed When Using Heroin, Steroids, Ecstasy or OxyContin 9.57 4.27 10 2.17 €.69 0 ١.69  $\infty$ 62.59 74.0 9







### 4.2 Frequency of Use by Sex


Source: PRIDE Surveys
















% Students Who Use Cocaine by Sex











### 4.3 Illicit Drug Use by Risk & Protective Factors

Figure 4.13: % Students Who Use Illicit Drugs by Attend Church, Synagogue, etc. A Lot 13.2 % Students Who Use Illicit Drugs by Attend Church, Synagogue, etc. Often 19.4 Percent of Use Sometimes 1.42 Seldom 9.08 Source: PRIDE Surveys Never 1.98


2004-05 National Summary

Figure 4.14: % Students Who Use Illicit Drugs by Take Part in Community Activities A Lot 9.51 % Students Who Use Illicit Drugs by Take Part in Community Activities Often £.91 Percent of Use Sometimes 1.91 Seldom 23.3 Source: PRIDE Surveys Never 7.82


2004-05 National Summary

Figure 4.15: % Students Who Use Illicit Drugs by Make Good Grades A Lot 13.3 % Students Who Use Illicit Drugs by Make Good Grades 1.12 Percent of Use Sometimes 8.08 Seldom 1.74 Source: PRIDE Surveys Never 6.99

2004-05 National Summary



2004-05 National Summary



2004-05 National Summary




Figure 4.19: % Students Who Use Illicit Drugs by Parents Talk About Dangers of Drugs A Lot 7.21 % Students Who Use Illicit Drugs by Parents Talk About Dangers of Drugs 2.81 Percent of Use Sometimes 4.02 Seldom 0.92 Source: PRIDE Surveys Never 8.18

2004-05 National Summary

Figure 4.20: % Students Who Use Illicit Drugs by Parents Set Clear Rules A Lot 3.51 % Students Who Use Illicit Drugs by Parents Set Clear Rules 22.4 Percent of Use Sometimes 32.0 Seldom 42.3 Source: PRIDE Surveys Never 3.03

2004-05 National Summary

Figure 4.21: % Students Who Use Illicit Drugs by Parents Punish for Breaking Rules A Lot 9.41 % Students Who Use Illicit Drugs by Parents Punish for Breaking Rules Often 1.81 Percent of Use Sometimes 6.62 Seldom 8.35.8 Source: PRIDE Surveys Never 8.14


2004-05 National Summary

Figure 4.22: % Students Who Use Illicit Drugs by School Sets Clear Rules on Guns at School A Lot 3.81 % Students Who Use Illicit Drugs by School Sets Clear Rules on Guns at School Often 2.22 Percent of Use Sometimes 0.72 Seldom 30.4 Source: PRIDE Surveys Never 39.0

Figure 4.23: % Students Who Use Illicit Drugs by School Sets Clear Rules on Drugs at School A Lot 0.81 % Students Who Use Illicit Drugs by School Sets Clear Rules on Drugs at School Often 8.22 Percent of Use Sometimes 4.82 Seldom 35.9 Source: PRIDE Surveys Never 6.04

2004-05 National Summary


Figure 4.24: % Students Who Use Illicit Drugs by School Sets Clear Rules on Bullying at School A Lot 9.21 % Students Who Use Illicit Drugs by School Sets Clear Rules on Bullying at School Often 9.02 Percent of Use Sometimes 0.72 Seldom 1.28 Source: PRIDE Surveys Never 39.2





2004-05 National Summary

Figure 4.26: % Students Who Use Illicit Drugs by Received Treatment for Alcohol/Drug Use A Lot 8.17 % Students Who Use Illicit Drugs by Received Treatment for Alcohol/Drug Use Often 6.09 Percent of Use Sometimes 0.09 Seldom 2.73 Source: PRIDE Surveys Never 9.61


2004-05 National Summary









2004-05 National Summary




2004-05 National Summary






A Lot 8.6 % Students Who Use Illicit Drugs by Parents Set Rules About TV, Movies, etc. Often **3.**7 Percent of Use Sometimes 8.6 Seldom £.91 Source: PRIDE Surveys Never 33.4

Figure 4.33: % Students Who Use Illicit Drugs by Parents Set Rules About TV, Movies, etc.



2004-05 National Summary



# Chapter 5

# **Summary Statistics**

The following graphs and tables summarize some of the *Student Information* questions in regards to drug use. These data are calculated by examining specific subsets of your population. For example, a percentage is calculated for students who report carrying a gun and their liquor use. This percentage is calculated as follows:

Number of those reporting carrying a gun to school and claiming to use liquor

Number of those reporting carrying a gun and validly responding to the question *How Often Do You Use Liquor* 

The *Ratio* describes the relationship between the groups examined on each graph. For example, in looking at Guns vs No Guns if the cocaine ratio were 5.3 this would mean the percentage of students who report cocaine use was 5.3 times higher for students who report bringing a gun to school compared to those who don't.

## **5.1** Guns

Total number of students surveyed = 193658

6901 students report carrying a gun to school. (3.8% of total responding)

Of the 6901 students who report carrying a gun to school,


4969 report using liquor (74.5%)

4559 report using marijuana (68.2%).

2838 report using inhalants (42.7%).

2974 report using cocaine (44.4%).

Figure 5.1: Drug Use of Students Who Carry Guns vs Students Who Do Not Drug Use of Students Who Carry Guns vs Students Who Do Not



Drug	Guns	No Guns	Ratio
Liquor	74.5%	31.2%	2.4
Marijuana	68.2%	16.8%	4.1
Cocaine	44.4%	3.0%	14.8
Inhalants	42.7%	4.4%	9.7
N of Students	6901	174836	

## 5.2 Gangs

Total number of students surveyed = 193658

22410 students report taking part in gang activities, (11.8% of total responding)

Of the 22410 students who report taking part in gang activities,


13018 report using liquor (60.4%)

11099 report using marijuana (51.5%).

5142 report using inhalants (23.9%).

4885 report using cocaine (22.7%).

Figure 5.2: Drug Use of Students In Gangs vs Students Not In Gangs
Drug Use of Students In Gangs vs Students Not In Gangs



Drug	Gangs	No Gangs	Ratio
Liquor	60.4%	29.6%	2.0
Marijuana	51.5%	14.9%	3.5
Cocaine	22.7%	2.4%	9.5
Inhalants	23.9%	3.6%	6.6
N of Students	22410	168187	

## 5.3 Suicide

Total number of students surveyed = 193658

13328 students report thinking Often or A Lot about committing suicide. (7.0% of total responding)

Of the 13328 students thinking Often or A Lot about committing suicide,

7721 report using liquor (59.7%)


6101 report using marijuana (47.2%).


3471 report using inhalants (26.9%).

2932 report using cocaine (22.7%).

Figure 5.3: Drug Use of Students Who Think of Suicide

#### Drug Use of Students Who Think of Suicide Often or a Lot vs Students Who Do Not





Source: PRIDE Surveys

Drug	Suicide	No Suicide	Ratio
Liquor	59.7%	31.2%	1.9
Marijuana	47.2%	17.1%	2.8
Cocaine	22.7%	3.4%	6.7
Inhalants	26.9%	4.4%	6.1
N of Students	13328	177323	

## 5.4 Threatening Behaviors

Total number of students surveyed = 193658

65188 students report threatening to harm another student. (35.8% of total responding)

Of the 65188 students who report threatening to harm,

5823 report carrying a gun to school (9.0%)


30876 report using liquor (48.2%)

19938 report using marijuana (31.1%).

7520 report using inhalants (11.8%).

5880 report using cocaine (9.2%).

Figure 5.4: Drug Use of Students Who Threaten vs Students Who Do Not Drug Use of Students Who Threaten vs Students Who Do Not



Drug	Threat	No Threat	Ratio
Liquor	48.2%	24.4%	2.0
Marijuana	31.1%	11.9%	2.6
Cocaine	9.2%	2.1%	4.4
Inhalants	11.8%	2.6%	4.5
N of Students	65188	117041	

## 5.5 Trouble With The Police

Total number of students surveyed = 193658

47118 students report getting in trouble with the police. (24.8% of total responding)

Of the 47118 students who report getting in trouble with the police,

26622 report using liquor (58.4%)

20395 report using marijuana (44.8%).


6714 report using inhalants (14.8%).

6465 report using cocaine (14.2%).

Figure 5.5: Drug Use of Students Who Get In Trouble With Police vs Those Who Do Not

Drug Use of Students Who Get In

Trouble With Police vs Those Who Do Not



Drug	Police	No Police	Ratio
Liquor	58.4%	24.9%	2.3
Marijuana	44.8%	10.7%	4.2
Cocaine	14.2%	1.7%	8.4
Inhalants	14.8%	3.1%	4.8
N of Students	47118	142757	

## 5.6 Personal Safety

Total number of students surveyed = 193658

42246 students report being afraid another student will hurt them at school. (23.4% of total responding)

Of these 42246 students, 3338 report carrying a gun to school (8.0%).

38670 students report getting hurt at school. (21.3% of total responding)

Of these 38670 students, 4181 report carrying a gun to school (10.9%).

#### 5.7 Risk and Protective Factors

A *risk factor* is any characteristic which researchers have linked to a higher incidence of drug use. A *protective factor* is any characteristic which has been linked to a lower incidence of drug use. The following analysis of local risk and protective factors does not consider any cause and effect, only a *relationship* between student characteristics and drug use. Community, School, Family and Individual risk and protective factors are grouped accordingly and discussed.

## 5.7.1 Community - Risk Factors

FACTOR	% AT RISK
Join in community activities (Never/Seldom)	55.5%
Attend church or synagogue (Never/Seldom)	29.2%
Take part in gangs (Seldom/Some/Often/A Lot)	11.8%
Substance Availability (Fairly/Very Easy to get)	
Cigarettes	50.6%
Smokeless Tobacco	38.6%
Cigars	37.5%
Beer	50.2%
Wine Coolers	46.8%
Liquor	43.7%
Marijuana	35.1%
Cocaine	18.9%
Uppers	17.8%
Downers	19.6%
Inhalants	29.3%
Hallucinogens	16.1%
Heroin	14.7%
Steroids	16.5%
Ecstasy	16.7%
OxyContin	16.8%

The above survey results show community risk factors. These factors include *low neighborhood attachment* (never or seldom participate in community activities, church or synagogue); *community disorganization and norms favorable toward drug use* (student participation in gangs); and *availability of alcohol and other drugs* (fairly or very easy to get alcohol and other drugs). Note that a higher risk factor indicates an increased probability of involvement in drug use.

#### 5.7.2 Community - Protective Factors

FACTOR	% PROTECTED
Join in community activities (Often/A Lot)	27.2%
Attend church or synagogue (Often/A Lot)	51.3%
Take part in gangs (Never)	88.2%
Substance Availability (Cannot Get)	
Cigarettes	41.3%
Smokeless Tobacco	51.8%
Cigars	50.9%
Beer	38.9%
Wine Coolers	41.6%
Liquor	44.4%
Marijuana	52.9%
Cocaine	64.3%
Uppers	66.0%
Downers	65.1%
Inhalants	60.6%
Hallucinogens	67.1%
Heroin	68.2%
Steroids	67.5%
Ecstasy	67.0%
OxyContin	67.7%

The above survey results show community protective factors. These factors include *supportive* networks and social bonds (participate in community activities, church or synagogue often or a lot); community organization and norms favorable to support non-use among youth (never participate in gangs); and limited availability of alcohol and other drugs (cannot get alcohol and other drugs). Note that a higher protective factor indicates a decreased probability of involvement in drug use.

#### 5.7.3 School - Risk Factors

FACTOR	% AT RISK
Make good grades (Never/Seldom)	4.0%
Play on school sports teams (Never/Seldom)	46.3%
Join in school activities (Never/Seldom)	45.4%
Trouble at school (Often/A Lot)	7.8%

The above survey results show school risk factors. These factors include academic failure (never or seldom make good grades); low commitment to school (never or seldom join in school activities or sports teams); and early anti-social behavior (get into trouble at school often or a lot).

#### 5.7.4 School - Protective Factors

FACTOR	% PROTECTED
Make good grades (Often/A Lot)	68.6%
Play on school sports teams (Often/A Lot)	38.5%
Join in school activities (Often/A Lot)	37.7%
Trouble at school (Never/Seldom)	72.5%

The above survey results show school protective factors. These factors include *high academic expectations*, *goal setting and mastery* (make good grades often or a lot); *active involvement in extracurricular activities sponsored by the school* (join in school activities or sports teams often or a lot); and *pro-social development* (never or seldom get into trouble at school).

#### 5.7.5 Family - Risk Factors

FACTOR	% AT RISK
Parents talk about tobacco (Never/Seldom)	42.1%
Parents talk about alcohol (Never/Seldom)	41.9%
Parents talk about drugs (Never/Seldom)	38.5%
Parents set clear rules (Never/Seldom)	10.6%
Parents enforce rules (Never/Seldom)	18.0%

The above survey results show family risk factors. These factors include *weak parental attitudes towards use* (parents never or seldom talk to their children about the harmful effects of using drugs); and *family management problems* (parents never or seldom set clear rules and never or seldom enforce those rules).

#### 5.7.6 Family - Protective Factors

FACTOR	% PROTECTED
Parents talk about tobacco (Often/A Lot)	30.5%
Parents talk about alcohol (Often/A Lot)	31.2%
Parents talk about drugs (Often/A Lot)	35.4%
Parents set clear rules (Often/A Lot)	72.3%
Parents enforce rules (Often/A Lot)	58.6%

The above survey results show family protective factors. These factors include *strong parental* attitudes against adolescent drug use (parents talk to their children about the harmful effects of using drugs often or a lot); parents' clear expectations of their children (parents set clear rules often or a lot); and discipline (parents punish their children often or a lot when they break the rules).

#### 5.7.7 Individual - Risk Factors

FACTOR	% AT RISK
Threaten students (One or more times)	35.8%
Trouble with police (Seldom/Sometimes/Often/A Lot)	24.8%
Think about suicide (Often/A Lot)	7.0%
Harmful to health (No/Some Harm)	
Cigarettes	17.2%
Smokeless Tobacco	20.2%
Cigars	25.9%
Beer	42.4%
Wine Coolers	55.1%
Liquor	31.3%
Marijuana	20.3%
Cocaine	6.1%
Uppers	7.7%
Downers	13.0%
Inhalants	16.3%
Hallucinogens	8.5%
Heroin	6.3%
Steroids	12.6%
Ecstasy	8.2%
OxyContin	10.7%

The above survey results show individual risk factors. These include anti-social behavior in early adolescence and rebelliousness (threaten to harm others and get in trouble with the police); alienation (think about suicide often or a lot); and favorable attitudes towards drug use (feel drugs are not harmful, sometimes harmful).

#### 5.7.8 Individual - Protective Factors

FACTOR	% PROTECTED
Threaten students (Never)	64.2%
Trouble with police (Never)	75.2%
Think about suicide (Never/Seldom)	85.1%
Harmful to health (Very Much)	
Cigarettes	51.8%
Smokeless Tobacco	49.1%
Cigars	43.4%
Beer	31.5%
Wine Coolers	25.0%
Liquor	39.0%
Marijuana	62.6%
Cocaine	83.1%
Uppers	78.4%
Downers	66.2%
Inhalants	62.6%
Hallucinogens	75.5%
Heroin	82.0%
Steroids	65.2%
Ecstasy	77.2%
OxyContin	72.0%

The above survey results show individual protective factors. These include *respect for authority* (never threaten to harm students or teachers and never get into trouble with the police); *feeling of belonging, higher respect for self* (think about suicide never or seldom); and *unfavorable attitudes towards drug use* (feel drugs are very much harmful).

# Chapter 6

# **Drug-Free Communities Support Program**

The following tables contain data that is requested by the Office of Juvenile Justice and Drug Prevention on the Drug-Free Communities Support Program form and by other federal agencies. Some of the wording of questions asked by the OJJDP differ somewhat from those asked by the **PRIDE Surveys Questionnaire**. The following is a list of the OJJDP requested statistics and their **PRIDE Surveys** equivalant. The **PRIDE Surveys Questionnaire** can be used to reliably measure and monitor change in all of these areas. The drug categories measured are tobacco, alcohol and marijuana. A *Combined* drug category has been created for all of these areas except for *Age of Onset*.

- **30-Day Use** The question *How often do you use* is used to measure this statistic by reporting the percentage of students who report using *Once a Month* or more often.
- **Perception of Risk** The question *Do you feel the following drugs are harmful to your health* is used to measure this statistic by reporting the percentage of students who report that using the drug is *Harmful* or *Very Harmful* to their health.
- **Perception of Disapproval** The question *Would your parents disapprove of you...* and *Would your friends disapprove of you...* are used to measure this statistic by reporting the percentage of students who report that parents/friends would *Disapprove* or *Strongly Disapprove* of using tobacco, alcohol and marijuana.
- **Age of Onset** The question *At what age did you first use...* is used to measure this statistic. The possible responses to this question range from *8 or Under* to *17 or Older*. The table shows the age range that represents the average category score for this question of those students who answered the question with a response other than *Never Used*.
- **Availability** The question *How easy is it to get...* is used to measure this statistic by reporting the percentage of students who report that the drug is *Fairly Easy* or *Very Easy* to get.
- **Friends Use** The question *Do your friends use...* is used to measure this statistic by reporting the percetage of students who report that their friends *Never* use tobacco or illicit drugs and *Never* or *Seldom* use alcohol.

# 6.1 Monthly Use

Table 6.1: Monthly Use of Alcohol

		J	
Grade	N of	N of	Percent
Level	Valid	Miss	of Use
6th	21723	495	6.2
7th	35526	586	10.0
8th	32780	594	16.2
9th	29978	548	25.4
10th	30451	568	31.8
11th	22575	475	36.2
12th	17004	355	41.8
Jr Hi	90029	1675	11.3
Sr Hi	100008	1946	32.6
Total	190037	3621	22.5

Table 6.2: Monthly Use of Tobacco

		,	
Grade	N of	N of	Percent
Level	Valid	Miss	of Use
6th	21778	440	5.4
7th	35588	524	9.3
8th	32845	529	13.1
9th	30040	486	20.6
10th	30498	521	22.5
11th	22622	428	27.7
12th	17046	313	30.9
Jr Hi	90211	1493	9.8
Sr Hi	100206	1748	24.5
Total	190417	3241	17.5

Sr Hi

Total

Table 6.3: Monthly Use of Marijuana Grade N of N of Percent Level Valid Miss of Use 6th 21507 3.0 711 7th 35197 915 4.8 8th 32468 906 8.3 29706 820 9th 14.1 10th 30193 826 16.7 11th 22390 660 20.0 12th 20.7 16850 509 Jr Hi 89172 2532 5.6

2815

5347

17.4

11.8

99139

188311

# 6.2 Perception of Risk

Table 6.4: Perception of Risk of Alcohol

Grade	N of	N of	Harmful or
Level	Valid	Miss	Very Harmful
6th	21702	516	84.7
7th	35437	675	80.6
8th	32666	708	73.4
9th	29855	671	68.5
10th	30293	726	65.8
11th	22479	571	64.4
12th	16904	455	62.6
Jr Hi	89805	1899	79.0
Sr Hi	99531	2423	65.7
Total	189336	4322	72.0

Table 6.5: Perception of Risk of Tobacco

Grade	N of	N of	Harmful or
Level	Valid	Miss	Very Harmful
6th	21740	478	92.6
7th	35479	633	90.4
8th	32707	667	88.6
9th	29906	620	86.4
10th	30356	663	87.6
11th	22512	538	87.1
12th	16930	429	87.1
Jr Hi	89926	1778	90.3
Sr Hi	99704	2250	87.1
Total	189630	4028	88.6

Table 6.6: Perception of Risk of Marijuana

Grade	N of	N of	Harmful or
Level	Valid	Miss	Very Harmful
6th	21509	709	92.2
7th	35197	915	89.1
8th	32424	950	83.9
9th	29697	829	76.4
10th	30120	899	73.5
11th	22348	702	68.7
12th	16789	570	67.6
Jr Hi	89130	2574	88.0
Sr Hi	98954	3000	72.3
Total	188084	5574	79.7

# 6.3 Perception of Disapproval

Table 6.7: Perception of Parents Disapproval of Tobacco

Grade	N of	N of	Disapprove or
Level	Valid	Miss	Strongly Disapprove
6th	20177	2041	77.6
7th	33294	2818	79.9
8th	30977	2397	80.7
9th	27945	2581	80.2
10th	28631	2388	81.7
11th	20949	2101	80.5
12th	15943	1416	79.1
Jr Hi	84448	7256	79.6
Sr Hi	93468	8486	80.5
Total	177916	15742	80.1

Table 6.8: Perception of Parents Disapproval of Alcohol

Grade	N of	N of	Disapprove or
Level	Valid	Miss	Strongly Disapprove
6th	20178	2040	76.7
7th	33264	2848	78.5
8th	30940	2434	77.6
9th	27939	2587	77.3
10th	28615	2404	77.7
11th	20966	2084	77.6
12th	15942	1417	73.9
Jr Hi	84382	7322	77.8
Sr Hi	93462	8492	76.9
Total	177844	15814	77.3

Table 6.9: Perception of Parents Disapproval of Marijuana

Grade	N of	N of	Disapprove or
Level	Valid	Miss	Strongly Disapprove
6th	20156	2062	78.7
7th	33230	2882	81.8
8th	30868	2506	82.5
9th	27903	2623	83.1
10th	28601	2418	84.6
11th	20934	2116	84.6
12th	15919	1440	83.7
Jr Hi	84254	7450	81.3
Sr Hi	93357	8597	84.0
Total	177611	16047	82.7

Table 6.10: Perception of Friends Disapproval of Tobacco

Grade	N of	N of	Disapprove or
Level	Valid	Miss	Strongly Disapprove
6th	19743	2475	61.7
7th	32682	3430	58.7
8th	30491	2883	54.1
9th	27646	2880	47.7
10th	28312	2707	47.6
11th	20728	2322	44.1
12th	15747	1612	41.5
Jr Hi	82916	8788	57.7
Sr Hi	92433	9521	45.8
Total	175349	18309	51.4

Table 6.11: Perception of Friends Disapproval of Alcohol

Grade	N of	N of	Disapprove or
Level	Valid	Miss	Strongly Disapprove
6th	19740	2478	60.9
7th	32647	3465	56.7
8th	30500	2874	48.6
9th	27624	2902	39.6
10th	28292	2727	33.9
11th	20771	2279	32.5
12th	15744	1615	28.3
Jr Hi	82887	8817	54.7
Sr Hi	92431	9523	34.3
Total	175318	18340	44.0

Table 6.12: Perception of Friends Disapproval of Marijuana

Grade	N of	N of	Disapprove or
Level	Valid	Miss	Strongly Disapprove
6th	19709	2509	64.2
7th	32627	3485	62.5
8th	30444	2930	58.2
9th	27602	2924	52.8
10th	28285	2734	51.0
11th	20720	2330	49.4
12th	15753	1606	48.2
Jr Hi	82780	8924	61.4
Sr Hi	92360	9594	50.7
Total	175140	18518	55.7

# 6.4 Age of First Use

Table 6.13: When did you first use any alcohol?

Grade	N of	N of	Avg Cat	Rounded	Avg
Level	Valid	Miss	Score	Cat Score	Age Cat
6th	21482	575	3.711	4	10
7th	35099	806	4.442	4	10
8th	32380	781	5.081	5	11
9th	29539	833	5.865	6	12
10th	30045	831	6.586	7	13
11th	22159	790	7.248	7	13
12th	16750	537	7.771	8	14
Jr Hi	88961	2162	4.619	5	11
Sr Hi	98493	2991	6.785	7	13
Total	187454	5153	6.061	6	12

Table 6.14: When did you first use any tobacco?

			. ,	· · · · · · · · · · · · · · · · · · ·	
Grade	N of	N of	Avg Cat	Rounded	Avg
Level	Valid	Miss	Score	Cat Score	Age Cat
6th	21534	541	3.750	4	10
7th	35165	731	4.400	4	10
8th	32451	747	4.946	5	11
9th	29532	787	5.553	6	12
10th	30043	781	6.282	6	12
11th	22164	745	6.843	7	13
12th	16745	504	7.379	7	13
Jr Hi	89150	2019	4.547	5	11
Sr Hi	98484	2817	6.454	6	12
Total	187634	4836	5.846	6	12

Table 6.15: When did you first use marijuana?

Grade	N of	N of	Avg Cat	Rounded	Avg
Level	Valid	Miss	Score	Cat Score	Age Cat
6th	21548	670	4.468	4	10
7th	35179	933	5.361	5	11
8th	32427	947	5.972	6	12
9th	29498	1028	6.653	7	13
10th	29999	1020	7.350	7	13
11th	22082	967	7.891	8	14
12th	16692	667	8.238	8	14
Jr Hi	89154	2550	5.587	6	12
Sr Hi	98271	3682	7.523	8	14
Total	187425	6232	7.100	7	13

# 6.5 Availability

Table 6.16: Availability of Alcohol

Grade	N of	N of	Fairly Easy or
Level	Valid	Miss	Very Easy to Get
6th	20329	1889	25.2
7th	33558	2554	35.2
8th	31000	2374	48.5
9th	28137	2389	61.6
10th	28846	2173	70.0
11th	21192	1858	75.0
12th	16069	1290	77.3
Jr Hi	84887	6817	37.7
Sr Hi	94244	7710	69.9
Total	179131	14527	54.6

Table 6.17: Availability of Tobacco

Grade	N of	N of	Fairly Easy or
Level	Valid	Miss	Very Easy to Get
6th	20388	1830	23.3
7th	33652	2460	33.7
8th	31069	2305	44.2
9th	28196	2330	60.5
10th	28876	2143	67.5
11th	21212	1838	75.3
12th	16098	1261	81.6
Jr Hi	85109	6595	35.0
Sr Hi	94382	7572	69.6
Total	179491	14167	53.2

Table 6.18: Availability of Marijuana

Grade	N of	N of	Fairly Easy or
Level	Valid	Miss	Very Easy to Get
6th	20167	2051	8.3
7th	33286	2826	13.6
8th	30687	2687	24.3
9th	27828	2698	41.3
10th	28440	2579	51.6
11th	20929	2121	59.7
12th	15852	1507	62.6
Jr Hi	84140	7564	16.3
Sr Hi	93049	8905	52.2
Total	177189	16469	35.1

Table 6.19: Outcomes Measures by Grade

					I able 0.	0.19. Ou	Outcomes integrates by grade	Measur	D 60 63	age						(	
C	-		-	Ċ	1	Ċ	c -	Ċ	-	Ċ	Ç	Ċ	F -	Ć	Ç	E C	Combined
Outcomes	Substance	<u>ج</u>	Grade 6	Ę,	Grade /	Gra	Grade 8	Gra	Grade 9	Gra	Grade 10	Gra	Grade 11	Grac	Grade 12		Grades
		%	L	%	u	%	n	%	u	%	L	%	L	%	n	%	ב
	Alcohol	6.2	21723	10.0	35526	16.2	32780	25.4	29978	31.8	30451	36.2	22575	41.8	17004	22.5	190037
30-Day Use	Tobacco	5.4	21778	9.3	35588	13.1	32845	20.6	30040	22.5	30498	27.7	22622	30.9	17046	17.5	190417
	Marijuana	3.0	21507	4.8	35197	8.3	32468	14.1	29706	16.7	30193	20.0	22390	20.7	16850	11.8	188311
	Combined	8.2	21811	13.9	35627	20.9	32885	31.9	30026	38.1	30534	43.8	22652	48.9	17066	27.9	190651
Perception	Alcohol	84.7	21702	9.08	35437	73.4	32666	68.5	29855	8.59	30293	64.4	22479	62.6	16904	72.0	189336
of	Tobacco	95.6	21740	90.4	35479	9.88	32707	86.4	29906	9.78	30326	87.1	22512	87.1	16930	9.88	189630
Risk	Marijuana	92.2	21509	89.1	35197	83.9	32424	76.4	29697	73.5	30120	2.89	22348	9.79	16789	7.67	188084
	Combined	82.8	21766	95.4	35500	94.0	32734	92.2	29930	92.5	30377	92.0	22528	91.7	16945	93.5	189780
Perception	Alcohol	7.97	20178	78.5	33264	9.77	30940	77.3	27939	77.7	28615	9.77	20966	73.9	15942	77.3	177844
of Parental	Tobacco	9.77	20177	6.67	33294	2.08	30977	80.2	27945	81.7	28631	80.5	20949	79.1	15943	80.1	177916
Disapproval	Marijuana	78.7	20156	81.8	33230	82.5	30868	83.1	27903	84.6	28601	84.6	20934	83.7	15919	82.7	177611
	Combined	80.2	20297	83.5	33491	84.5	31152	82.8	28139	87.4	28821	87.8	21115	87.4	16052	85.1	179067
	Alcohol	10	21482	10	32099	11	32380	12	29539	13	30045	13	22159	14	16750	12	187454
Age of Onset	Tobacco	10	21534	10	35165	11	32451	12	29532	12	30043	13	22164	13	16745	12	187634
	Marijuana	10	21548	11	35179	12	32427	13	29498	13	29999	14	22082	14	16692	13	187425
Perception	Alcohol	6.09	19740	29.7	32647	48.6	30500	39.6	27624	33.9	28292	32.5	20771	28.3	15744	44.0	175318
of Peer	Tobacco	2.19	19743	28.7	32682	54.1	30491	47.7	27646	47.6	28312	44.1	20728	41.5	15747	51.4	175349
Disapproval	Marijuana	64.2	19709	62.5	32627	58.2	30444	52.8	27602	51.0	28285	49.4	20720	48.2	15753	55.7	175140
	Combined	65.8	19851	64.7	32887	61.2	30699	56.9	27819	56.9	28505	55.1	20899	54.3	15866	26.7	176526
	Alcohol	25.2	20329	35.2	33558	48.5	31000	9.19	28137	70.0	28846	75.0	21192	77.3	16069	54.6	179131
Availability	Tobacco	23.3	20388	33.7	33652	44.2	31069	60.5	28196	67.5	28876	75.3	21212	81.6	16098	53.2	179491
	Marijuana	8.3	20167	13.6	33286	24.3	30687	41.3	27828	51.6	28440	265	20929	62.6	15852	35.1	177189
	Combined	30.5	20425	42.9	33724	55.9	31167	9.69	28301	76.7	29001	81.3	21315	82.8	16171	61.8	180104
Perception	Alcohol	88.4	21578	78.9	35246	64.6	32612	44.2	29927	34.7	30387	29.4	22568	25.4	16966	54.2	189284
Jo	Tobacco	8.77	21597	9.89	35307	8.03	32667	32.7	28632	28.0	30384	22.8	22571	20.4	16967	43.7	189428
Peer Use	Illicit	0.68	21406	9.82	35018	64.8	32437	46.5	29696	39.7	30236	34.7	22454	33.0	16895	8.99	188142
	Combined	95.8	21772	85.9	35543	74.6	32884	2.99	30104	49.4	30292	43.2	22718	40.4	17077	65.1	190693

Table 6.20: Outcomes Measures by Gender

Outcomes	Substance		Male	Fe	Female	Ge	Genders
		%	u	%	L	%	ב
	Alcohol	23.5	87458	20.9	92189	22.2	179647
30-Day Use	Tobacco	19.7	87659	14.8	92316	17.2	179975
	Marijuana	13.5	86489	9.6	61266	11.5	178058
	Combined	29.5	87795	25.5	92387	27.5	180182
Perception	Alcohol	6.69	87246	74.4	91725	72.2	178971
of	Tobacco	2.98	87381	8.06	91845	88.8	179226
Risk	Marijuana	76.4	86570	83.4	91259	80.0	177829
	Combined	92.0	87470	95.2	91885	93.7	179355
Perception	Alcohol	75.1	81255	80.1	87156	77.7	168411
of Parental	Tobacco	77.1	81268	83.8	87207	9.08	168475
Disapproval	Marijuana	80.1	81110	86.0	87070	83.2	168180
	Combined	82.7	81890	88.3	87632	85.6	169522
	Alcohol	12	86048	12	91186	12	177234
Age of Onset	Tobacco	12	86167	12	91243	12	177410
	Marijuana	13	85993	13	91234	13	177227
Perception	Alcohol	40.6	79927	47.6	86231	44.2	166158
of Peer	Tobacco	45.4	23662	27.7	86241	51.8	166196
Disapproval	Marijuana	50.4	29826	61.4	86134	56.1	165990
	Combined	54.0	80566	9.59	86682	0.09	167248
	Alcohol	52.3	82163	56.8	87331	54.6	169494
Availability	Tobacco	52.8	82332	53.4	87485	53.1	169817
	Marijuana	35.1	81298	34.8	86355	35.0	167653
	Combined	9.09	82641	62.9	87754	61.8	170395
Perception	Alcohol	56.3	86973	52.7	91961	54.5	178934
of	Tobacco	43.4	87056	44.3	92007	43.9	179063
Peer Use	Illicit	57.0	86474	57.0	91367	57.0	177841
	Combined	66.2	89228	81 E	3110	C 19	10000

Table 6.21: Outcomes Measures by Race

		Cauca	casian-	Afri	African-			Asi	Asian-	Na	Native			Con	Combined
Outcomes	Substance	Ameri	erican	Ame	American	Hisp	Hispanic	Ame	American	Ame	American	0ţ	Other	<u>&amp;</u>	Races
		%	u	%	С	%	u	%	u	%	c	%	u	%	u
	Alcohol	23.0	128188	19.6	31908	24.3	9056	18.1	4670	30.0	2327	24.4	10607	22.5	186726
30-Day Use	Tobacco	19.1	128427	11.8	31983	14.8	9037	12.0	4677	30.5	2335	17.7	10631	17.5	187090
	Marijuana	11.2	127090	12.0	31584	13.1	8954	2.6	4613	22.9	2305	15.2	10495	11.7	185041
	Combined	28.8	128556	23.8	32031	28.1	9051	20.1	4685	40.2	2338	29.3	10650	27.8	187311
Perception	Alcohol	6.07	127561	8.77	31936	7.07	8964	73.0	4641	71.6	2322	6.69	10582	72.1	186006
of	Tobacco	0.68	127711	89.1	32016	85.5	8980	89.2	4650	82.3	2327	87.4	10608	88.7	186292
Risk	Marijuana	81.1	126806	77.2	31663	77.4	8910	84.1	4623	70.3	2307	74.7	10499	8.62	184808
	Combined	94.1	127787	93.4	32047	2.06	2868	92.6	4655	88.4	2329	91.3	10619	93.6	186424
Perception	Alcohol	80.3	121329	70.1	29062	69.5	8171	0.92	4353	2.99	2164	73.5	9828	77.4	174907
of Parental	Tobacco	83.2	121380	71.6	29094	73.7	8167	2.62	4346	65.2	2159	2.77	9833	80.2	174979
Disapproval	Marijuana	86.5	121141	72.4	29069	74.8	8154	81.0	4344	69.3	2152	78.8	9819	82.9	174679
	Combined	88.8	122087	75.3	29295	77.9	8231	82.5	4381	73.4	2185	81.5	9910	85.3	176089
	Alcohol	12	126843	12	31138	12	8883	12	4593	12	2289	11	10447	12	184193
Age of Onset	Tobacco	12	126868	12	31248	12	8888	12	4606	11	2289	11	10469	12	184368
	Marijuana	13	126755	13	31197	13	8875	12	4602	12	2287	12	10443	13	184159
Perception	Alcohol	45.2	120002	41.1	28324	38.9	8010	50.7	4301	37.2	2136	40.9	0026	44.0	172473
of Peer	Tobacco	53.4	120062	45.7	28311	46.7	8022	58.9	4305	38.4	2125	48.3	9672	51.5	172497
Disapproval	Marijuana	59.3	119871	45.6	28314	48.0	8007	6.09	4306	44.0	2124	50.0	8496	55.8	172295
	Combined	62.7	120770	51.0	28547	53.3	8079	64.6	4333	47.4	2150	54.5	9757	29.8	173636
	Alcohol	29.7	121595	46.5	29583	54.4	8422	51.3	4397	51.6	2192	55.8	9923	54.6	176112
Availability	Tobacco	2.99	121821	41.3	29639	48.8	8439	47.2	4401	54.1	2203	52.6	6466	53.2	176452
	Marijuana	35.5	120239	32.9	29321	36.1	8329	28.6	4344	36.8	2172	37.9	9818	35.1	174223
	Combined	64.3	122224	52.8	29739	60.2	8474	92.6	4418	62.1	2208	62.6	9866	61.8	177049
Perception	Alcohol	52.6	127583	60.3	31843	53.8	8668	61.2	4667	48.4	2322	54.3	10556	54.2	185969
of	Tobacco	41.7	127713	50.4	31872	45.0	8992	53.7	4657	35.8	2320	43.2	10573	43.7	186127
Peer Use	Illicit	8.99	126899	9.89	31601	53.3	8947	63.2	4632	48.5	2297	53.1	10475	8.99	184851
	Combined	64.1	128480	70.2	32099	63.7	2906	70.3	4690	57.7	2342	62.8	10650	65.1	187328

# Chapter 7

# **Percentage Tables**

This chapter contains your school survey results in tabular form. Each table corresponds to an item on the questionnaire. The tables contain percentage data by grade level, *Junior High* (grades 6 through 8), *Senior High* (grades 9 through 12), and *Total*. The *N of Valid* column contains the number of students responding to the item and the *N of Missing* column contains the number of students not responding to the item. The remaining columns contain the percentages of students responding to the particular response categories.

The percentage tables of the report appear in the same order as corresponding questions on the questionnaire. The Table of Contents contains the percentage tables by section and gives the page number where each section is located. The List of Tables contains the location of each individual table.

The last section of tables presents the frequency of drug use *How Often Do You Use* data with the categories *collapsed* as follows:

```
Daily Use - Every Day
Weekly Use - Once/Week + 3 Times/Week + Every Day
Monthly Use - Once/Month + Twice/Month + Once/Week + 3 Times/Week
+ Every Day

Annual Use - Once/Year + 6 Times/Year + Once/Month + Twice/Month +
Once/Week + 3 Times/Week + Every Day
```

Three additional drug use categories have been created for the question *How Often Do You Use* by combining the existing data. A *Tobacco Use* category was created by looking at the responses on each questionnaire on the tobacco categories and taking the highest value as the value for *Tobacco Use*. The *Alcohol Use* category was created by looking at the responses on each questionnaire on the alcohol categories. The category of *Illicit Drug Use* was created in the same way by looking at the illicit drug categories. Therefore, the *Tobacco Use* category represents any tobacco use regardless of the type of tobacco, the *Alcohol Use* category represents any alcohol use regardless of the type of alcohol and the *Illicit Drug Use* category represents any illicit drug use regardless of the type of drug.

# 7.1 Personal & Family Information

Table 7.1: Ethnic Origin

Grade	N of	N of		African	Hispanic	Asian	Native	Mixed	
Level	Valid	Miss	White	American	Latino	PacIsIndr	American	Origin	Other
6th	21774	444	64.3	19.6	5.4	2.2	1.6	4.9	2.0
7th	35498	614	68.6	18.0	4.8	1.8	1.4	4.2	1.3
8th	32595	779	64.1	18.6	6.2	2.9	1.3	4.9	2.1
9th	29938	588	71.4	16.1	4.1	2.1	1.3	3.7	1.4
10th	30458	561	67.5	17.2	5.0	3.1	1.1	4.0	2.1
11th	22728	322	72.3	15.9	3.8	2.6	1.0	2.6	1.6
12th	17153	206	72.1	15.1	4.2	2.9	1.1	2.9	1.7
Jr Hi	89867	1837	65.9	18.6	5.4	2.3	1.4	4.6	1.8
Sr Hi	100277	1677	70.5	16.2	4.3	2.7	1.1	3.4	1.7
Total	190144	3514	68.4	17.3	4.9	2.5	1.3	4.0	1.7

	Tab	le 7.2: S	ex	
Grade	N of	N of		
Level	Valid	Miss	Male	Female
6th	21316	902	50.2	49.8
7th	34334	1778	49.6	50.4
8th	31383	1991	49.5	50.5
9th	28644	1882	48.7	51.3
10th	29191	1828	48.1	51.9
11th	21719	1331	47.7	52.3
12th	16268	1091	47.8	52.2
Jr Hi	87033	4671	49.7	50.3
Sr Hi	95822	6132	48.2	51.8
Total	182855	10803	48.9	51.1

Table 7.3: Age

Grade	N of	N of										
Level	Valid	Miss	-10	11	12	13	14	15	16	17	18	19+
6th	22110	108	1.1	38.6	49.1	9.1	0.9	0.2	0.0	0.1	0.1	0.7
7th	35863	249	0.0	0.3	34.7	54.5	9.3	1.1	0.1	0.0	0.0	0.1
8th	33033	341	0.0	0.0	0.5	41.2	49.2	8.0	8.0	0.0	0.0	0.1
9th	30302	224	0.1	0.0	0.0	0.4	36.1	53.7	8.4	0.9	0.1	0.2
10th	30852	167	0.1	0.0	0.0	0.0	0.7	44.2	48.4	5.8	0.5	0.2
11th	22923	126	0.1	0.1	0.0	0.0	0.0	0.5	41.6	52.0	5.1	0.5
12th	17294	65	0.6	0.1	0.1	0.1	0.1	0.1	1.3	46.5	46.4	4.8
Jr Hi	91006	698	0.3	9.5	25.8	38.6	21.7	3.4	0.3	0.0	0.0	0.2
Sr Hi	101371	582	0.2	0.0	0.0	0.2	11.0	29.7	26.9	21.7	9.3	1.1
Total	192377	1280	0.2	4.5	12.2	18.3	16.1	17.2	14.3	11.5	4.9	0.7

Table 7.4: Do you live with:

					<i>J</i>	_		
Grade	N of	N of	Both	Mother	Father	Mother &	Father &	
Level	Valid	Miss	<b>Parents</b>	Only	Only	Stepfather	Stepmother	Other
6th	21978	240	56.7	17.2	2.3	13.7	2.5	7.5
7th	35707	405	55.6	17.4	2.8	14.1	3.2	6.8
8th	32841	533	56.8	17.7	2.9	13.5	3.0	6.1
9th	30144	382	56.2	17.6	3.3	13.5	3.4	6.0
10th	30726	293	58.6	17.4	3.2	12.1	3.1	5.6
11th	22850	200	58.0	16.9	3.5	12.2	3.1	6.4
12th	17233	126	58.6	16.2	3.4	10.6	3.0	8.2
Jr Hi	90526	1178	56.3	17.5	2.7	13.8	2.9	6.7
Sr Hi	100953	1001	57.7	17.1	3.3	12.3	3.2	6.3
Total	191479	2179	57.1	17.3	3.1	13.0	3.1	6.5

Table 7.5: Do you have a job?

Grade	N of	N of	Yes,	Yes,	
Level	Valid	Miss	Full-time	Part-time	No
6th	21572	646	1.6	12.3	86.1
7th	34971	1141	1.0	14.6	84.4
8th	32034	1340	1.2	16.0	82.8
9th	29350	1176	1.3	16.6	82.1
10th	29920	1099	1.7	26.2	72.2
11th	22185	864	2.5	42.2	55.3
12th	16679	680	4.3	51.4	44.3
Jr Hi	88577	3127	1.2	14.6	84.2
Sr Hi	98134	3819	2.2	31.2	66.6
Total	186711	6946	1.7	23.3	75.0

Table 7.6: Does your father have a job?

Grade	N of	N of	Yes,	Yes,	
Level	Valid	Miss	Full-time	Part-time	No
6th	20302	1916	77.2	14.0	8.8
7th	32908	3204	80.6	11.0	8.4
8th	30342	3032	83.6	8.5	7.8
9th	27983	2543	85.3	6.3	8.4
10th	28682	2337	86.7	4.9	8.3
11th	21378	1672	87.2	3.8	9.0
12th	16283	1076	87.1	3.2	9.7
Jr Hi	83552	8152	80.9	10.8	8.3
Sr Hi	94326	7628	86.5	4.8	8.7
Total	177878	15780	83.8	7.6	8.5

Table 7.7: Does your mother have a job?

		2000 70	ar mouner i	.a.e a jez.	
Grade	${\sf N}$ of	N of	Yes,	Yes,	
Level	Valid	Miss	Full-time	Part-time	No
6th	20512	1706	54.0	23.7	22.3
7th	33610	2502	57.4	20.8	21.7
8th	30944	2430	61.1	19.1	19.8
9th	28483	2043	62.4	16.9	20.7
10th	29086	1933	64.9	16.0	19.0
11th	21722	1328	66.5	14.5	19.0
12th	16345	1014	67.3	13.4	19.3
Jr Hi	85066	6638	58.0	20.9	21.1
Sr Hi	95636	6318	64.9	15.5	19.6
Total	180702	12956	61.6	18.0	20.3

Table 7.8: What is the educational level of your father?

Grade	N of	N of	Some High	High School	Some	College
Level	Valid	Miss	School	Graduate	College	Graduate
6th	18061	4157	14.6	30.8	14.0	40.6
7th	30049	6063	15.0	30.6	15.1	39.3
8th	28090	5284	14.5	32.2	16.0	37.3
9th	26360	4166	15.2	31.9	15.6	37.4
10th	27072	3947	13.7	32.3	16.1	38.0
11th	20448	2602	12.6	31.2	16.7	39.5
12th	15525	1834	13.4	32.1	17.4	37.1
Jr Hi	76200	15504	14.7	31.3	15.2	38.9
Sr Hi	89405	12549	13.8	31.9	16.3	38.0
Total	165605	28053	14.2	31.6	15.8	38.4

Table 7.9: What is the educational level of your mother?

Grade	N of	N of	Some High	High School	Some	College
Level	Valid	Miss	School	Graduate	College	Graduate
6th	18898	3320	11.9	26.0	17.4	44.6
7th	31551	4561	12.0	27.1	18.4	42.5
8th	29395	3979	11.5	27.7	19.5	41.3
9th	27448	3078	12.2	28.5	19.7	39.6
10th	28192	2827	10.6	28.2	20.0	41.1
11th	21195	1855	10.0	28.1	21.1	40.7
12th	15978	1381	10.7	29.3	20.8	39.2
Jr Hi	79844	11860	11.8	27.1	18.6	42.6
Sr Hi	92813	9141	11.0	28.5	20.3	40.2
Total	172657	21001	11.4	27.8	19.5	41.3

#### 7.2 Student Characteristics

Table 7.10: Do you make good grades?

Grade	N of	N of					Α
Level	Valid	Miss	Never	Seldom	Sometimes	Often	Lot
6th	22111	107	1.2	2.1	28.6	34.0	34.1
7th	35970	142	0.9	3.1	29.1	34.6	32.3
8th	33250	124	1.1	2.9	28.4	35.2	32.4
9th	30422	104	1.4	3.2	27.2	37.5	30.6
10th	30918	101	1.2	2.9	27.8	38.0	30.2
11th	22962	88	1.3	2.4	25.8	38.5	32.0
12th	17279	80	1.6	2.3	22.8	37.6	35.7
Jr Hi	91331	373	1.0	2.8	28.7	34.7	32.8
Sr Hi	101581	373	1.3	2.8	26.3	37.9	31.7
Total	192912	746	1.2	2.8	27.5	36.4	32.2

Table 7.11: Do you get into trouble at school?

		-	, , , ,				
Grade	N of	N of					Α
Level	Valid	Miss	Never	Seldom	Sometimes	Often	Lot
6th	22032	186	29.9	34.3	25.5	6.0	4.2
7th	35839	273	26.9	37.8	24.9	6.5	3.9
8th	33128	246	28.7	37.8	23.9	6.0	3.6
9th	30313	213	33.6	39.9	19.1	4.4	2.9
10th	30860	159	39.8	38.7	15.9	3.5	2.1
11th	22909	141	45.6	36.8	13.1	2.7	1.8
12th	17226	133	50.5	34.5	10.7	2.0	2.2
Jr Hi	90999	705	28.3	37.0	24.7	6.2	3.9
Sr Hi	101308	646	41.1	37.9	15.3	3.3	2.3
Total	192307	1351	35.0	37.5	19.8	4.7	3.1

Table 7.12: Do you take part in school sports teams?

Grade	N of	N of					Α
Level	Valid	Miss	Never	Seldom	Sometimes	Often	Lot
6th	21013	1205	41.0	10.0	15.2	11.5	22.3
7th	34830	1282	32.8	12.5	16.5	13.3	24.9
8th	32323	1051	29.6	11.7	16.2	14.5	28.0
9th	29646	880	31.7	12.9	15.3	13.7	26.4
10th	30155	864	32.7	13.0	14.2	13.8	26.2
11th	22497	553	36.5	13.2	13.7	12.7	23.8
12th	16970	389	37.3	13.7	14.3	12.0	22.8
Jr Hi	88166	3538	33.6	11.6	16.1	13.3	25.4
Sr Hi	99268	2686	34.1	13.1	14.4	13.2	25.1
Total	187434	6224	33.8	12.4	15.2	13.3	25.3

Table 7.13: Do you take part in school activities such as band, clubs, etc?

Grade	N of	N of					Α
Level	Valid	Miss	Never	Seldom	Sometimes	Often	Lot
6th	21910	308	33.8	9.3	13.8	14.7	28.4
7th	35835	277	34.1	12.2	15.0	14.5	24.2
8th	33076	298	33.5	13.8	16.2	14.4	22.1
9th	30325	201	34.0	15.7	18.1	13.9	18.3
10th	30786	233	30.4	14.5	18.4	16.2	20.5
11th	22889	161	28.6	13.8	18.8	16.4	22.4
12th	17216	143	27.1	13.5	18.9	17.3	23.2
Jr Hi	90821	883	33.8	12.1	15.1	14.5	24.4
Sr Hi	101216	738	30.5	14.5	18.5	15.8	20.7
Total	192037	1621	32.1	13.4	16.9	15.2	22.5

Table 7.14: Do you take part in community activities such as scouts, rec. teams, youth clubs, etc?

							, ,
Grade	N of	N of					Α
Level	Valid	Miss	Never	Seldom	Sometimes	Often	Lot
6th	21776	442	39.0	12.2	14.5	12.8	21.5
7th	35544	568	38.9	14.5	16.2	12.8	17.7
8th	32889	485	40.6	16.3	16.5	12.1	14.4
9th	30138	388	39.3	18.0	18.0	12.3	12.4
10th	30690	329	38.9	19.0	18.3	12.0	11.8
11th	22795	255	36.6	19.0	19.0	12.8	12.6
12th	17136	223	35.7	19.2	19.4	13.0	12.7
Jr Hi	90209	1495	39.5	14.6	15.9	12.5	17.4
Sr Hi	100759	1195	38.0	18.7	18.6	12.5	12.3
Total	190968	2690	38.7	16.8	17.3	12.5	14.7

Table 7.15: Do you attend church, synagogue, etc.?

Grade	N of	N of					Α
Level	Valid	Miss	Never	Seldom	Sometimes	Often	Lot
6th	21613	605	12.1	10.5	19.5	17.6	40.3
7th	35394	718	11.2	11.1	19.1	18.7	39.9
8th	32731	643	14.4	13.3	19.9	17.9	34.5
9th	30005	521	15.6	14.1	19.2	16.5	34.6
10th	30549	470	17.8	16.3	19.7	16.3	29.8
11th	22661	389	17.8	16.4	19.1	16.0	30.7
12th	17099	260	20.5	18.1	19.6	15.0	26.7
Jr Hi	89738	1966	12.6	11.8	19.5	18.2	38.0
Sr Hi	100314	1640	17.6	16.0	19.4	16.1	30.9
Total	190052	3606	15.2	14.0	19.4	17.1	34.3

Table 7.16: Have you threatened to harm a teacher?

Grade	N of	N of					Α
Level	Valid	Miss	Never	Seldom	Sometimes	Often	Lot
6th	21586	632	94.1	2.7	1.2	0.5	1.5
7th	35123	989	92.4	4.2	1.7	0.7	1.0
8th	32530	844	90.8	4.9	2.1	8.0	1.4
9th	29737	789	89.9	5.3	2.5	0.9	1.5
10th	30280	739	90.3	5.2	2.3	8.0	1.4
11th	22561	489	90.4	4.8	2.3	0.9	1.5
12th	16948	411	90.2	4.5	2.3	8.0	2.2
Jr Hi	89239	2465	92.2	4.1	1.7	0.7	1.3
Sr Hi	99526	2428	90.2	5.0	2.4	8.0	1.6
Total	188765	4893	91.2	4.6	2.1	0.8	1.4

Table 7.17: Have you threatened to harm one or both of your parents, guardians, etc.?

Grade	N of	N of					Α
Level	Valid	Miss	Never	Seldom	Sometimes	Often	Lot
6th	21984	234	93.1	3.5	1.6	0.6	1.2
7th	35811	301	91.2	5.2	2.1	0.7	8.0
8th	33051	323	88.8	6.4	2.7	8.0	1.2
9th	30290	236	87.1	7.2	3.2	1.0	1.4
10th	30782	237	86.9	7.7	3.2	1.0	1.2
11th	22883	167	87.3	7.3	3.0	1.0	1.4
12th	17202	157	87.8	6.5	2.9	0.9	1.9
Jr Hi	90846	858	90.8	5.2	2.2	0.7	1.0
Sr Hi	101157	797	87.2	7.3	3.1	1.0	1.4
Total	192003	1655	88.9	6.3	2.7	0.9	1.2

Table 7.18: Do your parents talk with you about the problems of tobacco use?

Grade	N of	N of					Α
Level	Valid	Miss	Never	Seldom	Sometimes	Often	Lot
6th	21900	318	15.8	14.9	26.7	18.3	24.2
7th	35716	396	17.2	17.4	27.3	18.3	19.8
8th	33052	322	20.5	19.9	27.6	16.4	15.6
9th	30249	277	22.0	21.7	27.7	15.4	13.2
10th	30740	279	23.2	24.4	27.7	14.1	10.6
11th	22870	180	25.4	24.2	27.9	12.9	9.7
12th	17183	176	28.1	25.2	26.6	11.5	8.7
Jr Hi	90668	1036	18.1	17.7	27.3	17.6	19.3
Sr Hi	101042	912	24.2	23.7	27.5	13.8	10.9
Total	191710	1948	21.3	20.8	27.4	15.6	14.9

Table 7.19: Do your parents talk with you about the problems of alcohol use?

Grade	N of	N of					А
Level	Valid	Miss	Never	Seldom	Sometimes	Often	Lot
6th	21960	258	16.5	15.4	25.6	18.4	24.0
7th	35773	339	17.9	18.1	26.0	18.6	19.4
8th	33065	309	21.2	20.3	26.7	16.4	15.4
9th	30271	255	22.0	22.0	27.0	15.6	13.5
10th	30762	257	22.4	23.6	27.8	14.9	11.2
11th	22842	208	23.5	23.6	28.3	14.2	10.3
12th	17199	160	24.7	24.9	27.8	13.3	9.3
Jr Hi	90798	906	18.8	18.3	26.1	17.8	19.1
Sr Hi	101074	880	22.9	23.3	27.7	14.7	11.4
Total	191872	1786	21.0	20.9	26.9	16.1	15.0

Table 7.20: Do your parents talk with you about the problems of drug use?

Grade	N of	N of					Α
Level	Valid	Miss	Never	Seldom	Sometimes	Often	Lot
6th	21890	328	14.3	13.6	24.3	18.9	28.9
7th	35680	432	15.1	16.3	24.9	19.5	24.2
8th	32997	377	18.3	18.6	26.1	17.8	19.2
9th	30223	303	19.6	20.4	26.4	16.8	16.8
10th	30718	301	20.7	22.8	27.1	16.0	13.4
11th	22837	213	22.6	22.9	27.4	14.8	12.3
12th	17167	192	25.2	23.7	26.5	13.7	10.9
Jr Hi	90567	1137	16.1	16.5	25.2	18.7	23.5
Sr Hi	100945	1009	21.6	22.2	26.9	15.6	13.8
Total	191512	2146	19.0	19.5	26.1	17.1	18.4

Table 7.21: Do your teachers talk with you about the problems of alcohol use?

Grade	N of	N of					Α
Level	Valid	Miss	Never	Seldom	Sometimes	Often	Lot
6th	21787	431	14.1	16.9	27.5	21.4	20.0
7th	35525	587	15.9	21.4	29.4	18.8	14.4
8th	32877	497	18.5	23.2	30.3	16.8	11.3
9th	30107	419	22.9	26.9	28.4	13.2	8.6
10th	30647	372	23.5	28.8	28.8	12.3	6.6
11th	22785	265	29.4	31.1	25.8	8.4	5.3
12th	17124	235	30.6	31.4	24.8	8.3	4.8
Jr Hi	90189	1515	16.4	21.0	29.3	18.7	14.7
Sr Hi	100663	1291	25.9	29.2	27.3	11.0	6.6
Total	190852	2806	21.4	25.3	28.2	14.6	10.4

Table 7.22: Do your teachers talk with you about the problems of drug use?

Grade	N of	N of					Α
Level	Valid	Miss	Never	Seldom	Sometimes	Often	Lot
6th	21823	395	13.0	16.5	27.3	21.9	21.4
7th	35599	513	14.0	21.1	29.4	19.6	16.0
8th	32915	459	16.6	22.5	30.6	17.5	12.8
9th	30176	350	20.7	26.7	29.3	13.9	9.4
10th	30653	366	21.4	28.9	29.3	12.9	7.5
11th	22781	269	27.5	31.1	26.5	9.2	5.8
12th	17162	197	28.7	31.4	25.8	8.7	5.3
Jr Hi	90337	1367	14.7	20.5	29.3	19.4	16.1
Sr Hi	100772	1182	23.8	29.2	28.0	11.7	7.3
Total	191109	2549	19.5	25.0	28.6	15.3	11.5

Table 7.23: Does your school set clear rules on bringing a gun to school?

Grade	N of	${\sf N}$ of					Α
Level	Valid	Miss	Never	Seldom	Sometimes	Often	Lot
6th	21816	402	5.2	4.1	6.4	12.4	71.9
7th	35624	488	5.0	5.7	9.1	16.2	64.0
8th	32893	481	6.6	7.3	10.7	17.0	58.5
9th	30144	382	7.2	7.9	12.2	20.4	52.4
10th	30619	400	7.8	8.7	13.0	20.0	50.5
11th	22746	304	8.2	8.6	13.0	19.9	50.2
12th	17113	246	8.5	8.1	12.5	19.7	51.2
Jr Hi	90333	1371	5.6	5.9	9.0	15.6	63.9
Sr Hi	100622	1332	7.8	8.3	12.7	20.0	51.1
Total	190955	2703	6.8	7.2	10.9	17.9	57.2

Table 7.24: Does your school set clear rules on using drugs at school?

Grade	N of	N of					Α
Level	Valid	Miss	Never	Seldom	Sometimes	Often	Lot
6th	21770	448	4.6	3.5	6.9	13.4	71.6
7th	35487	625	4.2	5.0	9.0	17.8	64.0
8th	32748	626	5.3	6.5	10.9	18.6	58.7
9th	29996	530	5.6	7.4	13.4	22.1	51.4
10th	30543	476	5.3	7.7	14.1	22.8	50.0
11th	22690	360	6.1	7.7	14.1	22.6	49.5
12th	17069	290	6.4	7.2	13.4	22.1	50.9
Jr Hi	90005	1699	4.7	5.2	9.2	17.0	63.9
Sr Hi	100298	1656	5.8	7.5	13.8	22.4	50.5
Total	190303	3355	5.3	6.4	11.6	19.9	56.8

Table 7.25: Does your school set clear rules on bullying or threatening other students at school?

Grade	N of	N of					Α
Level	Valid	Miss	Never	Seldom	Sometimes	Often	Lot
6th	21892	326	4.9	4.3	9.7	20.5	60.7
7th	35689	423	4.7	6.9	13.7	23.3	51.4
8th	32953	421	6.0	8.3	16.2	23.8	45.6
9th	30142	384	8.3	13.0	21.4	24.9	32.5
10th	30644	375	8.3	13.2	23.1	24.9	30.5
11th	22755	295	9.4	14.0	23.7	23.8	29.1
12th	17122	237	9.0	12.6	22.9	24.7	30.8
Jr Hi	90534	1170	5.2	6.8	13.6	22.8	51.5
Sr Hi	100663	1291	8.7	13.3	22.7	24.6	30.8
Total	191197	2461	7.0	10.2	18.4	23.7	40.6

Table 7.26: Does your school punish you when you break the rules?

Grade	N of	N of			Ī		А
Level	Valid	Miss	Never	Seldom	Sometimes	Often	Lot
6th	21726	492	3.2	2.8	11.3	23.0	59.7
7th	35443	669	2.4	3.6	12.2	25.0	56.8
8th	32739	635	3.3	4.3	14.3	26.2	52.0
9th	29947	579	3.7	5.6	17.8	28.9	44.0
10th	30449	570	3.5	5.8	19.0	30.5	41.2
11th	22634	416	4.2	6.8	20.5	29.6	38.9
12th	17027	332	5.0	7.3	20.9	29.4	37.5
Jr Hi	89908	1796	2.9	3.7	12.7	24.9	55.7
Sr Hi	100057	1897	4.0	6.2	19.3	29.6	40.9
Total	189965	3693	3.5	5.0	16.2	27.4	47.9

Table 7.27: Do your parents set clear rules for you?

Grade	N of	N of					Α
Level	Valid	Miss	Never	Seldom	Sometimes	Often	Lot
6th	21550	668	3.1	3.4	10.3	19.1	64.2
7th	35023	1089	2.9	4.7	13.4	22.6	56.4
8th	32368	1006	3.6	6.1	15.8	24.6	50.0
9th	29603	923	4.5	6.9	18.7	26.8	43.0
10th	30166	853	4.1	7.8	20.6	27.5	39.9
11th	22444	606	5.0	8.3	20.7	28.2	37.7
12th	16842	517	6.4	9.8	22.4	27.6	33.8
Jr Hi	88941	2763	3.2	4.9	13.5	22.5	56.0
Sr Hi	99055	2899	4.8	8.0	20.4	27.5	39.3
Total	187996	5662	4.0	6.5	17.1	25.1	47.2

Table 7.28: Do your parents punish you when you break the rules?

		<i>J</i> 1		<u> </u>	<u> </u>		
Grade	N of	N of					Α
Level	Valid	Miss	Never	Seldom	Sometimes	Often	Lot
6th	21814	404	5.2	6.7	18.9	25.0	44.2
7th	35517	595	5.3	8.4	20.0	25.9	40.4
8th	32845	529	6.1	10.5	23.5	25.1	34.8
9th	30038	488	7.1	11.6	24.0	25.8	31.5
10th	30583	436	7.4	13.1	26.0	25.9	27.7
11th	22680	370	8.2	13.4	26.5	25.6	26.3
12th	17027	332	11.0	15.7	26.8	23.5	23.1
Jr Hi	90176	1528	5.6	8.7	21.0	25.4	39.3
Sr Hi	100328	1626	8.1	13.1	25.6	25.4	27.7
Total	190504	3154	6.9	11.1	23.4	25.4	33.2

Table 7.29: Have you been in trouble with the police?

Grade	N of	N of					Α
Level	Valid	Miss	Never	Seldom	Sometimes	Often	Lot
6th	21765	453	83.7	7.9	4.0	1.7	2.7
7th	35383	729	78.9	11.1	5.1	2.2	2.7
8th	32684	690	74.2	12.9	6.8	2.8	3.4
9th	29896	630	72.3	14.2	7.2	2.7	3.5
10th	30463	556	72.8	14.7	7.0	2.5	2.9
11th	22661	389	71.8	15.9	7.2	2.3	2.8
12th	17023	336	72.5	15.2	6.8	2.2	3.3
Jr Hi	89832	1872	78.3	11.0	5.4	2.3	3.0
Sr Hi	100043	1911	72.4	14.9	7.1	2.5	3.1
Total	189875	3783	75.2	13.1	6.3	2.4	3.1

Table 7.30: Do you take part in gang activities?

Grade	N of	N of					Α
Level	Valid	Miss	Never	Seldom	Sometimes	Often	Lot
6th	21802	416	88.9	4.3	2.9	1.3	2.6
7th	35509	603	87.9	5.2	3.1	1.4	2.4
8th	32803	571	86.7	5.5	3.4	1.6	2.9
9th	30040	486	87.7	4.5	3.2	1.4	3.1
10th	30612	407	88.8	4.2	2.8	1.3	2.8
11th	22740	310	89.2	3.7	2.7	1.3	3.1
12th	17091	268	89.7	3.3	2.5	1.1	3.4
Jr Hi	90114	1590	87.7	5.1	3.1	1.4	2.6
Sr Hi	100483	1471	88.7	4.0	2.9	1.3	3.1
Total	190597	3061	88.2	4.5	3.0	1.4	2.9

Table 7.31: Have you thought about committing suicide?

Grade	N of	N of					Α
Level	Valid	Miss	Never	Seldom	Sometimes	Often	Lot
6th	21739	479	82.4	8.2	4.7	1.8	3.0
7th	35521	591	77.4	10.3	6.2	2.5	3.6
8th	32836	538	73.2	11.7	7.8	3.0	4.4
9th	30112	414	69.8	13.3	8.8	3.4	4.8
10th	30612	407	68.8	14.2	9.4	3.4	4.3
11th	22744	306	68.3	14.7	9.8	3.4	3.9
12th	17087	272	68.5	14.9	9.3	3.0	4.3
Jr Hi	90096	1608	77.1	10.3	6.4	2.5	3.7
Sr Hi	100555	1399	68.9	14.2	9.3	3.3	4.4
Total	190651	3007	72.8	12.3	7.9	2.9	4.1

Table 7.32: While NOT at school have you carried a gun for protection or as a weapon?

Grade	N of	N of					Α
Level	Valid	Miss	Never	Seldom	Sometimes	Often	Lot
6th	21868	350	89.2	3.9	3.0	1.4	2.6
7th	35636	476	87.3	5.0	3.5	1.8	2.3
8th	32899	475	86.3	5.3	3.9	1.9	2.7
9th	30085	441	84.6	5.7	4.3	2.1	3.2
10th	30540	479	86.3	5.1	4.0	1.9	2.8
11th	22664	386	85.1	5.4	4.1	2.0	3.5
12th	17017	342	85.5	4.9	4.0	2.0	3.6
Jr Hi	90403	1301	87.4	4.8	3.5	1.7	2.5
Sr Hi	100306	1648	85.4	5.3	4.1	2.0	3.2
Total	190709	2949	86.3	5.1	3.8	1.9	2.9

Table 7.33: Have you received treatment or counseling for alcohol and/or drug use?

Grade	N of	N of					Α
Level	Valid	Miss	Never	Seldom	Sometimes	Often	Lot
6th	21629	589	93.6	2.2	1.6	1.0	1.6
7th	35457	655	94.3	2.3	1.7	0.8	0.9
8th	32882	492	94.3	2.2	1.7	8.0	1.0
9th	30070	456	93.4	2.5	1.9	0.9	1.4
10th	30554	465	93.5	2.6	2.0	8.0	1.1
11th	22689	361	92.7	2.9	2.3	1.0	1.2
12th	17057	302	92.1	2.8	2.4	1.0	1.7
Jr Hi	89968	1736	94.1	2.2	1.7	0.9	1.1
Sr Hi	100370	1584	93.0	2.7	2.1	0.9	1.3
Total	190338	3320	93.6	2.5	1.9	0.9	1.2

Table 7.34: Have you been caught using alcohol?

Grade	N of	N of					Α
Level	Valid	Miss	Never	Seldom	Sometimes	Often	Lot
6th	21671	547	94.5	2.5	1.3	0.5	1.3
7th	35410	702	91.8	4.1	2.1	0.9	1.1
8th	32752	622	87.5	5.7	3.5	1.3	1.9
9th	29974	552	81.7	8.0	5.4	2.2	2.7
10th	30484	535	77.1	10.1	7.3	2.6	2.8
11th	22624	426	73.8	11.2	8.5	3.1	3.5
12th	17023	336	70.0	12.0	10.0	3.5	4.5
Jr Hi	89833	1871	90.9	4.3	2.5	1.0	1.4
Sr Hi	100105	1849	76.5	10.0	7.5	2.7	3.2
Total	189938	3720	83.3	7.3	5.1	1.9	2.4

Table 7.35: Have you been caught using drugs?

Grade	N of	N of					Α
Level	Valid	Miss	Never	Seldom	Sometimes	Often	Lot
6th	21475	743	96.1	1.6	0.7	0.4	1.2
7th	35157	955	94.9	2.3	1.2	0.6	1.0
8th	32550	824	92.7	3.1	1.9	8.0	1.4
9th	29857	669	88.8	4.5	3.0	1.4	2.4
10th	30338	681	87.9	5.3	3.3	1.5	2.1
11th	22542	508	85.3	6.1	4.2	1.9	2.5
12th	16959	400	85.2	5.9	4.0	1.8	3.1
Jr Hi	89182	2522	94.4	2.4	1.4	0.6	1.2
Sr Hi	99696	2258	87.1	5.3	3.5	1.6	2.4
Total	188878	4780	90.6	4.0	2.5	1.1	1.9

Table 7.36: Do you have an adult, other than your parent or guardian, that you talk to about problems?

Grade	N of	N of			8		А
Level	Valid	Miss	Never	Seldom	Sometimes	Often	Lot
6th	21689	529	24.9	13.4	22.2	14.0	25.4
7th	35466	646	25.3	15.0	22.2	14.5	23.0
8th	32791	583	26.1	15.0	22.2	14.2	22.4
9th	30018	508	25.9	15.3	22.8	14.9	21.1
10th	30490	529	25.4	15.8	23.4	15.1	20.3
11th	22645	405	25.6	15.7	23.0	15.9	19.9
12th	17007	352	27.3	15.2	23.3	15.3	18.8
Jr Hi	89946	1758	25.5	14.6	22.2	14.3	23.3
Sr Hi	100160	1794	25.9	15.5	23.1	15.3	20.2
Total	190106	3552	25.7	15.1	22.7	14.8	21.7

Table 7.37: Do you buy or sell drugs at school?

Grade	N of	N of					Α
Level	Valid	Miss	Never	Seldom	Sometimes	Often	Lot
6th	21726	492	97.6	0.5	0.4	0.3	1.2
7th	35497	615	97.0	1.1	0.8	0.4	8.0
8th	32757	617	94.8	1.9	1.3	0.6	1.4
9th	29977	549	90.7	3.2	2.6	1.1	2.3
10th	30426	593	89.9	3.8	2.8	1.2	2.3
11th	22605	445	88.5	4.2	3.2	1.4	2.7
12th	17003	356	88.2	4.0	3.1	1.5	3.3
Jr Hi	89980	1724	96.3	1.2	0.9	0.5	1.1
Sr Hi	100011	1943	89.5	3.7	2.9	1.3	2.6
Total	189991	3667	92.7	2.6	1.9	0.9	1.9

Table 7.38: Do you buy or sell drugs when NOT at school?

		,	,	0			
Grade	N of	N of					Α
Level	Valid	Miss	Never	Seldom	Sometimes	Often	Lot
6th	21737	481	96.6	0.9	0.7	0.4	1.4
7th	35423	689	94.2	2.1	1.5	8.0	1.4
8th	32664	710	90.4	3.2	2.8	1.4	2.2
9th	29860	666	84.8	4.8	4.5	2.2	3.7
10th	30339	680	82.6	5.6	5.2	2.7	3.9
11th	22526	524	79.4	6.1	6.1	3.5	4.8
12th	16911	448	78.4	6.6	6.2	3.4	5.4
Jr Hi	89824	1880	93.4	2.2	1.8	0.9	1.7
Sr Hi	99636	2318	81.9	5.6	5.4	2.9	4.3
Total	189460	4198	87.3	4.0	3.7	1.9	3.1

Table 7.39: Do your friends use tobacco? (cigarettes, cigars, etc...)?

	rabie riest De year menae ace tesaceer (e.garettes, e.gare, etc).							
Grade	N of	N of					Α	
Level	Valid	Miss	Never	Seldom	Sometimes	Often	Lot	
6th	21597	621	77.8	7.5	6.5	2.9	5.2	
7th	35307	805	63.6	11.8	11.5	5.5	7.7	
8th	32667	707	50.8	14.1	15.5	8.0	11.5	
9th	29935	591	32.7	14.5	21.4	12.4	18.9	
10th	30384	635	28.0	14.8	22.8	14.3	20.0	
11th	22571	479	22.8	13.2	23.7	15.8	24.5	
12th	16967	392	20.4	12.4	24.2	16.8	26.2	
Jr Hi	89571	2133	62.4	11.6	11.8	5.8	8.5	
Sr Hi	99857	2097	27.0	13.9	22.9	14.5	21.7	
Total	189428	4230	43.7	12.8	17.6	10.4	15.5	

Table 7.40: Do your friends use alcohol? (beer, liquor, etc...)?

Grade	N of	N of					Α
Level	Valid	Miss	Never	Seldom	Sometimes	Often	Lot
6th	21578	640	81.0	7.4	5.3	2.3	4.0
7th	35246	866	65.9	13.0	10.2	5.0	5.9
8th	32612	762	48.7	15.9	16.7	8.2	10.6
9th	29927	599	28.4	15.8	23.0	14.1	18.6
10th	30387	632	20.2	14.5	25.2	17.8	22.2
11th	22568	482	16.7	12.7	24.8	19.7	26.1
12th	16966	393	14.9	10.5	24.6	21.0	29.1
Jr Hi	89436	2268	63.3	12.7	11.4	5.5	7.2
Sr Hi	99848	2106	21.0	13.8	24.4	17.7	23.2
Total	189284	4374	41.0	13.3	18.2	11.9	15.6

Table 7.41: Do your friends use drugs? (marijuana, cocaine, etc...)?

Grade	N of	N of					Α
				6		0.6	
Level	Valid	Miss	Never	Seldom	Sometimes	Often	Lot
6th	21406	812	89.0	3.7	2.6	1.6	3.1
7th	35018	1094	78.6	7.8	5.8	3.2	4.7
8th	32437	937	64.8	11.5	9.8	5.4	8.5
9th	29696	830	46.5	15.3	15.3	8.9	14.0
10th	30236	783	39.7	16.1	17.5	11.0	15.8
11th	22454	596	34.7	16.0	19.1	12.3	17.9
12th	16895	464	33.0	16.8	19.8	12.3	18.1
Jr Hi	88861	2843	76.1	8.1	6.5	3.6	5.7
Sr Hi	99281	2673	39.5	16.0	17.6	10.9	16.1
Total	188142	5516	56.8	12.3	12.4	7.4	11.2

Table 7.42: Do your parents set clear rules about violent TV, movies and video games?

	<del> </del>						
Grade	N of	N of					Α
Level	Valid	Miss	Never	Seldom	Sometimes	Often	Lot
6th	21763	455	25.9	16.8	22.5	14.8	20.1
7th	35572	540	34.6	19.7	21.0	12.0	12.7
8th	32863	511	44.5	20.5	17.8	8.8	8.3
9th	30072	454	52.6	20.1	14.5	6.9	5.8
10th	30538	481	58.9	19.7	12.0	5.2	4.3
11th	22650	400	63.0	18.5	10.4	4.3	3.8
12th	17024	335	68.2	16.0	8.9	3.3	3.6
Jr Hi	90198	1506	36.1	19.3	20.2	11.5	12.9
Sr Hi	100284	1670	59.5	18.9	11.8	5.2	4.5
Total	190482	3176	48.4	19.1	15.8	8.2	8.5

Table 7.43: Have you had 5 or more glasses of beer, wine or liquor within a few hours?

Grade	N of	N of					Α
Level	Valid	Miss	Never	Seldom	Sometimes	Often	Lot
6th	21708	510	93.6	2.5	1.3	0.7	1.9
7th	35469	643	89.3	4.4	2.7	1.3	2.3
8th	32747	627	82.5	6.6	4.6	2.3	4.0
9th	29975	551	72.7	8.3	7.8	4.0	7.3
10th	30454	565	64.7	10.0	10.9	5.6	8.8
11th	22572	478	59.2	10.3	12.3	6.9	11.3
12th	16999	360	53.8	11.1	13.8	7.6	13.6
Jr Hi	89924	1780	87.9	4.8	3.0	1.5	2.8
Sr Hi	100000	1954	64.0	9.7	10.8	5.8	9.7
Total	189924	3734	75.3	7.4	7.1	3.8	6.4

Table 7.44: Have you driven a car after or while drinking alcohol??

Grade	N of	N of					Α
Level	Valid	Miss	Never	Seldom	Sometimes	Often	Lot
6th	21618	600	97.2	0.8	0.5	0.3	1.2
7th	35327	785	96.4	1.5	8.0	0.4	8.0
8th	32620	754	94.9	2.0	1.1	0.7	1.3
9th	29896	630	91.7	3.2	2.1	1.0	2.0
10th	30395	624	89.7	4.4	2.7	1.1	2.1
11th	22561	489	81.3	8.8	4.7	1.8	3.2
12th	16979	380	73.0	12.9	6.9	2.7	4.6
Jr Hi	89565	2139	96.0	1.5	0.9	0.5	1.1
Sr Hi	99831	2123	85.6	6.5	3.7	1.5	2.7
Total	189396	4262	90.5	4.1	2.4	1.0	2.0

Table 7.45: Do you surf the internet for fun?

Grade	N of	N of					Α
Level	Valid	Miss	Never	Seldom	Sometimes	Often	Lot
6th	21475	743	28.8	13.2	20.3	12.4	25.3
7th	35271	841	22.2	13.9	21.9	14.1	27.9
8th	32573	801	18.6	13.1	21.6	15.4	31.3
9th	29906	620	16.7	13.6	23.0	16.2	30.4
10th	30399	620	15.0	14.2	24.6	16.7	29.5
11th	22550	500	16.8	15.6	25.1	16.0	26.5
12th	16962	397	16.6	15.6	24.7	16.3	26.8
Jr Hi	89319	2385	22.5	13.4	21.4	14.1	28.5
Sr Hi	99817	2137	16.2	14.6	24.3	16.3	28.6
Total	189136	4522	19.2	14.1	22.9	15.3	28.6

Table 7.46: Have you skipped school in the past year?

Grade	N of	N of					Α
Level	Valid	Miss	Never	Seldom	Sometimes	Often	Lot
6th	21523	695	83.7	8.7	3.9	1.2	2.6
7th	35241	871	78.7	11.1	5.4	1.9	2.9
8th	32555	819	73.2	13.0	7.2	2.6	4.0
9th	29830	696	66.2	14.5	9.1	3.6	6.5
10th	30356	663	61.7	16.4	11.0	4.2	6.6
11th	22521	529	52.9	18.9	14.1	5.6	8.5
12th	16927	432	42.9	20.8	17.5	7.1	11.8
Jr Hi	89319	2385	77.9	11.2	5.7	2.0	3.2
Sr Hi	99634	2320	57.9	17.1	12.2	4.8	7.9
Total	188953	4705	67.3	14.3	9.2	3.5	5.7

Table 7.47: Have you seen ads on TV that encourage NO drug use?

		,			U		
Grade	N of	N of					Α
Level	Valid	Miss	Never	Seldom	Sometimes	Often	Lot
6th	21543	675	14.3	11.3	19.6	17.0	37.8
7th	35250	862	12.6	12.4	21.2	19.2	34.6
8th	32548	826	11.3	11.8	20.8	20.3	35.9
9th	29878	648	10.6	11.7	22.8	22.3	32.6
10th	30366	653	9.1	10.7	23.7	24.4	32.1
11th	22544	506	8.9	10.5	24.3	25.2	31.1
12th	16933	426	9.1	10.5	25.3	26.3	28.8
Jr Hi	89341	2363	12.5	11.9	20.6	19.1	35.9
Sr Hi	99721	2233	9.5	10.9	23.8	24.3	31.4
Total	189062	4596	10.9	11.4	22.3	21.8	33.5

Table 7.48: Does your school have a security officer?

	J			
Grade	N of	N of		
Level	Valid	Miss	Yes	No
6th	21198	1020	56.0	44.0
7th	34859	1253	60.4	39.6
8th	32226	1148	62.4	37.6
9th	29617	909	75.1	24.9
10th	30108	911	73.8	26.2
11th	22393	657	74.3	25.7
12th	16892	467	70.4	29.6
Jr Hi	88283	3421	60.0	40.0
Sr Hi	99010	2944	73.7	26.3
Total	187293	6365	67.3	32.7

Table 7.49: Do you think your school needs a security officer?

Grade	N of	N of		
Level	Valid	Miss	Yes	No
6th	21170	1048	62.4	37.6
7th	34788	1324	59.6	40.4
8th	32134	1240	54.3	45.7
9th	29527	999	61.1	38.9
10th	30014	1005	59.0	41.0
11th	22323	727	56.8	43.2
12th	16823	536	53.9	46.1
Jr Hi	88092	3612	58.3	41.7
Sr Hi	98687	3267	58.3	41.7
Total	186779	6879	58.3	41.7

Table 7.50: Does your school have a drug screening program?

Grade	N of	N of		
Level	Valid	Miss	Yes	No
6th	19822	2396	25.1	74.9
7th	33374	2738	25.2	74.8
8th	30995	2379	22.3	77.7
9th	28336	2190	27.4	72.6
10th	29032	1987	23.7	76.3
11th	21784	1266	21.3	78.7
12th	16491	868	21.5	78.5
Jr Hi	84191	7513	24.1	75.9
Sr Hi	95643	6311	23.9	76.1
Total	179834	13824	24.0	76.0

Table 7.51: Does your school's drug screening program include all students?

<u> </u>			0 1 0	
Grade	N of	N of		
Level	Valid	Miss	Yes	No
6th	18560	3658	22.8	77.2
7th	31782	4330	21.9	78.1
8th	29494	3880	17.6	82.4
9th	27460	3066	17.6	82.4
10th	27927	3092	13.6	86.4
11th	21075	1975	11.8	88.2
12th	15895	1464	11.3	88.7
Jr Hi	79836	11868	20.6	79.4
Sr Hi	92357	9597	14.0	86.0
Total	172193	21465	17.0	83.0

Table 7.52: If your school does not screen all students, do you participate in an activity that is part of the drug screening program?

Grade	N of	N of		
Level	Valid	Miss	Yes	No
6th	18887	3331	19.9	80.1
7th	32182	3930	17.7	82.3
8th	29901	3473	14.7	85.3
9th	27841	2685	14.8	85.2
10th	28336	2683	13.5	86.5
11th	21343	1707	13.2	86.8
12th	16117	1242	12.8	87.2
Jr Hi	80970	10734	17.1	82.9
Sr Hi	93637	8317	13.7	86.3
Total	174607	19051	15.3	84.7

Table 7.53: Have you been screened for drugs at school?

Grade	N of	N of		
Level	Valid	Miss	Yes	No
6th	20118	2100	7.3	92.7
7th	33805	2307	9.3	90.7
8th	31441	1933	8.7	91.3
9th	29070	1456	9.2	90.8
10th	29586	1433	9.1	90.9
11th	22082	968	9.0	91.0
12th	16674	685	9.2	90.8
Jr Hi	85364	6340	8.6	91.4
Sr Hi	97412	4542	9.1	90.9
Total	182776	10882	8.9	91.1

Table 7.54: Does you school have a student assistance program?

Grade	N of	N of		
Level	Valid	Miss	Yes	No
6th	19340	2878	50.6	49.4
7th	32740	3372	54.2	45.8
8th	30501	2873	52.0	48.0
9th	28056	2470	54.7	45.3
10th	28513	2506	51.6	48.4
11th	21391	1659	46.8	53.2
12th	16240	1119	42.8	57.2
Jr Hi	82581	9123	52.5	47.5
Sr Hi	94200	7754	49.9	50.1
Total	176781	16877	51.1	48.9

Table 7.55: Have you participated in the student assistance program?

Grade	N of	N of		
Level	Valid	Miss	Yes	No
6th	19255	2963	15.4	84.6
7th	32978	3134	13.8	86.2
8th	30480	2894	12.3	87.7
9th	28289	2237	9.3	90.7
10th	28688	2331	8.5	91.5
11th	21523	1527	8.7	91.3
12th	16270	1089	9.1	90.9
Jr Hi	82713	8991	13.6	86.4
Sr Hi	94770	7184	8.9	91.1
Total	177483	16175	11.1	88.9

Table 7.56: If you particiated, was the student assistance program helpful?

Grade	N of	N of		
Level	Valid	Miss	Yes	No
6th	16541	5677	27.4	72.6
7th	28422	7690	21.4	78.6
8th	26340	7034	17.2	82.8
9th	24158	6368	13.6	86.4
10th	24146	6873	12.0	88.0
11th	18529	4521	11.2	88.8
12th	13903	3456	11.2	88.88
Jr Hi	71303	20401	21.2	78.8
Sr Hi	80736	21218	12.2	87.8
Total	152039	41619	16.4	83.6

# 7.3 Harmful To Health

Table 7.57: Do you feel that using cigarettes is harmful to your health?

Grade	N of	N of	No	Some		Very
Level	Valid	Miss	Harm	Harm	Harmful	Harmful
6th	21644	574	4.1	8.0	28.1	59.8
7th	35350	762	4.0	11.6	31.1	53.3
8th	32595	779	4.4	13.7	31.0	50.9
9th	29808	718	5.0	14.9	31.9	48.2
10th	30273	746	4.2	14.0	31.3	50.5
11th	22444	606	4.3	13.7	31.8	50.1
12th	16880	479	4.6	13.1	30.8	51.5
Jr Hi	89589	2115	4.2	11.5	30.3	54.0
Sr Hi	99405	2549	4.5	14.1	31.5	49.9
Total	188994	4664	4.4	12.8	31.0	51.8

Table 7.58: Do you feel that using smokeless tobacco is harmful to your health?

Grade	N of	N of	No	Some		Very
Level	Valid	Miss	Harm	Harm	Harmful	Harmful
6th	21551	667	5.2	9.9	26.9	58.0
7th	35279	833	5.0	13.5	28.8	52.7
8th	32504	870	5.3	14.7	30.1	49.9
9th	29725	801	5.9	17.7	31.9	44.4
10th	30199	820	5.0	15.9	32.4	46.7
11th	22402	648	5.2	16.6	33.1	45.1
12th	16844	515	5.2	15.6	32.6	46.6
Jr Hi	89334	2370	5.1	13.1	28.8	52.9
Sr Hi	99170	2784	5.4	16.5	32.5	45.6
Total	188504	5154	5.3	14.9	30.7	49.1

Table 7.59: Do you feel that using cigars is harmful to your health?

Grade	N of	N of	No	Some		Very
Level	Valid	Miss	Harm	Harm	Harmful	Harmful
6th	21494	724	5.1	12.9	28.6	53.5
7th	35142	970	5.4	17.4	30.0	47.3
8th	32408	966	6.2	19.8	30.4	43.6
9th	29696	830	7.1	22.3	31.1	39.5
10th	30130	889	6.2	22.0	31.9	40.0
11th	22365	685	6.5	22.4	31.8	39.3
12th	16822	537	6.4	22.5	31.1	40.0
Jr Hi	89044	2660	5.6	17.1	29.8	47.5
Sr Hi	99013	2941	6.6	22.2	31.5	39.7
Total	188057	5601	6.1	19.8	30.7	43.4

Table 7.60: Do you feel that using beer is harmful to your health?

						<u> </u>
Grade	N of	N of	No	Some		Very
Level	Valid	Miss	Harm	Harm	Harmful	Harmful
6th	21488	730	7.3	22.5	26.9	43.3
7th	35210	902	8.2	26.0	27.3	38.6
8th	32467	907	10.5	31.5	26.4	31.5
9th	29707	819	12.1	33.7	25.8	28.4
10th	30125	894	11.5	37.2	25.7	25.6
11th	22380	670	12.2	36.8	25.1	25.9
12th	16817	542	12.6	38.2	24.2	25.0
Jr Hi	89165	2539	8.8	27.1	26.9	37.1
Sr Hi	99029	2925	12.0	36.2	25.4	26.4
Total	188194	5464	10.5	31.9	26.1	31.5

Table 7.61: Do you feel that using wine coolers is harmful to your health?

	<u> </u>					<u> </u>
Grade	N of	N of	No	Some		Very
Level	Valid	Miss	Harm	Harm	Harmful	Harmful
6th	21324	894	12.8	27.0	23.8	36.4
7th	35057	1055	15.5	30.5	22.5	31.6
8th	32394	980	20.6	34.8	20.3	24.3
9th	29607	919	22.8	36.6	18.9	21.8
10th	30086	933	22.7	39.9	17.8	19.6
11th	22334	716	22.2	40.0	17.8	20.1
12th	16791	568	22.3	40.4	17.7	19.7
Jr Hi	88775	2929	16.7	31.2	22.0	30.1
Sr Hi	98818	3136	22.5	39.0	18.1	20.4
Total	187593	6065	19.8	35.3	19.9	25.0

Table 7.62: Do you feel that using liquor is harmful to your health?

Grade	N of	N of	No	Some		Very
Level	Valid	Miss	Harm	Harm	Harmful	Harmful
6th	21420	798	5.6	13.2	26.9	54.3
7th	35112	1000	5.9	17.1	29.6	47.5
8th	32352	1022	8.1	22.2	30.3	39.5
9th	29654	872	9.8	25.0	30.4	34.8
10th	30093	926	9.2	28.2	30.5	32.0
11th	22317	733	10.2	28.3	29.8	31.7
12th	16803	556	10.2	29.8	29.2	30.8
Jr Hi	88884	2820	6.6	18.0	29.2	46.2
Sr Hi	98867	3087	9.8	27.5	30.1	32.6
Total	187751	5907	8.3	23.0	29.7	39.0

Table 7.63: Do you feel that using marijuana is harmful to your health?

Grade	N of	N of	No	Some		Very	
Level	Valid	Miss	Harm	Harm	Harmful	Harmful	
6th	21509	709	4.7	3.1	9.6	82.5	
7th	35197	915	5.5	5.4	12.1	77.1	
8th	32424	950	7.6	8.5	15.6	68.3	
9th	29697	829	11.0	12.6	19.0	57.4	
10th	30120	899	11.2	15.3	21.5	52.0	
11th	22348	702	13.0	18.3	21.9	46.8	
12th	16789	570	12.9	19.5	23.0	44.6	
Jr Hi	89130	2574	6.1	6.0	12.8	75.2	
Sr Hi	98954	3000	11.8	15.9	21.1	51.2	
Total	188084	5574	9.1	11.2	17.1	62.6	

Table 7.64: Do you feel that using cocaine is harmful to your health?

Grade	N of	N of	No	Some		Very
Level	Valid	Miss	Harm	Harm	Harmful	Harmful
6th	21475	743	3.6	1.5	7.8	87.0
7th	35140	972	2.8	2.1	9.0	86.1
8th	32436	938	3.3	2.8	10.8	83.2
9th	29695	831	3.7	3.2	12.4	80.7
10th	30116	903	3.4	2.9	11.9	81.8
11th	22350	700	3.6	3.1	12.3	81.0
12th	16803	556	4.1	2.9	11.3	81.7
Jr Hi	89051	2653	3.2	2.2	9.4	85.2
Sr Hi	98964	2990	3.6	3.1	12.1	81.3
Total	188015	5643	3.4	2.7	10.8	83.1

Table 7.65: Do you feel that using uppers is harmful to your health?

Grade	N of	N of	No	Some		Very
Level	Valid	Miss	Harm	Harm	Harmful	Harmful
6th	20807	1411	4.4	4.2	15.1	76.3
7th	34860	1252	3.3	3.7	13.5	79.5
8th	32259	1115	3.6	4.4	14.4	77.6
9th	29609	917	3.8	4.0	13.9	78.3
10th	30082	937	3.5	4.1	14.0	78.4
11th	22314	736	3.6	3.8	13.6	79.0
12th	16795	564	4.0	3.4	13.0	79.6
Jr Hi	87926	3778	3.7	4.1	14.2	78.0
Sr Hi	98800	3154	3.7	3.9	13.7	78.7
Total	186726	6932	3.7	4.0	13.9	78.4

Table 7.66: Do you feel that using downers is harmful to your health?

Grade	N of	N of	No	Some		Very
Level	Valid	Miss	Harm	Harm	Harmful	Harmful
6th	20716	1502	5.2	8.0	20.4	66.4
7th	34708	1404	4.3	8.2	20.7	66.8
8th	32195	1179	4.8	8.7	20.9	65.6
9th	29578	948	5.0	8.9	21.6	64.5
10th	30060	959	4.3	8.7	20.9	66.1
11th	22284	766	4.4	8.3	20.6	66.8
12th	16773	586	4.4	7.6	19.2	68.8
Jr Hi	87619	4085	4.7	8.3	20.7	66.2
Sr Hi	98695	3259	4.5	8.5	20.8	66.2
Total	186314	7344	4.6	8.4	20.7	66.2

Table 7.67: Do you feel that using inhalants is harmful to your health?

Cuada	VI - C	NI -£	NI.	C		1/2
Grade	N of	N of	No	Some		Very
Level	Valid	Miss	Harm	Harm	Harmful	Harmful
6th	21028	1190	6.5	12.1	20.9	60.5
7th	34846	1266	5.6	12.1	21.8	60.6
8th	32279	1095	6.1	13.0	21.6	59.3
9th	29601	925	5.4	11.2	21.9	61.4
10th	30061	958	4.7	10.1	21.3	63.9
11th	22299	751	4.5	8.5	19.9	67.2
12th	16777	582	4.4	7.4	18.7	69.5
Jr Hi	88153	3551	6.0	12.4	21.5	60.1
Sr Hi	98738	3216	4.8	9.6	20.7	64.9
Total	186891	6767	5.4	10.9	21.1	62.6

Table 7.68: Do you feel that using hallucinogens is harmful to your health?

Grade	N of	N of	No	Some		Very
Level	Valid	Miss	Harm	Harm	Harmful	Harmful
6th	20350	1868	4.5	4.7	16.7	74.1
7th	34382	1730	3.5	4.8	16.6	75.2
8th	32047	1327	3.8	5.1	17.1	73.9
9th	29517	1009	4.0	4.9	16.7	74.4
10th	29964	1055	3.7	4.3	15.5	76.5
11th	22303	747	3.9	4.1	14.4	77.5
12th	16775	584	4.3	4.0	13.2	78.6
Jr Hi	86779	4925	3.8	4.9	16.8	74.5
Sr Hi	98559	3395	4.0	4.4	15.2	76.4
Total	185338	8320	3.9	4.6	16.0	75.5

Table 7.69: Do you feel that using heroin is harmful to your health?

Grade	${\sf N}$ of	N of	No	Some		Very
Level	Valid	Miss	Harm	Harm	Harmful	Harmful
6th	20660	1558	4.1	3.7	13.5	78.7
7th	34693	1419	3.1	3.1	12.9	80.9
8th	32184	1190	3.3	3.3	12.4	80.9
9th	29569	957	3.5	3.0	12.2	81.3
10th	30032	987	3.2	2.3	10.8	83.7
11th	22286	764	3.3	2.3	9.8	84.6
12th	16767	592	3.8	2.2	8.6	85.3
Jr Hi	87537	4167	3.4	3.3	12.9	80.4
Sr Hi	98654	3300	3.4	2.5	10.6	83.5
Total	186191	7467	3.4	2.9	11.7	82.0

Table 7.70: Do you feel that using steroids is harmful to your health?

Grade	N of	N of	No	Some		Very
Level	Valid	Miss	Harm	Harm	Harmful	Harmful
6th	20821	1397	5.2	7.8	19.9	67.2
7th	34736	1376	4.3	8.3	21.3	66.1
8th	32105	1269	4.3	8.7	22.4	64.5
9th	29504	1022	4.3	9.4	23.4	62.9
10th	29970	1049	3.8	8.0	23.6	64.6
11th	22264	786	4.0	7.9	23.1	64.9
12th	16742	617	4.2	7.2	21.5	67.1
Jr Hi	87662	4042	4.5	8.3	21.4	65.8
Sr Hi	98480	3474	4.1	8.3	23.1	64.6
Total	186142	7516	4.3	8.3	22.3	65.2

Table 7.71: Do you feel that using ecstasy is harmful to your health?

Grade	N of	N of	No	Some		Very
Level	Valid	Miss	Harm	Harm	Harmful	Harmful
6th	20425	1793	4.6	4.5	16.0	75.0
7th	34456	1656	3.5	4.4	15.4	76.8
8th	32038	1336	3.9	4.5	14.6	77.0
9th	29478	1048	4.1	4.5	14.4	77.0
10th	29973	1046	3.7	4.1	13.9	78.3
11th	22263	787	3.9	4.1	13.5	78.5
12th	16754	605	4.3	4.1	13.2	78.4
Jr Hi	86919	4785	3.9	4.4	15.2	76.4
Sr Hi	98468	3486	4.0	4.2	13.9	78.0
Total	185387	8271	3.9	4.3	14.5	77.2

Table 7.72: Do you feel that using OxyContin is harmful to your health?

Grade	N of	${\sf N}$ of	No	Some		Very
Level	Valid	Miss	Harm	Harm	Harmful	Harmful
6th	20386	1832	5.5	6.0	16.6	71.9
7th	34266	1846	4.2	5.9	17.0	72.9
8th	31826	1548	4.4	6.3	18.0	71.3
9th	29331	1195	5.0	6.2	17.7	71.2
10th	29688	1331	4.3	6.2	17.5	72.1
11th	22123	927	4.7	6.4	17.0	72.0
12th	16638	721	4.7	5.9	16.2	73.3
Jr Hi	86478	5226	4.6	6.1	17.2	72.1
Sr Hi	97780	4174	4.7	6.2	17.2	72.0
Total	184258	9400	4.6	6.1	17.2	72.0

#### 7.4 Within The Past Year How Often Have You Used

Table 7.73: Within the past year how often have you smoked cigarettes?

Grade	N of	N of	Did							Every
Level	Valid	Miss	Not Use	1/yr	6/yr	1/mo	2/mo	1/wk	3/wk	Day
6th	21705	513	90.1	4.3	1.1	0.7	0.5	0.6	0.7	2.1
7th	35453	659	84.2	6.2	2.1	1.2	0.9	1.3	1.6	2.6
8th	32705	669	79.3	7.0	2.7	1.4	1.4	1.7	2.2	4.3
9th	29905	621	72.3	7.3	3.4	1.9	1.8	2.2	2.9	8.2
10th	30391	628	69.9	7.5	3.9	1.9	2.1	2.3	3.2	9.2
11th	22534	516	65.7	7.2	4.3	2.3	2.2	2.5	3.4	12.5
12th	16972	387	62.6	7.1	4.4	2.4	2.4	2.6	3.9	14.6
Jr Hi	89863	1841	83.8	6.0	2.0	1.1	1.0	1.3	1.6	3.1
Sr Hi	99802	2152	68.4	7.3	3.9	2.0	2.1	2.4	3.3	10.6
Total	189665	3993	75.7	6.7	3.0	1.6	1.6	1.9	2.5	7.0

Table 7.74: Within the past year how often have you used smokeless tobacco?

Grade	N of	N of	Did							Every
Level	Valid	Miss	Not Use	1/yr	6/yr	1/mo	2/mo	1/wk	3/wk	Day
6th	21653	565	95.1	1.7	0.5	0.3	0.2	0.2	0.4	1.5
7th	35402	710	93.1	2.6	8.0	0.6	0.4	0.5	0.7	1.4
8th	32624	750	91.9	2.7	0.9	0.7	0.6	0.6	0.8	1.9
9th	29839	687	87.3	3.6	1.3	1.0	0.7	1.0	1.3	3.8
10th	30311	708	88.3	3.3	1.2	0.9	0.7	8.0	1.1	3.6
11th	22488	562	85.6	3.8	1.7	1.1	0.9	0.9	1.2	4.9
12th	16916	443	84.3	4.0	1.7	1.1	0.9	1.0	1.4	5.5
Jr Hi	89679	2025	93.1	2.4	0.7	0.5	0.4	0.5	0.7	1.6
Sr Hi	99554	2400	86.7	3.6	1.4	1.0	0.8	0.9	1.2	4.3
Total	189233	4425	89.8	3.0	1.1	8.0	0.6	0.7	1.0	3.0

T     7 7	/ / / · · · · · · · · · · · · · · · · ·			r.	1			
1 2 N/A / / N ·	VVIthin tha	nact v	MAR HANN	_otton	h 21/2 1/4	วบ	/AA	CICATIC /
Table 7.75:	VVII.IIII 1.11C	บสรเง	veal HOW	OHEH	HAVE V	טווכ נונ	ノニい	CIPALS!

Grade	N of	N of	Did							Every
Level	Valid	Miss	Not Use	1/yr	6/yr	1/mo	2/mo	1/wk	3/wk	Day
6th	21572	646	95.0	2.1	0.4	0.3	0.2	0.3	0.3	1.3
7th	35278	834	92.3	3.5	0.9	0.7	0.5	0.6	0.5	0.9
8th	32532	842	89.5	4.3	1.5	1.0	8.0	0.9	0.7	1.3
9th	29749	777	83.7	5.9	2.5	1.9	1.6	1.4	1.1	1.9
10th	30210	809	81.5	6.6	3.3	2.1	1.8	1.6	1.0	2.0
11th	22393	657	76.7	7.0	4.7	3.3	2.4	2.2	1.2	2.5
12th	16887	472	72.6	8.3	5.7	3.4	2.8	2.3	1.5	3.2
Jr Hi	89382	2322	92.0	3.4	1.0	0.7	0.5	0.6	0.5	1.2
Sr Hi	99239	2715	79.6	6.8	3.8	2.5	2.1	1.8	1.2	2.3
Total	188621	5037	85.4	5.2	2.5	1.7	1.3	1.2	0.9	1.8

Table 7.76: Within the past year how often have you drunk beer?

Grade	N of	N of	Did	<u> </u>						Every
Level	Valid	Miss	Not Use	1/yr	6/yr	1/mo	2/mo	1/wk	3/wk	Day
6th	21548	670	85.3	8.4	1.8	1.1	0.6	0.7	0.6	1.5
7th	35272	840	78.7	10.7	3.3	2.0	1.6	1.5	1.1	1.1
8th	32486	888	69.0	13.1	5.7	3.2	2.9	2.7	1.6	1.7
9th	29781	745	59.6	12.9	7.4	5.0	4.9	5.0	2.8	2.4
10th	30254	765	51.9	13.1	9.2	6.2	6.9	7.2	3.1	2.4
11th	22430	620	48.6	12.1	9.3	6.4	7.9	8.5	4.3	2.9
12th	16876	483	44.0	10.7	9.5	6.8	8.9	10.9	5.4	3.9
Jr Hi	89306	2398	76.8	11.0	3.8	2.2	1.8	1.8	1.2	1.4
Sr Hi	99341	2613	52.1	12.4	8.7	6.0	6.9	7.4	3.7	2.8
Total	188647	5011	63.8	11.7	6.4	4.2	4.5	4.8	2.5	2.1

Table 7.77: Within the past year how often have you drunk wine coolers?

Grade	N of	N of	Did							Every
Level	Valid	Miss	Not Use	1/yr	6/yr	1/mo	2/mo	1/wk	3/wk	Day
6th	21505	713	84.7	8.5	2.0	1.0	8.0	0.7	0.7	1.5
7th	35259	853	77.8	11.6	3.4	2.0	1.5	1.3	1.1	1.2
8th	32469	905	68.4	14.5	5.8	3.1	2.6	2.3	1.6	1.7
9th	29749	777	61.8	14.4	7.3	4.5	4.3	3.6	2.0	2.2
10th	30201	818	57.2	15.3	9.2	5.4	5.1	4.0	1.8	2.0
11th	22378	672	57.4	14.0	9.1	5.4	5.3	4.5	2.0	2.3
12th	16858	501	55.5	13.8	9.6	5.8	6.2	4.5	1.7	2.8
Jr Hi	89233	2471	76.0	11.9	3.9	2.2	1.8	1.5	1.2	1.5
Sr Hi	99186	2768	58.3	14.5	8.7	5.2	5.1	4.1	1.9	2.3
Total	188419	5239	66.7	13.3	6.4	3.8	3.5	2.9	1.5	1.9

Table 7.78: Within the past year how often have you drunk liquor?

Grade	N of	N of	Did							Every
Level	Valid	Miss	Not Use	1/yr	6/yr	1/mo	2/mo	1/wk	3/wk	Day
6th	21496	722	91.6	4.1	0.9	0.6	0.3	0.5	0.4	1.4
7th	35226	886	85.1	7.3	2.2	1.4	1.1	1.1	0.9	1.0
8th	32431	943	74.6	10.6	4.4	2.7	2.4	2.3	1.4	1.7
9th	29707	819	62.0	12.1	6.8	4.7	4.8	4.6	2.6	2.4
10th	30178	841	52.3	13.3	9.0	6.6	6.9	6.6	2.8	2.4
11th	22382	668	47.7	12.3	10.0	7.2	8.4	7.9	3.6	2.8
12th	16856	503	42.1	12.2	11.3	8.2	9.5	9.5	3.6	3.6
Jr Hi	89153	2551	82.9	7.7	2.7	1.7	1.4	1.4	0.9	1.3
Sr Hi	99123	2831	52.5	12.5	8.9	6.4	7.1	6.8	3.1	2.7
Total	188276	5382	66.9	10.3	6.0	4.2	4.4	4.2	2.1	2.1

Table 7.79: Within the past year how often have you smoked marijuana?

Grade	N of	N of	Did							Every
Level	Valid	Miss	Not Use	1/yr	6/yr	1/mo	2/mo	1/wk	3/wk	Day
6th	21507	711	95.3	1.4	0.4	0.3	0.2	0.3	0.5	1.7
7th	35197	915	91.8	2.5	0.9	0.7	0.6	0.9	1.0	1.5
8th	32468	906	86.3	3.9	1.6	1.2	1.2	1.5	1.8	2.7
9th	29706	820	77.4	5.7	2.7	2.0	2.1	2.4	3.2	4.6
10th	30193	826	72.7	6.8	3.8	2.6	2.8	2.9	3.4	5.0
11th	22390	660	68.3	7.4	4.3	2.9	3.1	3.3	4.0	6.7
12th	16850	509	66.4	7.9	5.0	2.9	3.3	3.1	3.7	7.7
Jr Hi	89172	2532	90.6	2.7	1.0	8.0	0.7	1.0	1.2	2.0
Sr Hi	99139	2815	72.1	6.8	3.8	2.5	2.7	2.9	3.5	5.7
Total	188311	5347	80.9	4.9	2.5	1.7	1.8	2.0	2.4	3.9

Table 7.80: Within the past year how often have you used cocaine?

Grade	N of	N of	Did							Every
Level	Valid	Miss	Not Use	1/yr	6/yr	1/mo	2/mo	1/wk	3/wk	Day
6th	21492	726	97.5	0.5	0.2	0.1	0.1	0.1	0.1	1.3
7th	35159	953	97.5	0.7	0.2	0.2	0.2	0.2	0.2	0.7
8th	32455	919	96.3	1.0	0.4	0.3	0.3	0.4	0.2	1.1
9th	29729	797	94.7	1.4	0.6	0.5	0.4	0.4	0.4	1.5
10th	30164	855	94.3	1.5	0.6	0.4	0.5	0.5	0.4	1.7
11th	22339	711	92.5	1.9	1.0	0.8	0.7	0.5	0.5	2.0
12th	16845	514	91.2	2.2	1.2	8.0	0.7	0.7	0.6	2.6
Jr Hi	89106	2598	97.1	8.0	0.3	0.2	0.2	0.3	0.2	1.0
Sr Hi	99077	2877	93.5	1.7	8.0	0.6	0.6	0.5	0.5	1.9
Total	188183	5475	95.2	1.2	0.5	0.4	0.4	0.4	0.4	1.5

Table 7.81: Within the past year how often have you used uppers?

Grade	N of	N of	Did							Every
Level	Valid	Miss	Not Use	1/yr	6/yr	1/mo	2/mo	1/wk	3/wk	Day
6th	21321	897	97.6	0.4	0.2	0.2	0.1	0.1	0.2	1.3
7th	35118	994	97.7	0.6	0.3	0.2	0.2	0.2	0.2	0.6
8th	32418	956	96.5	0.9	0.4	0.3	0.2	0.3	0.3	1.0
9th	29677	849	94.5	1.3	0.7	0.6	0.5	0.5	0.4	1.6
10th	30119	900	94.4	1.3	8.0	0.6	0.5	0.4	0.5	1.6
11th	22340	710	93.0	1.6	1.0	0.7	0.6	0.5	0.7	1.9
12th	16821	538	92.3	1.5	1.0	0.7	0.8	0.5	0.7	2.5
Jr Hi	88857	2847	97.3	0.6	0.3	0.3	0.2	0.2	0.2	0.9
Sr Hi	98957	2997	93.7	1.4	8.0	0.6	0.6	0.5	0.5	1.8
Total	187814	5844	95.4	1.0	0.6	0.5	0.4	0.4	0.4	1.4

Table 7.82: Within the past year how often have you used downers?

Grade	N of	N of	Did	-			<u> </u>			Every
Level	Valid	Miss	Not Use	1/yr	6/yr	1/mo	2/mo	1/wk	3/wk	Day
6th	21279	939	97.4	0.5	0.2	0.2	0.1	0.2	0.1	1.3
7th	35082	1030	97.2	8.0	0.3	0.3	0.2	0.3	0.2	0.7
8th	32368	1006	95.8	1.1	0.5	0.5	0.3	0.4	0.3	1.2
9th	29644	882	93.2	1.6	0.9	8.0	0.6	0.6	0.6	1.7
10th	30119	900	93.1	1.5	1.0	8.0	0.7	0.7	0.4	1.8
11th	22308	742	91.3	1.8	1.3	1.1	1.1	0.9	0.6	2.0
12th	16834	525	91.0	1.5	1.5	1.0	1.0	8.0	0.6	2.5
Jr Hi	88729	2975	96.7	8.0	0.3	0.3	0.2	0.3	0.2	1.0
Sr Hi	98905	3049	92.3	1.6	1.1	0.9	8.0	8.0	0.6	1.9
Total	187634	6024	94.4	1.2	0.7	0.6	0.5	0.5	0.4	1.5

Table 7.83: Within the past year how often have you used inhalants?

Grade	N of	N of	Did							Every
Level	Valid	Miss	Not Use	1/yr	6/yr	1/mo	2/mo	1/wk	3/wk	Day
6th	21330	888	94.9	1.8	0.6	0.3	0.3	0.3	0.3	1.5
7th	35060	1052	94.2	2.3	0.9	0.5	0.4	0.4	0.4	0.9
8th	32344	1030	93.5	2.3	1.0	0.6	0.5	0.5	0.4	1.2
9th	29599	927	93.4	2.1	0.9	0.7	0.6	0.6	0.3	1.4
10th	30088	931	94.1	1.7	8.0	0.6	0.5	0.4	0.3	1.5
11th	22313	737	94.3	1.4	8.0	0.6	0.5	0.4	0.3	1.8
12th	16810	549	94.1	1.1	8.0	0.5	0.6	0.3	0.3	2.3
Jr Hi	88734	2970	94.1	2.2	0.9	0.5	0.4	0.4	0.4	1.1
Sr Hi	98810	3144	93.9	1.7	8.0	0.6	0.6	0.4	0.3	1.7
Total	187544	6114	94.0	1.9	8.0	0.6	0.5	0.4	0.3	1.4

Table 7.84: Within the past year how often have you used hallucinogens?

Grade	N of	N of	Did							Every
Level	Valid	Miss	Not Use	1/yr	6/yr	1/mo	2/mo	1/wk	3/wk	Day
6th	21224	994	97.8	0.4	0.1	0.1	0.1	0.1	0.1	1.2
7th	35038	1074	97.9	0.5	0.2	0.3	0.2	0.2	0.2	0.7
8th	32306	1068	96.8	8.0	0.3	0.4	0.2	0.2	0.3	0.9
9th	29608	918	95.1	1.2	0.6	0.5	0.5	0.4	0.3	1.3
10th	30088	931	95.1	1.2	0.6	0.6	0.4	0.4	0.2	1.5
11th	22308	742	93.6	1.7	0.9	0.7	0.5	0.4	0.3	1.8
12th	16785	574	92.7	1.8	1.1	0.7	0.6	0.5	0.4	2.3
Jr Hi	88568	3136	97.5	0.6	0.3	0.3	0.2	0.2	0.2	0.9
Sr Hi	98789	3165	94.4	1.4	8.0	0.6	0.5	0.4	0.3	1.6
Total	187357	6301	95.8	1.0	0.5	0.4	0.3	0.3	0.2	1.3

Table 7.85: Within the past year how often have you used heroin?

Grade	N of	N of	Did							Every
Level	Valid	Miss	Not Use	1/yr	6/yr	1/mo	2/mo	1/wk	3/wk	Day
6th	21228	990	97.8	0.3	0.2	0.1	0.1	0.1	0.1	1.2
7th	34991	1121	98.0	0.4	0.2	0.2	0.2	0.2	0.2	0.6
8th	32286	1088	97.2	0.6	0.3	0.3	0.2	0.2	0.1	1.0
9th	29601	925	96.5	0.7	0.4	0.3	0.3	0.3	0.2	1.3
10th	30051	968	96.6	0.6	0.4	0.2	0.2	0.3	0.2	1.5
11th	22281	769	95.8	0.7	0.5	0.3	0.4	0.3	0.2	1.8
12th	16778	581	95.0	8.0	0.5	0.4	0.4	0.4	0.3	2.3
Jr Hi	88505	3199	97.7	0.5	0.2	0.2	0.2	0.2	0.1	0.9
Sr Hi	98711	3243	96.1	0.7	0.4	0.3	0.3	0.3	0.2	1.6
Total	187216	6442	96.9	0.6	0.3	0.3	0.3	0.2	0.2	1.3

Table 7.86: Within the past year how often have you used steroids?

Grade	N of	N of	Did							Every
Level	Valid	Miss	Not Use	1/yr	6/yr	1/mo	2/mo	1/wk	3/wk	Day
6th	21202	1016	97.5	0.6	0.1	0.1	0.1	0.2	0.1	1.3
7th	34963	1149	97.9	0.6	0.2	0.2	0.2	0.2	0.1	0.7
8th	32229	1145	97.3	0.6	0.3	0.2	0.2	0.2	0.2	1.0
9th	29583	943	96.5	0.7	0.4	0.3	0.3	0.3	0.3	1.3
10th	30028	991	96.7	0.6	0.2	0.3	0.2	0.2	0.3	1.5
11th	22250	800	96.1	0.7	0.3	0.3	0.3	0.3	0.2	1.8
12th	16773	586	95.3	0.7	0.3	0.3	0.4	0.3	0.3	2.2
Jr Hi	88394	3310	97.6	0.6	0.2	0.2	0.2	0.2	0.2	0.9
Sr Hi	98634	3320	96.3	0.7	0.3	0.3	0.3	0.3	0.3	1.6
Total	187028	6630	96.9	0.6	0.3	0.2	0.2	0.2	0.2	1.3

Table 7.87: Within the past year how often have you used ecstasy?

Grade	N of	N of	Did							Every
Level	Valid	Miss	Not Use	1/yr	6/yr	1/mo	2/mo	1/wk	3/wk	Day
6th	21108	1110	97.8	0.4	0.1	0.1	0.1	0.1	0.1	1.2
7th	34929	1183	97.8	0.6	0.2	0.2	0.2	0.2	0.2	0.6
8th	32195	1179	96.5	1.0	0.4	0.4	0.3	0.2	0.2	1.0
9th	29517	1009	95.0	1.4	0.6	0.5	0.4	0.4	0.3	1.4
10th	30000	1019	94.9	1.6	0.6	0.4	0.4	0.3	0.3	1.5
11th	22252	798	93.9	1.9	0.6	0.5	0.6	0.4	0.3	1.8
12th	16770	589	92.8	2.0	1.0	0.6	0.5	0.4	0.4	2.3
Jr Hi	88232	3472	97.3	0.7	0.2	0.2	0.2	0.2	0.2	0.9
Sr Hi	98539	3415	94.3	1.6	0.7	0.5	0.5	0.4	0.3	1.7
Total	186771	6887	95.7	1.2	0.5	0.4	0.3	0.3	0.3	1.3

Table 7.88: Within the past year how often have you used OxyContin?

Grade	N of	N of	Did							Every
Level	Valid	Miss	Not Use	1/yr	6/yr	1/mo	2/mo	1/wk	3/wk	Day
6th	21065	1153	97.6	0.5	0.1	0.1	0.1	0.1	0.2	1.3
7th	34816	1296	97.6	0.7	0.2	0.2	0.2	0.2	0.2	0.7
8th	32056	1318	96.6	0.9	0.3	0.3	0.2	0.3	0.3	1.0
9th	29433	1093	94.3	1.6	0.6	0.6	0.4	0.5	0.4	1.6
10th	29898	1121	94.4	1.5	0.7	0.5	0.5	0.4	0.4	1.6
11th	22217	833	92.8	2.0	1.0	0.7	0.5	0.6	0.4	2.0
12th	16712	647	92.8	1.9	1.0	0.6	0.6	0.4	0.4	2.4
Jr Hi	87937	3767	97.2	0.7	0.3	0.2	0.2	0.2	0.2	1.0
Sr Hi	98260	3694	93.7	1.7	8.0	0.6	0.5	0.5	0.4	1.8
Total	186197	7461	95.4	1.3	0.5	0.4	0.3	0.3	0.3	1.4

Table 7.89: Within the past year how often have you used tobacco?

Grade	N of	N of	Did							Every
Level	Valid	Miss	Not Use	1/yr	6/yr	1/mo	2/mo	1/wk	3/wk	Day
6th	21778	440	88.2	5.1	1.3	8.0	0.6	0.6	0.9	2.5
7th	35588	524	81.0	7.2	2.5	1.4	1.1	1.5	1.9	3.5
8th	32845	529	75.8	8.0	3.1	1.6	1.7	2.0	2.6	5.2
9th	30040	486	66.7	8.4	4.3	2.3	2.2	2.6	3.4	10.2
10th	30498	521	64.0	8.8	4.8	2.3	2.6	2.8	3.6	11.1
11th	22622	428	58.6	8.3	5.5	2.9	2.7	2.9	3.8	15.4
12th	17046	313	54.3	8.7	6.2	3.0	3.1	3.0	4.3	17.4
Jr Hi	90211	1493	80.8	7.0	2.4	1.3	1.2	1.5	1.9	3.9
Sr Hi	100206	1748	61.9	8.6	5.0	2.6	2.6	2.8	3.7	12.9
Total	190417	3241	70.9	7.8	3.8	2.0	1.9	2.2	2.9	8.6

Table 7.90: Within the past year how often have you drunk alcohol?

Grade	N of	N of	Did							Every
Level	Valid	Miss	Not Use	1/yr	6/yr	1/mo	2/mo	1/wk	3/wk	Day
6th	21723	495	78.6	12.5	2.8	1.4	1.0	1.1	0.9	1.9
7th	35526	586	69.5	15.6	4.8	2.6	2.1	2.1	1.6	1.6
8th	32780	594	57.5	18.2	8.1	4.0	3.7	3.6	2.4	2.4
9th	29978	548	47.4	17.1	10.0	5.8	6.4	6.2	3.8	3.2
10th	30451	568	38.9	17.0	12.3	7.4	8.5	8.8	4.1	3.0
11th	22575	475	36.3	15.1	12.3	7.6	9.5	10.2	5.4	3.6
12th	17004	355	32.0	13.6	12.7	7.8	10.7	12.5	6.2	4.5
Jr Hi	90029	1675	67.4	15.8	5.5	2.8	2.4	2.4	1.7	1.9
Sr Hi	100008	1946	39.7	16.0	11.7	7.0	8.4	9.0	4.7	3.5
Total	190037	3621	52.8	15.9	8.8	5.0	5.6	5.9	3.3	2.8

Table 7.91: Within the past year how often have you used illicit drugs?

							,			
Grade	N of	N of	Did							Every
Level	Valid	Miss	Not Use	1/yr	6/yr	1/mo	2/mo	1/wk	3/wk	Day
6th	21756	462	91.7	3.0	0.9	0.4	0.3	0.5	0.7	2.5
7th	35569	543	87.5	4.3	1.5	1.0	8.0	1.1	1.3	2.6
8th	32820	554	82.5	5.2	2.1	1.5	1.4	1.7	2.0	3.7
9th	30027	499	74.3	6.6	3.0	2.1	2.2	2.6	3.3	6.0
10th	30478	541	70.3	7.1	4.1	2.6	2.9	3.1	3.6	6.2
11th	22596	454	66.1	7.5	4.6	3.0	3.2	3.4	4.2	8.0
12th	17032	327	64.4	7.9	5.2	2.9	3.3	3.4	3.9	9.1
Jr Hi	90145	1559	86.7	4.3	1.6	1.0	0.9	1.2	1.4	3.0
Sr Hi	100133	1821	69.6	7.2	4.0	2.6	2.8	3.1	3.7	7.0
Total	190278	3380	77.7	5.8	2.9	1.8	1.9	2.2	2.6	5.1

# 7.5 At What Age Did You First

Table 7.92: At what age did you first smoke cigarettes?

Grade	N of	N of	Never	8 or									17 or
Level	Valid	Miss	Used	Under	9	10	11	12	13	14	15	16	Older
6th	21610	608	87.2	4.2	2.0	2.1	2.5	1.4	0.3	0.1	0.0	0.0	0.2
7th	35226	886	80.2	4.3	2.6	2.7	3.2	4.6	1.8	0.3	0.0	0.0	0.2
8th	32523	851	74.7	4.5	2.7	2.7	3.2	5.0	5.2	1.6	0.2	0.1	0.2
9th	29622	904	66.5	5.4	2.7	2.8	3.2	5.3	6.4	5.5	1.8	0.2	0.2
10th	30129	890	62.9	4.4	2.2	2.5	3.0	4.9	5.6	6.6	6.0	1.5	0.3
11th	22212	838	57.5	4.5	1.9	2.6	2.7	4.8	5.4	6.1	7.3	5.8	1.5
12th	16793	566	54.1	4.3	1.8	2.3	2.3	4.8	5.6	5.4	6.3	7.3	5.8
Jr Hi	89359	2345	79.9	4.3	2.5	2.6	3.1	4.0	2.7	0.7	0.1	0.0	0.2
Sr Hi	98756	3198	61.3	4.7	2.2	2.6	2.9	5.0	5.8	6.0	5.1	3.0	1.5
Total	188115	5543	70.1	4.5	2.3	2.6	3.0	4.5	4.3	3.5	2.7	1.6	0.9

Table 7.93: At what age did you first use smokeless tobacco?

Grade	N of	N of	Never	8 or									17 or
Level	Valid	Miss	Used	Under	9	10	11	12	13	14	15	16	Older
6th	21575	643	94.8	1.8	0.7	0.7	1.0	0.6	0.1	0.0	0.0	0.0	0.2
7th	35214	898	92.2	1.7	8.0	0.9	1.2	1.8	1.0	0.1	0.0	0.0	0.2
8th	32472	902	90.8	1.8	0.7	0.9	1.0	1.5	2.1	0.9	0.1	0.0	0.2
9th	29556	970	85.5	2.3	8.0	1.0	1.0	1.9	2.5	3.2	1.4	0.2	0.1
10th	30063	956	86.1	2.1	0.7	0.9	8.0	1.5	1.9	2.2	2.7	0.9	0.2
11th	22156	893	82.2	2.5	0.9	8.0	0.9	1.4	1.9	2.4	3.1	2.9	1.0
12th	16720	639	80.2	2.8	8.0	8.0	0.7	1.5	1.6	2.2	2.8	3.3	3.4
Jr Hi	89261	2443	92.4	1.8	0.7	8.0	1.1	1.4	1.2	0.4	0.1	0.0	0.2
Sr Hi	98495	3458	84.0	2.3	8.0	0.9	8.0	1.6	2.0	2.5	2.4	1.6	0.9
Total	187756	5901	88.0	2.1	8.0	0.9	1.0	1.5	1.6	1.5	1.3	8.0	0.6

Table 7.94: At what age did you first smoke cigars?

Grade	N of	N of	Never	8 or									17 or
Level	Valid	Miss	Used	Under	9	10	11	12	13	14	15	16	Older
6th	21544	674	94.5	1.7	8.0	8.0	1.0	0.6	0.2	0.1	0.0	0.0	0.2
7th	35116	996	91.6	1.4	0.9	1.0	1.4	2.0	1.2	0.2	0.1	0.0	0.2
8th	32364	1010	88.2	1.7	0.9	1.1	1.3	2.2	2.9	1.2	0.2	0.0	0.2
9th	29450	1076	81.4	1.9	1.1	1.2	1.5	2.6	3.8	4.4	1.8	0.3	0.1
10th	29932	1087	78.8	1.8	8.0	1.1	1.2	2.2	3.1	4.5	4.9	1.4	0.2
11th	22084	966	73.1	2.0	8.0	1.0	1.2	2.1	2.9	4.2	5.7	5.4	1.6
12th	16644	715	68.5	2.2	0.9	0.9	1.0	1.9	2.5	3.4	5.0	6.8	6.8
Jr Hi	89024	2680	91.1	1.6	0.9	1.0	1.3	1.8	1.6	0.5	0.1	0.0	0.2
Sr Hi	98110	3844	76.6	1.9	0.9	1.0	1.2	2.3	3.2	4.2	4.2	2.9	1.6
Total	187134	6524	83.5	1.8	0.9	1.0	1.2	2.0	2.4	2.5	2.2	1.5	0.9

Table 7.95: At what age did you first drink beer?

Grade	N of	N of	Never	8 or			<u>,                                      </u>						17 or
Level	Valid	Miss	Used	Under	9	10	11	12	13	14	15	16	Older
6th	21511	707	82.6	6.6	2.6	2.9	3.0	1.6	0.4	0.1	0.0	0.0	0.2
7th	35070	1042	75.3	6.2	2.9	3.2	4.2	5.1	2.4	0.4	0.1	0.0	0.2
8th	32373	1001	65.2	6.6	2.8	3.6	4.1	6.9	7.6	2.4	0.4	0.1	0.2
9th	29496	1030	54.8	6.8	2.4	3.2	3.4	6.4	9.6	9.7	3.1	0.3	0.2
10th	29980	1039	46.2	6.2	2.0	2.7	2.8	5.7	9.3	12.3	10.0	2.4	0.5
11th	22123	927	41.6	5.9	1.6	2.3	2.3	4.6	7.3	10.1	13.2	9.0	2.2
12th	16706	653	37.0	5.5	1.4	1.9	1.8	4.3	6.4	9.2	12.0	12.2	8.1
Jr Hi	88954	2750	73.4	6.4	2.8	3.3	3.9	4.9	3.8	1.1	0.2	0.0	0.2
Sr Hi	98305	3649	46.2	6.2	1.9	2.6	2.7	5.4	8.4	10.5	9.0	4.9	2.1
Total	187259	6399	59.1	6.3	2.3	2.9	3.3	5.2	6.2	6.0	4.8	2.6	1.2

Table 7.96: At what age did you first drink wine coolers?

Grade	N of	N of	Never	8 or									17 or
Level	Valid	Miss	Used	Under	9	10	11	12	13	14	15	16	Older
6th	21502	716	83.7	4.0	2.4	3.1	3.7	2.3	0.5	0.1	0.0	0.0	0.2
7th	35085	1027	76.0	3.8	2.7	3.3	4.7	5.8	3.0	0.5	0.1	0.0	0.2
8th	32361	1013	66.1	4.5	2.7	3.5	4.6	7.1	8.1	2.7	0.4	0.0	0.2
9th	29460	1066	57.9	4.5	2.4	3.1	4.0	6.6	9.5	8.6	3.0	0.3	0.2
10th	29992	1027	51.4	4.2	1.9	2.7	3.3	6.0	8.8	10.6	8.6	2.2	0.4
11th	22092	957	48.6	4.0	1.4	2.2	2.7	4.6	7.1	9.0	11.2	7.2	1.9
12th	16681	678	44.5	3.9	1.3	1.8	2.2	4.3	6.3	8.3	10.4	10.4	6.6
Jr Hi	88948	2756	74.2	4.1	2.6	3.3	4.4	5.4	4.2	1.2	0.2	0.0	0.2
Sr Hi	98225	3728	51.5	4.2	1.8	2.6	3.2	5.6	8.2	9.3	7.8	4.2	1.7
Total	187173	6484	62.3	4.2	2.2	2.9	3.8	5.5	6.3	5.4	4.2	2.2	1.0

12010 / 11/1	/\ + \\/\bar\	ALC CIC	VALL TIRCT C	lvinl/	LIALLAK/
Table 7.97: <i>i</i>	AI WHAI	ave uiu	von msi c	HIHK	110111011
14516 1.51.	te vviiae	age ara	, o a o c		

Grade	N of	N of	Never	8 or									17 or
Level	Valid	Miss	Used	Under	9	10	11	12	13	14	15	16	Older
6th	21522	696	91.3	2.4	1.1	1.4	1.9	1.2	0.3	0.1	0.0	0.0	0.3
7th	35131	981	84.2	2.3	1.3	2.0	2.6	4.4	2.4	0.4	0.1	0.0	0.2
8th	32352	1022	73.8	2.9	1.6	2.1	3.2	5.4	7.7	2.7	0.4	0.1	0.2
9th	29464	1062	60.4	3.1	1.5	2.1	2.8	5.3	9.2	10.9	4.1	0.5	0.2
10th	29961	1058	49.9	3.0	1.1	1.7	2.3	4.8	8.7	12.9	12.2	3.1	0.5
11th	22089	960	43.9	2.9	1.0	1.4	1.9	4.1	6.6	10.0	14.5	11.0	2.7
12th	16680	679	37.9	3.2	1.0	1.3	1.4	3.5	5.8	8.9	12.6	14.5	10.0
Jr Hi	89005	2699	82.2	2.6	1.4	1.9	2.6	4.0	3.8	1.2	0.2	0.0	0.2
Sr Hi	98194	3759	49.6	3.0	1.2	1.7	2.2	4.6	7.9	11.0	10.3	6.0	2.5
Total	187199	6458	65.1	2.8	1.3	1.8	2.4	4.3	6.0	6.3	5.5	3.2	1.4

Table 7.98: At what age did you first smoke marijuana?

Grade	N of	N of	Never	8 or									17 or
Level	Valid	Miss	Used	Under	9	10	11	12	13	14	15	16	Older
6th	21548	670	95.5	1.3	0.4	0.5	8.0	8.0	0.3	0.1	0.0	0.0	0.2
7th	35179	933	91.8	1.0	0.6	8.0	1.3	2.4	1.6	0.3	0.1	0.0	0.1
8th	32427	947	86.1	1.2	0.7	0.9	1.5	2.9	4.3	1.8	0.3	0.1	0.2
9th	29498	1028	76.7	1.6	0.9	1.1	1.6	3.2	5.5	6.3	2.7	0.3	0.1
10th	29999	1020	70.7	1.5	0.6	1.0	1.5	2.7	5.1	7.4	7.0	2.0	0.4
11th	22082	967	64.5	1.7	0.6	0.9	1.3	2.7	4.7	6.6	8.4	6.9	1.7
12th	16692	667	61.3	2.2	0.6	8.0	1.1	2.5	4.2	5.8	7.6	8.2	5.7
Jr Hi	89154	2550	90.6	1.1	0.6	8.0	1.2	2.2	2.3	8.0	0.1	0.0	0.2
Sr Hi	98271	3682	69.5	1.7	0.7	1.0	1.4	2.8	5.0	6.6	6.1	3.7	1.5
Total	187425	6232	79.5	1.4	0.6	0.9	1.3	2.5	3.7	3.9	3.3	1.9	0.9

Table 7.99: At what age did you first use cocaine?

Grade	N of	N of	Never	8 or									17 or
Level	Valid	Miss	Used	Under	9	10	11	12	13	14	15	16	Older
6th	21541	677	97.8	1.0	0.2	0.2	0.2	0.2	0.1	0.1	0.0	0.0	0.2
7th	35201	911	97.8	0.5	0.2	0.2	0.2	0.5	0.4	0.1	0.0	0.0	0.1
8th	32498	876	96.6	0.6	0.2	0.2	0.3	0.5	8.0	0.5	0.2	0.0	0.2
9th	29557	969	94.8	0.9	0.2	0.3	0.3	0.5	8.0	1.2	0.6	0.1	0.2
10th	30045	974	94.1	1.0	0.3	0.2	0.2	0.4	0.5	1.0	1.5	0.5	0.2
11th	22146	904	91.9	1.2	0.3	0.2	0.2	0.3	0.5	8.0	1.5	2.1	8.0
12th	16716	643	90.5	1.7	0.4	0.3	0.3	0.3	0.4	0.7	1.2	1.8	2.5
Jr Hi	89240	2464	97.3	0.7	0.2	0.2	0.2	0.4	0.4	0.2	0.1	0.0	0.2
Sr Hi	98464	3490	93.2	1.1	0.3	0.3	0.3	0.4	0.6	1.0	1.2	1.0	0.7
Total	187704	5954	95.2	0.9	0.2	0.2	0.3	0.4	0.5	0.6	0.7	0.5	0.5

Table 7.100: At what age did you first use uppers?

Grade	N of	N of	Never	8 or									17 or
Level	Valid	Miss	Used	Under	9	10	11	12	13	14	15	16	Older
6th	21402	816	97.8	1.0	0.2	0.1	0.2	0.2	0.1	0.0	0.1	0.0	0.2
7th	35178	934	97.9	0.5	0.2	0.2	0.3	0.4	0.3	0.1	0.0	0.0	0.1
8th	32473	901	96.8	0.6	0.2	0.2	0.3	0.5	0.7	0.4	0.1	0.0	0.2
9th	29555	971	94.8	0.8	0.3	0.3	0.3	0.6	0.9	1.2	0.6	0.1	0.1
10th	30049	970	94.4	0.9	0.3	0.2	0.3	0.4	0.6	1.0	1.3	0.4	0.2
11th	22161	889	92.6	1.2	0.2	0.2	0.3	0.4	0.6	8.0	1.6	1.4	0.6
12th	16723	636	91.8	1.6	0.3	0.3	0.2	0.4	0.5	0.6	1.4	1.4	1.4
Jr Hi	89053	2651	97.5	0.7	0.2	0.2	0.3	0.4	0.4	0.2	0.1	0.0	0.2
Sr Hi	98488	3466	93.7	1.1	0.3	0.3	0.3	0.4	0.7	1.0	1.2	0.7	0.5
Total	187541	6117	95.5	0.9	0.2	0.2	0.3	0.4	0.5	0.6	0.7	0.4	0.3

Table 7.101: At what age did you first use downers?

Grade	N of	N of	Never	8 or									17 or
Level	Valid	Miss	Used	Under	9	10	11	12	13	14	15	16	Older
6th	21383	835	97.7	1.1	0.2	0.2	0.2	0.2	0.1	0.1	0.0	0.0	0.2
7th	35155	957	97.5	0.5	0.3	0.2	0.3	0.5	0.4	0.1	0.0	0.0	0.1
8th	32458	916	96.2	0.6	0.2	0.3	0.3	0.6	0.9	0.4	0.1	0.1	0.2
9th	29539	987	93.6	0.9	0.3	0.3	0.4	8.0	1.2	1.4	0.7	0.2	0.1
10th	30037	982	93.3	1.0	0.3	0.3	0.3	0.6	8.0	1.4	1.4	0.4	0.2
11th	22142	908	91.0	1.2	0.2	0.3	0.3	0.5	0.9	1.4	1.9	1.6	0.6
12th	16712	647	90.7	1.6	0.3	0.3	0.3	0.5	0.7	1.0	1.5	1.7	1.4
Jr Hi	88996	2708	97.1	0.7	0.2	0.2	0.3	0.5	0.5	0.2	0.1	0.0	0.2
Sr Hi	98430	3524	92.4	1.1	0.3	0.3	0.3	0.6	0.9	1.3	1.3	0.9	0.5
Total	187426	6232	94.6	0.9	0.3	0.3	0.3	0.5	0.7	8.0	0.7	0.5	0.3

Table 7.102: At what age did you first use inhalants?

Grade	N of	N of	Never	8 or									17 or
Level	Valid	Miss	Used	Under	9	10	11	12	13	14	15	16	Older
6th	21401	817	95.5	1.8	0.5	0.6	0.7	0.5	0.1	0.0	0.0	0.0	0.2
7th	35115	997	94.6	1.3	0.5	0.7	8.0	1.2	0.6	0.1	0.0	0.0	0.1
8th	32451	923	94.1	1.3	0.5	0.5	0.7	1.0	1.1	0.5	0.1	0.0	0.2
9th	29531	995	93.6	1.3	0.4	0.5	0.6	8.0	1.1	1.0	0.4	0.1	0.2
10th	30037	982	94.1	1.3	0.3	0.4	0.3	0.7	0.7	8.0	8.0	0.3	0.3
11th	22114	935	93.8	1.5	0.3	0.3	0.3	0.5	0.6	0.6	8.0	0.7	0.5
12th	16709	650	93.5	1.8	0.3	0.3	0.3	0.4	0.5	0.5	0.6	0.8	0.9
Jr Hi	88967	2737	94.6	1.4	0.5	0.6	0.7	1.0	0.6	0.2	0.1	0.0	0.2
Sr Hi	98391	3562	93.8	1.4	0.3	0.4	0.4	0.6	8.0	8.0	0.6	0.4	0.4
Total	187358	6299	94.2	1.4	0.4	0.5	0.6	8.0	0.7	0.5	0.4	0.2	0.3

Table 7.103: At what age did you first use hallucinogens?

Grade	N of	N of	Never	8 or									17 or
Level	Valid	Miss	Used	Under	9	10	11	12	13	14	15	16	Older
6th	21351	867	98.0	1.0	0.2	0.1	0.2	0.2	0.1	0.1	0.0	0.0	0.2
7th	35105	1007	98.1	0.4	0.2	0.2	0.2	0.3	0.3	0.1	0.0	0.0	0.2
8th	32440	934	97.3	0.6	0.2	0.2	0.2	0.4	0.5	0.3	0.1	0.1	0.2
9th	29558	968	95.5	0.9	0.2	0.3	0.3	0.5	0.6	0.9	0.5	0.2	0.1
10th	30053	966	95.3	1.0	0.2	0.3	0.2	0.4	0.5	0.7	0.9	0.4	0.2
11th	22129	921	93.7	1.1	0.2	0.2	0.2	0.4	0.4	0.7	1.0	1.4	0.6
12th	16719	640	92.4	1.5	0.3	0.3	0.3	0.3	0.5	0.6	1.0	1.2	1.5
Jr Hi	88896	2808	97.8	0.6	0.2	0.1	0.2	0.3	0.3	0.2	0.0	0.0	0.2
Sr Hi	98459	3495	94.5	1.1	0.2	0.3	0.2	0.4	0.5	0.7	0.9	0.7	0.5
Total	187355	6303	96.1	0.9	0.2	0.2	0.2	0.4	0.4	0.5	0.5	0.4	0.3

Table 7.104: At what age did you first use heroin?

Grade	N of	N of	Never	8 or									17 or
Level	Valid	Miss	Used	Under	9	10	11	12	13	14	15	16	Older
6th	21390	828	98.1	0.9	0.2	0.1	0.2	0.1	0.1	0.1	0.0	0.0	0.2
7th	35142	970	98.3	0.4	0.2	0.1	0.2	0.3	0.3	0.1	0.0	0.0	0.2
8th	32464	910	97.6	0.6	0.2	0.2	0.2	0.3	0.3	0.3	0.1	0.0	0.2
9th	29548	978	96.7	0.9	0.3	0.2	0.2	0.3	0.4	0.5	0.4	0.1	0.2
10th	30050	969	96.6	1.0	0.2	0.2	0.2	0.3	0.3	0.4	0.5	0.2	0.2
11th	22129	921	95.8	1.2	0.2	0.2	0.2	0.3	0.3	0.4	0.5	0.5	0.4
12th	16703	656	94.8	1.6	0.3	0.2	0.2	0.3	0.3	0.4	0.6	0.6	0.8
Jr Hi	88996	2708	98.0	0.6	0.2	0.2	0.2	0.3	0.2	0.1	0.0	0.0	0.2
Sr Hi	98430	3524	96.1	1.1	0.2	0.2	0.2	0.3	0.3	0.4	0.5	0.3	0.3
Total	187426	6232	97.0	0.9	0.2	0.2	0.2	0.3	0.3	0.3	0.3	0.2	0.3

Table 7.105: At what age did you first use steroids?

Grade	N of	N of	Never	8 or									17 or
Level	Valid	Miss	Used	Under	9	10	11	12	13	14	15	16	Older
6th	21381	837	97.8	1.0	0.2	0.1	0.2	0.2	0.1	0.1	0.0	0.0	0.2
7th	35123	989	98.1	0.4	0.2	0.2	0.2	0.3	0.2	0.1	0.0	0.0	0.1
8th	32444	930	97.6	0.6	0.2	0.2	0.2	0.2	0.3	0.3	0.1	0.0	0.2
9th	29535	991	96.8	0.9	0.2	0.3	0.1	0.3	0.3	0.5	0.3	0.1	0.1
10th	30039	980	96.8	1.0	0.2	0.2	0.2	0.2	0.2	0.4	0.4	0.2	0.2
11th	22129	921	96.1	1.2	0.2	0.2	0.2	0.2	0.3	0.4	0.3	0.5	0.4
12th	16698	661	95.4	1.5	0.3	0.2	0.2	0.2	0.2	0.3	0.4	0.5	0.7
Jr Hi	88948	2756	97.9	0.7	0.2	0.2	0.2	0.3	0.2	0.1	0.0	0.0	0.2
Sr Hi	98401	3553	96.4	1.1	0.2	0.2	0.2	0.2	0.3	0.4	0.3	0.3	0.3
Total	187349	6309	97.1	0.9	0.2	0.2	0.2	0.3	0.3	0.3	0.2	0.2	0.2

Table 7.106: At what age did you first use ecstasy?

Grade	N of	N of	Never	8 or									17 or
Level	Valid	Miss	Used	Under	9	10	11	12	13	14	15	16	Older
6th	21331	887	97.9	1.0	0.2	0.1	0.2	0.2	0.1	0.1	0.0	0.0	0.2
7th	35091	1021	97.9	0.4	0.1	0.2	0.2	0.4	0.4	0.1	0.0	0.0	0.2
8th	32433	941	96.8	0.6	0.2	0.2	0.2	0.4	0.7	0.5	0.1	0.0	0.2
9th	29527	999	95.2	0.9	0.2	0.2	0.2	0.5	0.7	1.1	0.7	0.2	0.2
10th	30033	986	94.9	1.0	0.2	0.2	0.2	0.4	0.5	8.0	1.1	0.5	0.2
11th	22112	938	93.7	1.2	0.2	0.2	0.2	0.3	0.5	0.5	0.9	1.5	0.8
12th	16689	670	92.2	1.6	0.2	0.3	0.2	0.3	0.6	0.5	8.0	1.5	1.8
Jr Hi	88855	2849	97.5	0.6	0.2	0.2	0.2	0.4	0.4	0.2	0.1	0.0	0.2
Sr Hi	98361	3593	94.3	1.1	0.2	0.2	0.2	0.4	0.6	8.0	0.9	8.0	0.6
Total	187216	6442	95.8	0.9	0.2	0.2	0.2	0.4	0.5	0.5	0.5	0.4	0.4

Table 7.107: At what age did you first use OxyContin?

Grade	N of	N of	Never	8 or									17 or
Level	Valid	Miss	Used	Under	9	10	11	12	13	14	15	16	Older
6th	21303	915	97.9	1.0	0.2	0.1	0.2	0.2	0.1	0.0	0.0	0.0	0.2
7th	35039	1073	97.8	0.5	0.1	0.2	0.3	0.4	0.4	0.1	0.0	0.0	0.2
8th	32379	995	96.9	0.6	0.2	0.2	0.3	0.4	0.6	0.5	0.1	0.0	0.2
9th	29482	1044	94.5	0.9	0.2	0.3	0.3	0.6	8.0	1.3	8.0	0.2	0.2
10th	29988	1031	94.4	1.0	0.2	0.2	0.2	0.4	0.5	8.0	1.3	0.6	0.2
11th	22077	973	92.7	1.2	0.3	0.2	0.2	0.4	0.4	0.7	1.3	1.8	0.8
12th	16673	686	92.5	1.6	0.3	0.2	0.2	0.4	0.3	0.5	1.0	1.4	1.8
Jr Hi	88721	2983	97.5	0.7	0.2	0.2	0.2	0.4	0.4	0.2	0.1	0.0	0.2
Sr Hi	98220	3734	93.7	1.1	0.2	0.2	0.2	0.5	0.6	0.9	1.1	0.9	0.6
Total	186941	6717	95.5	0.9	0.2	0.2	0.2	0.4	0.5	0.6	0.6	0.5	0.4

### 7.6 Where Do You Use

Table 7.108: Where do you smoke cigarettes?

						0		
Grade	N of	N of	Do Not	At	At	In A	Friend's	
Level	Valid	Miss	Use	Home	School	Car	House	Other
6th	22218	0	86.7	4.4	1.0	1.3	4.1	4.2
7th	36112	0	81.4	7.1	8.0	2.3	7.3	6.8
8th	33374	0	76.9	8.9	1.5	4.0	10.0	8.6
9th	30526	0	70.6	12.6	3.8	8.2	14.0	10.5
10th	31019	0	69.0	12.1	4.6	11.3	15.2	11.5
11th	23050	0	65.1	13.1	5.3	16.0	16.3	12.8
12th	17359	0	62.7	13.6	6.0	19.2	17.6	14.3
Jr Hi	91704	0	81.0	7.1	1.1	2.7	7.5	6.8
Sr Hi	101954	0	67.5	12.7	4.8	12.8	15.5	12.0
Total	193658	0	73.9	10.1	3.0	8.0	11.7	9.5
	•		·	·	·		•	

Table 7.109: Where do you use smokeless tobacco?

Grade	N of	N of	Do Not	At	At	In A	Friend's	
Level	Valid	Miss	Use	Home	School	Car	House	Other
6th	22218	0	91.7	2.1	1.0	8.0	1.4	1.6
7th	36112	0	89.9	3.1	0.9	1.0	2.5	2.8
8th	33374	0	88.6	3.5	1.3	1.3	3.1	3.3
9th	30526	0	83.8	5.7	3.3	3.0	5.2	4.8
10th	31019	0	85.1	4.8	3.1	3.3	4.6	4.5
11th	23050	0	81.7	5.7	4.1	5.0	5.8	5.7
12th	17359	0	80.8	6.0	4.6	5.4	6.1	6.2
Jr Hi	91704	0	89.9	3.0	1.1	1.1	2.5	2.7
Sr Hi	101954	0	83.2	5.5	3.6	3.9	5.3	5.2
Total	193658	0	86.4	4.3	2.4	2.6	4.0	4.0

Table 7.110: Where do you smoke cigars?

Grade	N of	N of	Do Not	At	At	In A	Friend's	
Level	Valid	Miss	Use	Home	School	Car	House	Other
6th	22218	0	91.3	2.3	0.9	8.0	1.6	2.0
7th	36112	0	89.2	3.3	0.6	0.9	2.8	2.9
8th	33374	0	86.1	4.2	0.9	1.6	4.2	4.1
9th	30526	0	80.6	6.3	1.7	3.3	7.0	5.7
10th	31019	0	78.9	6.0	1.9	4.5	8.4	6.4
11th	23050	0	74.1	7.0	2.3	7.0	9.9	7.8
12th	17359	0	71.3	7.0	2.8	8.0	11.7	9.1
Jr Hi	91704	0	88.6	3.4	0.8	1.1	3.0	3.1
Sr Hi	101954	0	77.0	6.5	2.1	5.3	8.9	7.0
Total	193658	0	82.5	5.0	1.5	3.3	6.1	5.2

Table 7.111: Where do you drink beer?

Grade	N of	N of	Do Not	At	At	In A	Friend's	
Level	Valid	Miss	Use	Home	School	Car	House	Other
6th	22218	0	82.8	8.8	0.9	1.1	3.2	4.4
7th	36112	0	76.8	11.7	0.7	1.5	7.1	6.9
8th	33374	0	67.9	15.2	1.2	2.5	12.7	10.5
9th	30526	0	58.1	17.6	2.1	5.0	21.9	12.6
10th	31019	0	50.7	18.2	2.6	6.0	29.6	16.1
11th	23050	0	47.1	17.3	3.0	7.2	33.0	16.7
12th	17359	0	42.4	19.0	3.7	9.1	38.2	19.6
Jr Hi	91704	0	75.0	12.2	0.9	1.8	8.2	7.6
Sr Hi	101954	0	50.7	18.0	2.7	6.5	29.6	15.8
Total	193658	0	62.2	15.3	1.9	4.3	19.4	11.9

Table 7.112: Where do you drink wine coolers?

Grade	N of	N of	Do Not	At	At	In A	Friend's	
Level	Valid	Miss	Use	Home	School	Car	House	Other
6th	22218	0	82.5	8.9	0.9	0.9	3.1	4.3
7th	36112	0	76.2	12.3	0.7	1.2	6.4	6.7
8th	33374	0	67.3	16.4	1.1	2.0	10.9	10.2
9th	30526	0	59.7	18.5	1.7	3.7	17.6	11.1
10th	31019	0	54.6	19.4	2.0	4.1	22.7	13.4
11th	23050	0	53.0	17.6	2.3	4.7	24.4	13.3
12th	17359	0	50.6	17.9	2.7	5.6	27.6	14.8
Jr Hi	91704	0	74.5	13.0	0.9	1.5	7.3	7.4
Sr Hi	101954	0	55.1	18.5	2.1	4.4	22.4	13.0
Total	193658	0	64.3	15.9	1.5	3.0	15.2	10.3

Table 7.113: Where do you drink liquor?

Grade	N of	N of	Do Not	At	At	In A	Friend's	
Level	Valid	Miss	Use	Home	School	Car	House	Other
6th	22218	0	88.7	4.0	0.9	8.0	2.0	2.5
7th	36112	0	83.0	7.0	0.6	1.1	5.1	4.8
8th	33374	0	73.6	10.8	1.1	2.0	10.2	8.6
9th	30526	0	61.1	14.7	2.3	4.2	20.0	11.9
10th	31019	0	52.1	16.6	2.9	5.3	28.3	16.0
11th	23050	0	46.9	16.9	3.3	6.6	32.6	17.0
12th	17359	0	41.6	18.1	3.9	8.0	38.0	20.0
Jr Hi	91704	0	81.0	7.7	0.9	1.3	6.2	5.6
Sr Hi	101954	0	51.8	16.4	3.0	5.7	28.5	15.7
Total	193658	0	65.6	12.3	2.0	3.7	17.9	10.9

Table 7.114: Where do you smoke marijuana?

Grade	N of	N of	Do Not	At	At	In A	Friend's	
Level	Valid	Miss	Use	Home	School	Car	House	Other
6th	22218	0	91.8	1.4	0.9	8.0	1.9	1.6
7th	36112	0	89.0	2.4	0.7	1.5	4.0	3.3
8th	33374	0	83.7	4.0	1.3	2.9	7.1	6.0
9th	30526	0	75.2	7.1	2.8	6.1	12.8	8.9
10th	31019	0	71.1	8.3	3.5	8.8	16.2	11.4
11th	23050	0	65.9	9.3	4.2	12.1	19.3	12.2
12th	17359	0	64.7	9.7	4.9	14.0	20.4	13.4
Jr Hi	91704	0	87.8	2.7	1.0	1.8	4.6	3.9
Sr Hi	101954	0	70.1	8.4	3.7	9.6	16.6	11.2
Total	193658	0	78.5	5.7	2.4	5.9	10.9	7.7

Table 7.115: Where do you use cocaine?

Grade	N of	N of	Do Not	At	At	In A	Friend's	
Level	Valid	Miss	Use	Home	School	Car	House	Other
6th	22218	0	93.6	8.0	8.0	0.6	0.7	8.0
7th	36112	0	94.1	0.7	0.5	0.4	0.9	0.9
8th	33374	0	92.7	0.9	0.7	0.6	1.3	1.4
9th	30526	0	90.3	1.5	1.4	1.2	2.1	1.8
10th	31019	0	90.2	1.6	1.4	1.2	2.5	2.0
11th	23050	0	87.3	2.1	1.9	2.0	3.3	2.4
12th	17359	0	86.9	2.3	2.5	2.4	3.8	2.8
Jr Hi	91704	0	93.5	8.0	0.7	0.5	1.0	1.1
Sr Hi	101954	0	89.0	1.8	1.7	1.6	2.8	2.2
Total	193658	0	91.1	1.3	1.2	1.1	1.9	1.6

Table 7.116: Where do you use uppers?

Grade	N of	N of	Do Not	At	At	In A	Friend's	
Level	Valid	Miss	Use	Home	School	Car	House	Other
6th	22218	0	93.0	8.0	0.8	0.5	0.6	0.7
7th	36112	0	94.1	0.7	0.5	0.4	0.7	8.0
8th	33374	0	92.8	0.9	8.0	0.6	1.1	1.2
9th	30526	0	90.4	1.8	1.6	1.1	1.9	1.8
10th	31019	0	90.3	1.9	1.7	1.1	2.2	1.8
11th	23050	0	87.9	2.3	2.2	1.7	2.6	2.2
12th	17359	0	87.8	2.5	2.7	2.1	3.0	2.4
Jr Hi	91704	0	93.4	8.0	0.7	0.5	8.0	0.9
Sr Hi	101954	0	89.4	2.1	2.0	1.4	2.4	2.0
Total	193658	0	91.3	1.5	1.4	1.0	1.6	1.5

Table 7.117: Where do you use downers?

Grade	N of	N of	Do Not	At	At	In A	Friend's	
Level	Valid	Miss	Use	Home	School	Car	House	Other
6th	22218	0	92.8	1.0	0.9	0.5	0.6	0.7
7th	36112	0	93.7	1.1	0.6	0.4	8.0	0.9
8th	33374	0	92.3	1.6	0.9	0.5	1.2	1.3
9th	30526	0	89.2	2.8	1.9	1.2	2.3	1.9
10th	31019	0	89.5	2.8	2.0	1.3	2.4	2.0
11th	23050	0	86.8	3.5	2.4	1.8	3.1	2.5
12th	17359	0	87.0	3.4	2.9	2.1	3.2	2.6
Jr Hi	91704	0	93.0	1.2	0.8	0.5	0.9	1.0
Sr Hi	101954	0	88.4	3.0	2.2	1.5	2.7	2.2
Total	193658	0	90.6	2.2	1.5	1.0	1.8	1.6

Table 7.118: Where do you use inhalants?

Grade	N of	N of	Do Not	At	At	In A	Friend's	
Level	Valid	Miss	Use	Home	School	Car	House	Other
6th	22218	0	91.3	1.9	2.1	0.6	1.1	1.1
7th	36112	0	91.6	2.2	2.2	0.7	1.5	1.4
8th	33374	0	90.8	2.4	2.2	0.7	1.7	1.7
9th	30526	0	89.5	2.6	2.2	1.0	2.0	1.8
10th	31019	0	90.3	2.3	1.8	1.0	1.7	1.6
11th	23050	0	89.2	2.0	1.8	1.2	1.8	1.7
12th	17359	0	89.3	1.8	2.2	1.5	1.7	1.8
Jr Hi	91704	0	91.2	2.2	2.2	0.7	1.5	1.4
Sr Hi	101954	0	89.7	2.2	2.0	1.1	1.8	1.7
Total	193658	0	90.4	2.2	2.1	0.9	1.6	1.6

Table 7.119: Where do you use hallucinogens?

Grade	N of	N of	Do Not	At	At	In A	Friend's	
Level	Valid	Miss	Use	Home	School	Car	House	Other
6th	22218	0	92.9	0.8	0.8	0.5	0.5	0.7
7th	36112	0	94.1	0.6	0.4	0.4	0.6	0.7
8th	33374	0	93.1	0.9	0.7	0.5	0.9	1.1
9th	30526	0	90.7	1.5	1.2	0.9	1.8	1.7
10th	31019	0	91.0	1.4	1.2	0.9	1.8	1.6
11th	23050	0	88.6	1.9	1.5	1.2	2.5	2.1
12th	17359	0	88.1	2.2	2.1	1.7	2.9	2.3
Jr Hi	91704	0	93.5	0.7	0.6	0.4	0.7	8.0
Sr Hi	101954	0	89.9	1.7	1.4	1.1	2.1	1.9
Total	193658	0	91.6	1.2	1.0	8.0	1.5	1.4

Table 7.120: Where do you use heroin?

					, ou uoo	0.0		
Grade	N of	N of	Do Not	At	At	In A	Friend's	
Level	Valid	Miss	Use	Home	School	Car	House	Other
6th	22218	0	93.1	0.7	0.8	0.5	0.6	0.7
7th	36112	0	94.3	0.5	0.4	0.3	0.6	0.7
8th	33374	0	93.4	0.6	0.6	0.5	8.0	0.9
9th	30526	0	91.6	1.1	1.1	8.0	1.1	1.2
10th	31019	0	92.0	1.0	1.2	8.0	1.1	1.2
11th	23050	0	90.1	1.2	1.5	1.1	1.3	1.3
12th	17359	0	89.7	1.5	2.1	1.4	1.6	1.7
Jr Hi	91704	0	93.7	0.6	0.6	0.4	0.6	8.0
Sr Hi	101954	0	91.1	1.1	1.4	1.0	1.2	1.3
Total	193658	0	92.3	0.9	1.0	0.7	0.9	1.1

Table 7.121: Where do you use steroids?

Grade	N of	N of	Do Not	At	At	In A	Friend's	
Level	Valid	Miss	Use	Home	School	Car	House	Other
6th	22218	0	92.9	0.9	0.8	0.5	0.6	0.7
7th	36112	0	94.2	0.7	0.5	0.3	0.5	0.6
8th	33374	0	93.4	8.0	0.7	0.4	0.6	0.9
9th	30526	0	91.8	1.2	1.2	0.7	0.9	1.2
10th	31019	0	92.2	1.1	1.1	0.7	8.0	1.0
11th	23050	0	90.3	1.3	1.4	1.0	0.9	1.2
12th	17359	0	90.1	1.5	1.9	1.2	1.2	1.5
Jr Hi	91704	0	93.6	8.0	0.6	0.4	0.6	0.7
Sr Hi	101954	0	91.3	1.2	1.3	0.9	0.9	1.2
Total	193658	0	92.4	1.0	1.0	0.7	0.8	1.0

Table 7.122: Where do you use ecstasy?

Grade	N of	N of	Do Not	At	At	In A	Friend's	
Level	Valid	Miss	Use	Home	School	Car	House	Other
6th	22218	0	92.8	0.7	0.8	0.4	0.7	0.7
7th	36112	0	93.8	0.6	0.5	0.4	8.0	0.9
8th	33374	0	92.6	0.9	0.7	0.5	1.2	1.3
9th	30526	0	90.3	1.4	1.2	1.0	2.1	1.9
10th	31019	0	90.5	1.3	1.2	1.0	2.1	1.9
11th	23050	0	88.4	1.6	1.5	1.3	2.5	2.2
12th	17359	0	87.7	2.0	2.0	1.8	3.0	2.7
Jr Hi	91704	0	93.1	0.7	0.6	0.4	0.9	1.0
Sr Hi	101954	0	89.5	1.5	1.4	1.2	2.3	2.1
Total	193658	0	91.2	1.1	1.0	8.0	1.7	1.6

Table 7.123: Where do you use OxyContin?

Grade	N of	N of	Do Not	At	At	In A	Friend's	
Level	Valid	Miss	Use	Home	School	Car	House	Other
6th	22218	0	92.5	8.0	0.7	0.5	0.6	8.0
7th	36112	0	93.5	8.0	0.4	0.4	8.0	0.9
8th	33374	0	92.5	1.0	0.7	0.6	1.1	1.3
9th	30526	0	89.5	1.9	1.5	1.1	2.1	2.0
10th	31019	0	90.0	1.9	1.5	1.1	2.1	1.9
11th	23050	0	87.5	2.5	1.9	1.5	2.5	2.4
12th	17359	0	87.8	2.4	2.3	1.7	2.5	2.4
Jr Hi	91704	0	92.9	0.9	0.6	0.5	0.9	1.0
Sr Hi	101954	0	88.9	2.1	1.7	1.3	2.3	2.1
Total	193658	0	90.8	1.5	1.2	0.9	1.6	1.6

Table 7.124: Where do you use any tobacco?

Grade	N of	N of	Do Not	At	At	In A	Friend's	
Level	Valid	Miss	Use	Home	School	Car	House	Other
6th	22218	0	93.3	3.4	1.2	1.2	2.3	2.7
7th	36112	0	92.9	5.2	1.1	1.6	4.2	4.5
8th	33374	0	91.5	6.3	1.8	2.4	5.8	5.8
9th	30526	0	88.1	9.6	4.0	5.1	9.7	8.2
10th	31019	0	88.3	8.8	3.9	6.4	10.6	8.7
11th	23050	0	85.0	10.2	5.0	9.8	12.7	10.4
12th	17359	0	84.1	10.5	5.7	10.9	14.2	11.7
Jr Hi	91704	0	92.5	5.2	1.4	1.8	4.3	4.5
Sr Hi	101954	0	86.8	9.7	4.5	7.6	11.4	9.4
Total	193658	0	89.5	7.5	3.0	4.8	8.1	7.1

Table 7.125: Where do you use any alcohol?

Grade	N of	N of	Do Not	At	At	In A	Friend's	
Level	Valid	Miss	Use	Home	School	Car	House	Other
6th	22218	0	91.0	13.4	1.2	1.7	4.9	7.0
7th	36112	0	87.2	17.7	1.2	2.2	10.1	10.5
8th	33374	0	80.3	22.9	1.8	3.6	16.9	15.3
9th	30526	0	71.7	25.6	3.2	6.5	27.6	17.6
10th	31019	0	66.5	27.2	3.9	7.6	36.0	21.8
11th	23050	0	63.5	25.6	4.4	9.1	39.5	21.9
12th	17359	0	60.3	26.6	5.1	11.0	44.8	24.8
Jr Hi	91704	0	85.6	18.6	1.4	2.6	11.3	11.4
Sr Hi	101954	0	66.3	26.3	4.0	8.2	35.8	21.1
Total	193658	0	75.4	22.6	2.8	5.5	24.2	16.5

Table 7.126: Where do you use any illicit drugs?

Grade	N of	N of	Do Not	At	At	In A	Friend's	
Level	Valid	Miss	Use	Home	School	Car	House	Other
6th	22218	0	94.7	3.8	2.8	1.5	3.0	2.7
7th	36112	0	95.6	5.4	3.3	2.4	5.5	4.9
8th	33374	0	94.8	7.1	3.8	4.0	8.8	7.9
9th	30526	0	93.4	10.7	5.6	7.4	14.8	11.0
10th	31019	0	93.7	11.5	6.1	10.2	18.0	13.4
11th	23050	0	92.2	13.0	7.0	13.7	21.3	14.5
12th	17359	0	92.0	13.0	7.6	15.7	22.7	15.8
Jr Hi	91704	0	95.1	5.6	3.4	2.8	6.1	5.5
Sr Hi	101954	0	93.0	11.8	6.4	11.1	18.6	13.3
Total	193658	0	94.0	8.9	5.0	7.2	12.7	9.6

### 7.7 When Do You Use

Table 7.127: When do you smoke cigarettes?

Grade	N of	N of	Do Not	Before	During	After	Week	Week
Level	Valid	Miss	Use	School	School	School	Nights	ends
6th	22218	0	86.4	1.4	0.9	2.9	2.0	6.0
7th	36112	0	81.4	2.2	8.0	5.3	3.7	10.2
8th	33374	0	77.3	3.7	1.3	7.3	5.7	13.1
9th	30526	0	71.0	6.6	3.4	11.0	8.5	17.0
10th	31019	0	69.8	7.5	4.1	11.9	9.8	19.1
11th	23050	0	65.9	9.8	5.0	14.2	12.0	20.9
12th	17359	0	63.5	11.3	5.9	15.6	14.0	23.3
Jr Hi	91704	0	81.1	2.5	1.0	5.4	4.0	10.3
Sr Hi	101954	0	68.2	8.4	4.4	12.8	10.6	19.6
Total	193658	0	74.3	5.6	2.8	9.3	7.5	15.2

Table 7.128: When do you use smokeless tobacco?

Grade	N of	N of	Do Not	Before	During	After	Week	Week
Level	Valid	Miss	Use	School	School	School	Nights	ends
6th	22218	0	90.6	0.9	0.9	1.4	1.1	2.4
7th	36112	0	88.8	1.1	0.9	2.3	1.5	4.1
8th	33374	0	87.8	1.3	1.2	2.7	2.0	4.5
9th	30526	0	83.0	2.7	2.9	4.8	3.4	6.9
10th	31019	0	84.3	2.6	2.8	4.1	3.2	6.2
11th	23050	0	81.0	3.6	3.8	5.4	4.6	7.5
12th	17359	0	80.2	3.7	4.4	5.6	5.0	8.0
Jr Hi	91704	0	88.9	1.1	1.0	2.2	1.6	3.9
Sr Hi	101954	0	82.5	3.0	3.4	4.9	3.9	7.0
Total	193658	0	85.5	2.1	2.2	3.6	2.8	5.5

Table 7.129: When do you smoke cigars?

Grade	N of	N of	Do Not	Before	During	After	Week	Week
Level	Valid	Miss	Use	School	School	School	Nights	ends
6th	22218	0	90.5	8.0	8.0	1.2	1.0	2.7
7th	36112	0	88.3	8.0	0.5	1.8	1.4	4.9
8th	33374	0	85.9	1.1	8.0	2.6	2.1	6.6
9th	30526	0	80.4	1.8	1.5	3.8	3.1	10.1
10th	31019	0	79.3	1.8	1.5	3.9	3.2	11.8
11th	23050	0	74.7	2.2	2.0	4.6	4.3	14.3
12th	17359	0	72.5	2.5	2.5	5.0	4.7	16.4
Jr Hi	91704	0	88.0	0.9	0.7	1.9	1.5	5.0
Sr Hi	101954	0	77.5	2.0	1.8	4.2	3.7	12.6
Total	193658	0	82.4	1.5	1.3	3.1	2.7	9.0

Table 7.130: When do you drink beer?

Grade	N of	N of	Do Not	Before	During	After	Week	Week
Level	Valid	Miss	Use	School	School	School	Nights	ends
6th	22218	0	83.5	1.0	0.9	2.0	2.2	8.7
7th	36112	0	77.9	0.9	0.6	2.8	3.1	14.4
8th	33374	0	69.4	1.3	1.0	4.2	4.9	21.7
9th	30526	0	59.9	2.0	1.7	5.3	6.2	30.2
10th	31019	0	52.6	1.8	1.9	5.5	7.0	38.2
11th	23050	0	48.9	2.1	2.1	5.7	7.5	40.5
12th	17359	0	44.3	2.5	3.0	6.2	9.5	44.9
Jr Hi	91704	0	76.2	1.1	8.0	3.1	3.5	15.7
Sr Hi	101954	0	52.5	2.0	2.1	5.6	7.3	37.5
Total	193658	0	63.7	1.6	1.5	4.4	5.5	27.1

Table 7.131: When do you drink wine coolers?

Grade	N of	N of	Do Not	Before	During	After	Week	Week
Level	Valid	Miss	Use	School	School	School	Nights	ends
6th	22218	0	82.8	0.9	8.0	2.0	2.2	9.2
7th	36112	0	76.9	8.0	0.6	2.8	3.2	15.0
8th	33374	0	68.7	1.2	0.9	3.9	4.9	22.3
9th	30526	0	61.3	1.6	1.4	4.5	5.6	28.5
10th	31019	0	56.1	1.6	1.5	4.4	5.9	34.3
11th	23050	0	54.4	1.6	1.6	4.1	6.2	34.3
12th	17359	0	52.0	2.0	2.1	4.1	6.8	37.1
Jr Hi	91704	0	75.4	1.0	8.0	3.0	3.6	16.3
Sr Hi	101954	0	56.6	1.7	1.6	4.3	6.0	33.0
Total	193658	0	65.5	1.3	1.2	3.7	4.9	25.1

Table 7.132: When do you drink liquor?

Grade	N of	N of	Do Not	Before	During	After	Week	Week
Level	Valid	Miss	Use	School	School	School	Nights	ends
6th	22218	0	88.1	0.7	8.0	1.2	1.3	4.8
7th	36112	0	82.5	0.7	0.5	2.0	2.3	10.2
8th	33374	0	74.0	1.1	1.0	3.3	3.8	17.8
9th	30526	0	62.0	1.8	1.7	4.6	5.4	28.2
10th	31019	0	53.3	1.9	2.0	4.9	6.4	37.5
11th	23050	0	48.4	2.1	2.3	5.1	7.0	40.7
12th	17359	0	43.3	2.5	3.2	5.3	8.3	46.1
Jr Hi	91704	0	80.8	0.9	8.0	2.3	2.6	11.6
Sr Hi	101954	0	53.1	2.0	2.2	4.9	6.5	36.9
Total	193658	0	66.2	1.5	1.5	3.7	4.7	24.9

Table 7.133: When do you smoke marijuana?

						<u> </u>		
Grade	N of	N of	Do Not	Before	During	After	Week	Week
Level	Valid	Miss	Use	School	School	School	Nights	ends
6th	22218	0	90.7	8.0	8.0	1.1	1.0	2.4
7th	36112	0	88.0	1.1	0.6	2.1	1.9	5.2
8th	33374	0	83.3	2.1	1.1	3.7	3.6	8.9
9th	30526	0	75.2	3.7	2.5	6.2	6.1	15.1
10th	31019	0	71.4	4.4	3.0	7.4	7.6	19.1
11th	23050	0	66.9	5.5	3.6	8.9	9.7	21.5
12th	17359	0	65.9	6.0	4.6	9.3	10.7	22.9
Jr Hi	91704	0	86.9	1.4	8.0	2.4	2.3	5.8
Sr Hi	101954	0	70.6	4.7	3.3	7.7	8.2	19.1
Total	193658	0	78.3	3.1	2.1	5.2	5.4	12.8

Table 7.134: When do you use cocaine?

Grade	N of	N of	Do Not	Before	During	After	Week	Week
Level	Valid	Miss	Use	School	School	School	Nights	ends
6th	22218	0	92.3	0.6	8.0	0.6	0.6	1.0
7th	36112	0	92.6	0.4	0.5	0.6	0.5	1.2
8th	33374	0	91.6	0.6	0.7	8.0	0.7	1.8
9th	30526	0	89.0	1.0	1.2	1.3	1.2	2.7
10th	31019	0	89.0	1.1	1.4	1.4	1.3	3.0
11th	23050	0	86.2	1.3	1.7	1.7	1.6	3.7
12th	17359	0	86.1	1.6	2.3	1.9	2.1	4.2
Jr Hi	91704	0	92.2	0.5	0.6	0.7	0.6	1.3
Sr Hi	101954	0	87.9	1.2	1.6	1.6	1.5	3.3
Total	193658	0	89.9	0.9	1.1	1.1	1.1	2.4

Table 7.135: When do you use uppers?

Grade	N of	N of	Do Not	Before	During	After	Week	Week
Level	Valid	Miss	Use	School	School	School	Nights	ends
6th	22218	0	91.8	0.6	8.0	0.5	0.5	0.8
7th	36112	0	92.7	0.4	0.5	0.5	0.5	1.0
8th	33374	0	91.8	0.7	8.0	8.0	0.7	1.6
9th	30526	0	89.0	1.3	1.6	1.3	1.2	2.5
10th	31019	0	89.2	1.4	1.7	1.4	1.3	2.7
11th	23050	0	86.7	1.7	2.1	1.7	1.7	3.1
12th	17359	0	86.7	1.8	2.6	1.9	1.9	3.3
Jr Hi	91704	0	92.1	0.5	0.7	0.6	0.6	1.2
Sr Hi	101954	0	88.1	1.5	1.9	1.5	1.5	2.8
Total	193658	0	90.0	1.0	1.3	1.1	1.1	2.0

Table 7.136: When do you use downers?

Grade	N of	N of	Do Not	Before	During	After	Week	Week
Level	Valid	Miss	Use	School	School	School	Nights	ends
6th	22218	0	91.6	0.6	8.0	0.6	0.6	0.9
7th	36112	0	92.3	0.6	0.5	0.7	0.7	1.2
8th	33374	0	91.2	0.9	0.9	0.9	0.9	1.7
9th	30526	0	88.0	1.6	1.7	1.7	1.7	3.0
10th	31019	0	88.4	1.5	1.8	1.7	1.8	3.1
11th	23050	0	85.7	1.8	2.2	2.1	2.3	3.8
12th	17359	0	85.9	1.8	2.5	2.0	2.3	3.8
Jr Hi	91704	0	91.7	0.7	0.7	8.0	0.7	1.3
Sr Hi	101954	0	87.3	1.6	2.0	1.8	2.0	3.4
Total	193658	0	89.4	1.2	1.4	1.3	1.4	2.4

Table 7.137: When do you use inhalants?

Grade	N of	N of	Do Not	Defere	During	۸۴۰۰	\\/aalı	Week
Grade	IN OI	IN OI	DO NOL	Before	During	After	Week	vveek
Level	Valid	Miss	Use	School	School	School	Nights	ends
6th	22218	0	90.2	0.8	1.9	1.2	0.9	1.4
7th	36112	0	90.2	8.0	2.0	1.5	1.2	1.9
8th	33374	0	89.9	8.0	2.0	1.6	1.4	2.3
9th	30526	0	88.5	1.1	1.9	1.6	1.4	2.6
10th	31019	0	89.3	1.0	1.7	1.5	1.4	2.5
11th	23050	0	87.8	1.0	1.6	1.4	1.3	2.1
12th	17359	0	88.0	1.3	2.0	1.4	1.3	2.2
Jr Hi	91704	0	90.1	0.8	2.0	1.5	1.2	1.9
Sr Hi	101954	0	88.5	1.1	1.8	1.5	1.4	2.4
Total	193658	0	89.3	0.9	1.9	1.5	1.3	2.2

Table 7.138: When do you use hallucinogens?

Grade	N of	N of	Do Not	Before	During	After	Week	Week
Level	Valid	Miss	Use	School	School	School	Nights	ends
6th	22218	0	91.6	0.6	8.0	0.5	0.5	0.7
7th	36112	0	92.7	0.4	0.4	0.5	0.5	0.9
8th	33374	0	91.9	0.5	0.7	0.6	0.7	1.3
9th	30526	0	89.4	0.9	1.2	1.1	1.0	2.3
10th	31019	0	89.7	0.9	1.2	1.1	1.1	2.4
11th	23050	0	87.2	1.1	1.4	1.2	1.3	2.9
12th	17359	0	87.1	1.3	2.0	1.4	1.5	3.2
Jr Hi	91704	0	92.1	0.5	0.6	0.5	0.5	1.0
Sr Hi	101954	0	88.6	1.0	1.4	1.2	1.2	2.6
Total	193658	0	90.3	0.8	1.0	0.9	0.9	1.9

Table 7.139: When do you use heroin?

Grade	N of	N of	Do Not	Before	During	After	Week	Week
Level	Valid	Miss	Use	School	School	School	Nights	ends
6th	22218	0	91.7	0.6	8.0	0.5	0.5	0.7
7th	36112	0	92.8	0.3	0.4	0.4	0.4	8.0
8th	33374	0	92.1	0.4	0.7	0.6	0.6	1.2
9th	30526	0	90.2	8.0	1.1	0.9	0.7	1.5
10th	31019	0	90.6	8.0	1.1	0.9	8.0	1.6
11th	23050	0	88.5	0.9	1.4	1.2	1.0	1.7
12th	17359	0	88.3	1.2	1.9	1.3	1.1	2.0
Jr Hi	91704	0	92.3	0.4	0.6	0.5	0.5	0.9
Sr Hi	101954	0	89.6	0.9	1.3	1.0	0.9	1.7
Total	193658	0	90.9	0.7	1.0	8.0	0.7	1.3

Table 7.140: When do you use steroids?

Grade	N of	N of	Do Not	Before	During	After	Week	Week
Level	Valid	Miss	Use	School	School	School	Nights	ends
6th	22218	0	91.6	0.6	0.7	0.6	0.6	8.0
7th	36112	0	92.7	0.4	0.4	0.5	0.4	8.0
8th	33374	0	92.2	0.6	0.7	0.6	0.6	1.0
9th	30526	0	90.3	0.9	1.1	0.9	8.0	1.4
10th	31019	0	90.8	8.0	1.2	1.0	8.0	1.3
11th	23050	0	88.7	1.0	1.4	1.2	0.9	1.3
12th	17359	0	88.7	1.1	1.8	1.3	1.1	1.6
Jr Hi	91704	0	92.2	0.5	0.6	0.6	0.5	0.9
Sr Hi	101954	0	89.8	0.9	1.3	1.1	0.9	1.4
Total	193658	0	91.0	0.7	1.0	8.0	0.7	1.1

Table 7.141: When do you use ecstasy?

Grade	N of	N of	Do Not	Before	During	After	Week	Week
Level	Valid	Miss	Use	School	School	School	Nights	ends
6th	22218	0	91.3	0.6	0.7	0.5	0.5	8.0
7th	36112	0	92.4	0.3	0.4	0.4	0.5	1.1
8th	33374	0	91.4	0.5	0.7	0.6	0.7	1.7
9th	30526	0	89.0	8.0	1.1	1.0	1.0	2.6
10th	31019	0	89.3	0.9	1.2	1.1	1.1	2.7
11th	23050	0	87.0	1.0	1.4	1.1	1.3	3.1
12th	17359	0	86.5	1.2	1.8	1.3	1.4	3.7
Jr Hi	91704	0	91.8	0.5	0.6	0.5	0.6	1.2
Sr Hi	101954	0	88.2	1.0	1.3	1.1	1.2	2.9
Total	193658	0	89.9	0.7	1.0	8.0	0.9	2.1

Table 7.142: When do you use OxyContin?

Grade	N of	N of	Do Not	Before	During	After	Week	Week
Level	Valid	Miss	Use	School	School	School	Nights	ends
6th	22218	0	91.0	0.5	0.7	0.5	0.5	0.8
7th	36112	0	91.9	0.4	0.4	0.5	0.5	1.2
8th	33374	0	91.2	0.6	0.7	0.7	0.7	1.7
9th	30526	0	88.3	1.0	1.4	1.2	1.2	2.8
10th	31019	0	88.7	1.2	1.5	1.3	1.3	2.8
11th	23050	0	86.3	1.3	1.8	1.7	1.7	3.3
12th	17359	0	86.6	1.4	2.0	1.5	1.6	3.2
Jr Hi	91704	0	91.4	0.5	0.6	0.6	0.6	1.3
Sr Hi	101954	0	87.7	1.2	1.6	1.4	1.4	3.0
Total	193658	0	89.5	8.0	1.1	1.0	1.0	2.2

Table 7.143: When do you use any tobacco?

					,			
Grade	N of	N of	Do Not	Before	During	After	Week	Week
Level	Valid	Miss	Use	School	School	School	Nights	ends
6th	22218	0	92.1	1.1	1.1	1.9	1.5	3.8
7th	36112	0	91.6	1.5	1.1	3.3	2.3	7.0
8th	33374	0	90.5	1.9	1.6	4.2	3.2	8.5
9th	30526	0	86.9	3.6	3.5	6.9	5.3	12.9
10th	31019	0	87.4	3.5	3.5	6.5	5.3	14.0
11th	23050	0	84.2	4.7	4.6	8.1	7.3	16.8
12th	17359	0	83.4	5.0	5.2	8.5	7.9	18.8
Jr Hi	91704	0	91.3	1.5	1.3	3.3	2.4	6.8
Sr Hi	101954	0	85.9	4.0	4.0	7.3	6.2	15.1
Total	193658	0	88.4	2.9	2.7	5.4	4.4	11.2

Table 7.144: When do you use any alcohol?

Grade	N of	N of	Do Not	Before	During	After	Week	Week
Level	Valid	Miss	Use	School	School	School	Nights	ends
6th	22218	0	90.0	1.4	1.1	3.0	3.3	12.8
7th	36112	0	86.4	1.4	0.9	4.2	4.8	20.4
8th	33374	0	80.1	2.0	1.5	5.9	7.2	29.5
9th	30526	0	71.7	2.8	2.4	7.1	8.7	38.4
10th	31019	0	67.0	2.8	2.9	7.4	9.6	47.5
11th	23050	0	63.7	3.1	3.1	7.3	10.4	49.1
12th	17359	0	61.1	3.6	4.0	7.7	12.1	53.9
Jr Hi	91704	0	85.0	1.6	1.2	4.5	5.3	21.9
Sr Hi	101954	0	66.7	3.0	3.0	7.3	9.9	46.2
Total	193658	0	75.3	2.3	2.1	6.0	7.7	34.7

Table 7.145: When do you use any illicit drugs?

Grade	N of	N of	Do Not	Before	During	After	Week	Week
Level	Valid	Miss	Use	School	School	School	Nights	ends
6th	22218	0	93.4	1.8	2.5	2.4	1.9	3.7
7th	36112	0	94.0	2.5	2.9	4.0	3.5	7.2
8th	33374	0	93.6	3.6	3.4	5.5	5.3	11.0
9th	30526	0	91.9	5.6	5.1	8.2	8.1	17.4
10th	31019	0	92.3	6.3	5.5	9.4	9.5	21.2
11th	23050	0	90.5	7.5	6.3	10.9	11.6	23.7
12th	17359	0	90.7	8.1	7.1	11.3	12.8	25.2
Jr Hi	91704	0	93.7	2.7	3.0	4.2	3.8	7.7
Sr Hi	101954	0	91.5	6.7	5.8	9.7	10.2	21.3
Total	193658	0	92.6	4.8	4.5	7.1	7.1	14.9

## 7.8 While At School Have You

Table 7.146: While at school have you carried a gun?

Grade	N of	N of		One	2-5	6 or More
Level	Valid	Miss	Never	Time	Times	Times
6th	20927	1291	96.9	0.9	0.4	1.8
7th	34061	2051	97.1	1.1	0.5	1.3
8th	31562	1812	96.4	1.4	0.6	1.6
9th	28501	2025	95.8	1.4	0.7	2.1
10th	29113	1906	96.0	1.2	0.7	2.1
11th	21401	1649	95.5	1.2	8.0	2.5
12th	16172	1187	95.0	1.3	0.7	3.0
Jr Hi	86550	5154	96.8	1.1	0.5	1.5
Sr Hi	95187	6767	95.7	1.3	0.7	2.4
Total	181737	11921	96.2	1.2	0.6	2.0

Table 7.147: While at school have you carried a knife, club or other weapon?

					· · · · · · · · · · · · · · · · · · ·	
Grade	N of	N of		One	2-5	6 or More
Level	Valid	Miss	Never	Time	Times	Times
6th	20906	1312	91.9	4.2	1.4	2.5
7th	34075	2037	88.9	6.3	2.2	2.7
8th	31552	1822	85.7	7.0	3.5	3.8
9th	28476	2050	82.5	7.4	4.3	5.8
10th	29104	1915	82.1	7.1	4.7	6.2
11th	21379	1671	81.8	6.5	4.5	7.2
12th	16162	1197	82.3	5.7	4.2	7.8
Jr Hi	86533	5171	88.5	6.0	2.5	3.0
Sr Hi	95121	6833	82.2	6.8	4.4	6.6
Total	181654	12004	85.2	6.4	3.5	4.9

Table 7.148: While at school have you threatened a student with a gun, knife or club?

Grade	N of	N of		One	2-5	6 or More
Level	Valid	Miss	Never	Time	Times	Times
6th	20828	1390	96.5	1.4	0.6	1.5
7th	33897	2215	95.7	2.0	1.0	1.3
8th	31414	1960	94.0	2.6	1.4	2.0
9th	28356	2170	92.9	2.9	1.7	2.5
10th	28985	2034	93.0	2.7	1.8	2.5
11th	21316	1734	93.1	2.4	1.7	2.9
12th	16136	1223	93.0	2.3	1.5	3.3
Jr Hi	86139	5565	95.3	2.1	1.0	1.6
Sr Hi	94793	7161	93.0	2.6	1.7	2.7
Total	180932	12726	94.1	2.3	1.4	2.2

Table 7.149: While at school have you threatened to hurt a student by hitting, slapping or kicking?

Grade	N of	N of		One	2-5	6 or More
Level	Valid	Miss	Never	Time	Times	Times
6th	20836	1382	72.7	10.6	7.9	8.7
7th	33964	2148	65.4	11.2	11.3	12.2
8th	31520	1854	60.9	11.3	12.6	15.2
9th	28442	2084	61.6	10.5	13.3	14.6
10th	29046	1973	62.7	10.2	13.4	13.8
11th	21337	1713	66.1	8.7	12.9	12.3
12th	16126	1233	68.8	8.5	11.4	11.3
Jr Hi	86320	5384	65.5	11.1	10.9	12.4
Sr Hi	94951	7003	64.2	9.7	12.9	13.3
Total	181271	12387	64.8	10.3	12.0	12.9

Table 7.150: While at school have you hurt a student by using a gun, knife or club?

Grade	N of	N of		One	2-5	6 or More
Level	Valid	Miss	Never	Time	Times	Times
6th	20843	1375	97.7	0.6	0.5	1.2
7th	33927	2185	97.6	1.0	0.5	8.0
8th	31444	1930	96.5	1.4	0.8	1.3
9th	28371	2155	95.5	1.7	0.9	1.9
10th	29032	1987	95.7	1.5	0.9	1.9
11th	21332	1718	95.4	1.4	1.1	2.2
12th	16140	1219	95.0	1.3	1.1	2.6
Jr Hi	86214	5490	97.2	1.1	0.6	1.1
Sr Hi	94875	7079	95.5	1.5	1.0	2.1
Total	181089	12569	96.3	1.3	8.0	1.6

Table 7.151: While at school have you hurt a student by hitting, slapping or kicking?

Grade	N of	N of		One	2-5	6 or More
Level	Valid	Miss	Never	Time	Times	Times
6th	20793	1425	74.7	11.3	7.4	6.6
7th	33937	2175	68.3	12.5	10.3	8.9
8th	31466	1908	65.2	12.2	11.6	10.9
9th	28379	2147	66.9	11.6	11.4	10.0
10th	29017	2002	69.4	10.5	11.0	9.1
11th	21327	1723	73.3	9.3	9.6	7.8
12th	16121	1238	76.1	8.2	8.4	7.4
Jr Hi	86196	5508	68.7	12.1	10.1	9.1
Sr Hi	94844	7110	70.7	10.2	10.4	8.8
Total	181040	12618	69.7	11.1	10.2	8.9

Table 7.152: While at school have you been threatened with a gun, knife or club by a student?

Grade	N of	N of		One	2-5	6 or More
Level	Valid	Miss	Never	Time	Times	Times
6th	20791	1427	90.5	4.7	2.4	2.4
7th	33868	2244	89.0	6.0	2.8	2.1
8th	31388	1986	87.5	6.2	3.4	2.9
9th	28332	2194	86.9	6.4	3.5	3.2
10th	28977	2042	87.2	6.3	3.6	3.0
11th	21274	1776	88.5	5.3	3.2	3.0
12th	16108	1251	89.3	4.4	2.9	3.3
Jr Hi	86047	5657	88.8	5.8	2.9	2.5
Sr Hi	94691	7263	87.7	5.8	3.4	3.1
Total	180738	12920	88.3	5.8	3.2	2.8

Table 7.153: While at school have you had a student threaten to hit, slap or kick you?

Grade	N of	N of		One	2-5	6 or More
Level	Valid	Miss	Never	Time	Times	Times
6th	20804	1414	63.2	14.4	11.9	10.5
7th	33924	2188	58.8	14.8	14.2	12.2
8th	31424	1950	58.6	14.5	14.2	12.7
9th	28367	2159	59.9	14.6	14.1	11.4
10th	28992	2027	61.9	13.7	13.8	10.7
11th	21303	1747	66.0	12.4	12.1	9.5
12th	16124	1235	68.4	11.3	11.7	8.6
Jr Hi	86152	5552	59.8	14.6	13.7	11.9
Sr Hi	94786	7168	63.3	13.3	13.1	10.3
Total	180938	12720	61.6	13.9	13.4	11.1

Table 7.154: While at school have you been afraid a student may hurt you?

Grade	N of	N of		One	2-5	6 or More
Level	Valid	Miss	Never	Time	Times	Times
6th	20814	1404	74.1	12.9	6.7	6.3
7th	33880	2232	74.5	13.1	6.9	5.5
8th	31430	1944	75.4	12.6	6.8	5.2
9th	28369	2157	75.9	12.8	6.6	4.7
10th	28985	2034	77.2	12.3	6.5	4.0
11th	21283	1767	80.4	10.7	5.2	3.7
12th	16113	1246	82.2	9.2	4.8	3.8
Jr Hi	86124	5580	74.8	12.9	6.8	5.6
Sr Hi	94750	7204	78.4	11.6	6.0	4.1
Total	180874	12784	76.6	12.2	6.4	4.8

Table 7.155: While at school have you been hurt by a student using a gun, knife or club?

Grade	N of	N of		One	2-5	6 or More
Level	Valid	Miss	Never	Time	Times	Times
6th	20798	1420	97.1	1.1	0.5	1.3
7th	33855	2257	96.8	1.6	0.6	0.9
8th	31393	1981	96.1	1.7	0.9	1.3
9th	28338	2188	95.4	1.8	1.0	1.8
10th	28994	2025	95.7	1.9	0.8	1.6
11th	21291	1759	95.6	1.6	0.8	2.0
12th	16117	1242	95.2	1.5	0.9	2.3
Jr Hi	86046	5658	96.6	1.5	0.7	1.2
Sr Hi	94740	7214	95.5	1.7	0.9	1.9
Total	180786	12872	96.0	1.6	0.8	1.5

Table 7.156: While at school have you been hurt by a student who hit, slapped or kicked you?

				,		
Grade	N of	N of		One	2-5	6 or More
Level	Valid	Miss	Never	Time	Times	Times
6th	20792	1426	75.0	12.2	7.2	5.7
7th	33885	2227	74.9	12.0	7.7	5.5
8th	31420	1954	76.5	10.8	7.2	5.6
9th	28354	2172	79.9	9.3	6.1	4.7
10th	28994	2025	82.5	8.5	4.9	4.1
11th	21283	1767	85.3	6.9	4.1	3.7
12th	16127	1232	86.3	6.1	3.9	3.8
Jr Hi	86097	5607	75.5	11.6	7.4	5.6
Sr Hi	94758	7196	83.0	8.0	4.9	4.2
Total	180855	12803	79.4	9.7	6.1	4.8

Table 7.157: While at school have you been helped by a school security officer?

Grade	N of	N of		One	2-5	6 or More
Level	Valid	Miss	Never	Time	Times	Times
6th	20715	1503	92.9	4.0	1.4	1.6
7th	33798	2314	93.8	3.8	1.3	1.0
8th	31372	2002	92.9	4.0	1.6	1.5
9th	28336	2190	92.2	4.5	1.7	1.6
10th	28958	2061	91.8	4.6	1.9	1.7
11th	21262	1788	90.9	5.1	2.0	2.0
12th	16100	1259	90.7	5.0	2.1	2.2
Jr Hi	85885	5819	93.3	3.9	1.5	1.3
Sr Hi	94656	7298	91.5	4.8	1.9	1.8
Total	180541	13117	92.4	4.4	1.7	1.6

Table 7.158: While at school have you been in trouble with school security officer?

Grade	N of	N of		One	2-5	6 or More
Level	Valid	Miss	Never	Time	Times	Times
6th	20679	1539	94.3	2.9	1.2	1.7
7th	33773	2339	92.7	3.9	1.8	1.7
8th	31302	2072	90.4	4.6	2.7	2.3
9th	28233	2293	89.5	4.7	2.9	2.9
10th	28902	2117	89.4	4.8	3.1	2.7
11th	21212	1838	90.2	4.5	2.7	2.7
12th	16050	1309	90.6	4.0	2.3	3.1
Jr Hi	85754	5950	92.2	3.9	2.0	1.9
Sr Hi	94397	7557	89.8	4.6	2.8	2.8
Total	180151	13507	91.0	4.2	2.4	2.4

### 7.9 What Effect Do You Most Often Get When You Use

Table 7.159: What effect do you most often get when you smoke cigarettes?

Grade	N of	N of	Do Not	No	A Little	Very	Bombed/
Level	Valid	Miss	Use	High	High	High	Stoned
6th	20967	1251	90.0	7.4	1.4	0.3	0.9
7th	34223	1889	84.5	12.7	2.0	0.3	0.5
8th	31622	1752	80.1	16.2	2.4	0.4	0.9
9th	28602	1924	74.0	21.0	3.6	0.3	1.2
10th	29197	1822	72.1	22.1	4.2	0.4	1.2
11th	21363	1687	68.7	24.2	5.0	0.5	1.6
12th	16197	1162	65.9	25.4	6.0	0.4	2.3
Jr Hi	86812	4892	84.2	12.7	2.0	0.4	0.7
Sr Hi	95359	6595	70.8	22.8	4.5	0.4	1.5
Total	182171	11487	77.2	18.0	3.3	0.4	1.1

Table 7.160: What effect do you most often get when you use smokeless tobacco?

Grade	N of	N of	Do Not	No	A Little	Very	Bombed/
Level	Valid	Miss	Use	High	High	High	Stoned
6th	20927	1291	95.1	3.0	0.8	0.4	0.9
7th	34213	1899	93.0	5.1	1.1	0.3	0.5
8th	31606	1768	91.7	5.7	1.4	0.4	8.0
9th	28564	1962	87.4	8.5	2.5	0.6	1.0
10th	29154	1865	88.5	7.3	2.6	0.4	1.1
11th	21360	1690	85.8	8.7	3.3	0.7	1.5
12th	16179	1180	84.3	8.9	3.9	0.9	2.1
Jr Hi	86746	4958	93.0	4.8	1.1	0.4	0.7
Sr Hi	95257	6697	86.8	8.3	2.9	0.6	1.3
Total	182003	11655	89.8	6.6	2.1	0.5	1.0

T     7 1 C 1	1111		
Table / Ibl.	What effect do	you most often get when	voli smoke cigars/

Grade	N of	N of	Do Not	No	A Little	Very	Bombed/
Level	Valid	Miss	Use	High	High	High	Stoned
6th	20923	1295	94.9	2.9	0.9	0.4	0.9
7th	34172	1940	92.3	5.3	1.4	0.4	0.5
8th	31573	1801	89.6	7.2	1.8	0.5	0.9
9th	28499	2027	84.4	10.8	3.0	0.5	1.2
10th	29100	1919	82.6	12.4	3.1	0.7	1.2
11th	21332	1718	78.6	15.0	4.0	0.8	1.7
12th	16164	1195	75.2	17.2	4.5	0.8	2.3
Jr Hi	86668	5036	91.9	5.4	1.4	0.4	0.8
Sr Hi	95095	6859	81.0	13.3	3.5	0.7	1.5
Total	181763	11895	86.2	9.6	2.5	0.6	1.1

Table 7.162: What effect do you most often get when you drink beer?

Grade	N of	N of	Do Not	No	A Little	Very	Bombed/
Grade						•	,
Level	Valid	Miss	Use	High	High	High	Stoned
6th	20894	1324	86.5	8.9	2.4	0.8	1.4
7th	34166	1946	80.3	11.9	4.9	1.5	1.4
8th	31565	1809	71.3	14.9	8.6	2.6	2.6
9th	28501	2025	61.9	14.7	13.1	5.7	4.7
10th	29079	1940	53.7	14.0	17.3	8.2	6.8
11th	21313	1737	50.6	12.3	18.5	10.1	8.4
12th	16126	1233	45.6	11.5	19.7	12.1	11.0
Jr Hi	86625	5079	78.5	12.3	5.6	1.7	1.8
Sr Hi	95019	6935	54.1	13.4	16.7	8.5	7.2
Total	181644	12014	65.7	12.9	11.4	5.3	4.7

Table 7.163: What effect do you most often get when you drink wine coolers?

_				<del>-</del>				
	Grade	N of	${\sf N}$ of	Do Not	No	A Little	Very	Bombed/
	Level	Valid	Miss	Use	High	High	High	Stoned
	6th	20898	1320	86.3	9.9	2.0	0.6	1.2
	7th	34152	1960	79.9	14.1	4.0	1.0	1.0
	8th	31509	1865	71.0	19.4	6.4	1.5	1.8
	9th	28454	2072	63.4	20.4	10.7	2.7	2.8
	10th	29066	1953	57.7	21.1	14.0	3.6	3.6
	11th	21303	1747	56.5	18.6	15.9	4.8	4.2
	12th	16131	1228	53.7	18.3	17.2	5.2	5.6
	Jr Hi	86559	5145	78.2	15.0	4.4	1.1	1.3
	Sr Hi	94954	7000	58.5	19.9	14.0	3.8	3.8
	Total	181513	12145	67.9	17.5	9.4	2.5	2.7

T 11 7161	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \		. с.			i. )
Table 7.164:	What ettect	HOV VOII	most otten	oct when v	/∩II drink	liauor/
Table 1.10T.	vviiat Circci	. uo you	IIIOSL OILCII	gct wilch	ou ullin	iiquoi :

Grade	N of	N of	Do Not	No	A Little	Very	Bombed/
Level	Valid	Miss	Use	High	High	High	Stoned
6th	20904	1314	92.4	3.8	1.5	0.9	1.3
7th	34140	1972	86.3	6.6	3.4	2.1	1.6
8th	31496	1878	76.9	9.2	6.3	4.0	3.6
9th	28447	2079	64.9	9.7	9.7	8.4	7.3
10th	29048	1971	55.2	9.7	12.4	11.8	10.9
11th	21292	1758	50.3	8.6	12.8	14.3	13.9
12th	16127	1232	44.6	8.4	14.0	16.2	16.8
Jr Hi	86540	5164	84.4	6.9	4.0	2.5	2.3
Sr Hi	94914	7040	55.2	9.2	11.9	12.1	11.5
Total	181454	12204	69.1	8.1	8.2	7.5	7.1

Table 7.165: What effect do you most often get when you smoke marijuana?

			J		<u> </u>		- J
Grade	N of	N of	Do Not	No	A Little	Very	Bombed/
Level	Valid	Miss	Use	High	High	High	Stoned
6th	20890	1328	95.4	0.5	0.8	1.3	2.0
7th	34165	1947	92.0	0.7	1.5	2.4	3.4
8th	31510	1864	86.8	0.9	2.5	4.0	5.9
9th	28446	2080	78.7	1.1	3.7	6.1	10.4
10th	29035	1984	74.1	1.4	4.6	8.1	11.9
11th	21259	1791	69.7	1.6	5.3	8.9	14.5
12th	16104	1255	67.7	1.8	5.7	9.9	14.9
Jr Hi	86565	5139	90.9	0.7	1.7	2.7	4.0
Sr Hi	94844	7110	73.4	1.4	4.7	8.0	12.5
Total	181409	12249	81.7	1.1	3.2	5.5	8.4

Table 7.166: What effect do you most often get when you use cocaine?

Grade	N of	N of	Do Not	No	A Little	Very	Bombed/
Level	Valid	Miss	Use	High	High	High	Stoned
6th	20894	1324	97.4	0.3	0.3	0.6	1.3
7th	34175	1937	97.4	0.4	0.4	0.6	1.2
8th	31540	1834	96.3	0.5	0.5	8.0	1.8
9th	28485	2041	94.6	8.0	8.0	1.2	2.6
10th	29087	1932	94.3	0.7	8.0	1.2	3.0
11th	21287	1763	92.5	0.9	1.0	1.7	3.9
12th	16117	1242	91.6	0.9	1.2	2.1	4.2
Jr Hi	86609	5095	97.0	0.4	0.4	0.7	1.5
Sr Hi	94976	6978	93.5	8.0	0.9	1.5	3.3
Total	181585	12073	95.2	0.6	0.7	1.1	2.4

T 11 7 1C7	14/1 . ((	. с.		2
ISNIE / IN/	What Attact d	you most often	OPT WHEN VALL	HICA HINNARS (
Table 1.101.	vviiat circet u	you most often	get wileli you	usc uppcis:

Grade	N of	N of	Do Not	No	A Little	Very	Bombed/
Level	Valid	Miss	Use	High	High	High	Stoned
6th	20755	1463	97.7	0.4	0.3	0.4	1.2
7th	34119	1993	97.6	0.4	0.5	0.5	1.0
8th	31535	1839	96.6	0.5	0.6	0.7	1.5
9th	28482	2044	94.8	0.7	1.0	1.2	2.4
10th	29093	1926	94.5	0.7	1.0	1.3	2.5
11th	21284	1766	93.2	0.9	1.2	1.6	3.1
12th	16115	1244	92.6	0.9	1.2	1.7	3.5
Jr Hi	86409	5295	97.3	0.5	0.5	0.6	1.2
Sr Hi	94974	6980	93.9	8.0	1.1	1.4	2.8
Total	181383	12275	95.5	0.6	0.8	1.0	2.0

Table 7.168: What effect do you most often get when you use downers?

			j		. 600	. ,	
Grade	N of	N of	Do Not	No	A Little	Very	Bombed/
Level	Valid	Miss	Use	High	High	High	Stoned
6th	20725	1493	97.5	0.6	0.4	0.4	1.1
7th	34103	2009	97.3	0.7	0.7	0.5	0.8
8th	31524	1850	96.0	0.9	0.9	0.8	1.4
9th	28453	2073	93.7	1.2	1.7	1.4	2.1
10th	29092	1927	93.7	1.1	1.6	1.4	2.2
11th	21268	1782	92.1	1.2	1.8	1.9	3.0
12th	16110	1249	91.8	1.2	1.8	1.9	3.4
Jr Hi	86352	5352	96.9	0.7	0.7	0.6	1.1
Sr Hi	94923	7031	93.0	1.1	1.7	1.6	2.6
Total	181275	12383	94.8	0.9	1.2	1.1	1.9

Table 7.169: What effect do you most often get when you use inhalants?

Grade	N of	N of	Do Not	No	A Little	Very	Bombed/
Level	Valid	Miss	Use	High	High	High	Stoned
6th	20756	1462	95.6	1.2	1.3	8.0	1.2
7th	34082	2030	94.7	1.4	2.2	8.0	0.9
8th	31507	1867	94.4	1.3	2.0	1.0	1.3
9th	28447	2079	93.9	1.2	2.0	1.1	1.9
10th	29091	1928	94.4	1.1	1.6	0.9	2.0
11th	21292	1758	94.2	0.9	1.4	1.1	2.4
12th	16108	1251	94.1	0.9	1.3	0.9	2.8
Jr Hi	86345	5359	94.8	1.3	1.9	0.9	1.1
Sr Hi	94938	7016	94.2	1.0	1.6	1.0	2.2
Total	181283	12375	94.5	1.2	1.7	0.9	1.7

Table 7.170: What effect do you most often get when you use hallucinogens?

Grade	N of	N of	Do Not	No	A Little	Very	Bombed/
Level	Valid	Miss	Use	High	High	High	Stoned
6th	20705	1513	97.7	0.3	0.3	0.4	1.2
7th	34055	2057	97.8	0.4	0.4	0.5	0.9
8th	31516	1858	96.8	0.5	0.5	0.6	1.6
9th	28456	2070	95.2	0.6	0.6	1.0	2.6
10th	29089	1930	95.1	0.6	0.6	0.9	2.8
11th	21295	1755	93.8	0.7	0.6	1.1	3.8
12th	16112	1247	93.0	0.7	0.6	1.2	4.4
Jr Hi	86276	5428	97.4	0.4	0.4	0.5	1.2
Sr Hi	94952	7002	94.5	0.7	0.6	1.0	3.2
Total	181228	12430	95.9	0.5	0.5	0.8	2.3

Table 7.171: What effect do you most often get when you use heroin?

		NI C	D N		4 1 1 1		<u> </u>
Grade	N of	N of	Do Not	No	A Little	Very	Bombed/
Level	Valid	Miss	Use	High	High	High	Stoned
6th	20742	1476	97.8	0.3	0.3	0.5	1.2
7th	34087	2025	98.0	0.4	0.3	0.4	0.9
8th	31505	1869	97.2	0.4	0.4	0.6	1.5
9th	28450	2076	96.2	0.6	0.5	0.6	2.1
10th	29084	1935	96.3	0.6	0.4	0.6	2.2
11th	21288	1762	95.4	0.7	0.6	0.7	2.7
12th	16115	1244	94.8	8.0	0.7	0.7	3.0
Jr Hi	86334	5370	97.7	0.4	0.3	0.5	1.2
Sr Hi	94937	7017	95.8	0.6	0.5	0.6	2.4
Total	181271	12387	96.7	0.5	0.4	0.6	1.8

Table 7.172: What effect do you most often get when you use steroids?

Grade	N of	N of	Do Not	No	A Little	Very	Bombed/
Level	Valid	Miss	Use	High	High	High	Stoned
6th	20716	1502	97.7	0.5	0.3	0.4	1.1
7th	34066	2046	97.9	0.7	0.4	0.4	0.7
8th	31492	1882	97.2	8.0	0.5	0.4	1.1
9th	28452	2074	96.4	0.9	0.5	0.6	1.6
10th	29071	1948	96.5	0.9	0.6	0.4	1.6
11th	21283	1767	95.8	1.1	0.5	0.7	1.9
12th	16127	1232	95.2	1.1	0.7	0.7	2.4
Jr Hi	86274	5430	97.6	0.7	0.4	0.4	0.9
Sr Hi	94933	7021	96.1	1.0	0.6	0.6	1.8
Total	181207	12451	96.8	0.9	0.5	0.5	1.4

Table 7.173: What effect do you most often get when you use ecstasy?

Grade	N of	N of	Do Not	No	A Little	Very	Bombed/
Level	Valid	Miss	Use	High	High	High	Stoned
6th	20692	1526	97.6	0.4	0.2	0.5	1.3
7th	34023	2089	97.6	0.4	0.4	0.6	1.0
8th	31460	1914	96.5	0.5	0.5	0.7	1.9
9th	28435	2091	94.9	0.6	0.7	0.9	2.9
10th	29085	1934	94.8	0.6	0.6	1.1	2.9
11th	21281	1769	93.6	0.7	8.0	1.1	3.7
12th	16108	1251	92.6	0.7	0.9	1.4	4.3
Jr Hi	86175	5529	97.2	0.4	0.4	0.6	1.4
Sr Hi	94909	7045	94.2	0.6	0.7	1.1	3.3
Total	181084	12574	95.6	0.5	0.6	0.9	2.4

Table 7.174: What effect do you most often get when you use OxyContin?

Grade	N of	N of	Do Not	No	A Little	Very	Bombed/
Level	Valid	Miss	Use	High	High	High	Stoned
6th	20630	1588	97.7	0.4	0.2	0.4	1.3
7th	33934	2178	97.5	0.5	0.5	0.5	1.1
8th	31371	2003	96.6	0.5	0.5	0.7	1.7
9th	28338	2188	94.4	8.0	0.9	1.2	2.6
10th	28992	2027	94.5	0.7	0.9	1.2	2.7
11th	21205	1845	93.1	0.9	1.0	1.5	3.5
12th	16049	1310	93.0	8.0	1.0	1.5	3.7
Jr Hi	85935	5769	97.2	0.5	0.4	0.5	1.3
Sr Hi	94584	7370	93.9	8.0	1.0	1.3	3.0
Total	180519	13139	95.5	0.6	0.7	0.9	2.2

#### 7.10 How Easy Is It To Get

Table 7.175: How easy is it to get cigarettes?

				U	0		
Grade	N of	N of	Cannot	Very	Fairly	Fairly	Very
Level	Valid	Miss	Get	Difficult	Difficult	Easy	Easy
6th	20279	1939	70.4	4.4	4.2	7.7	13.3
7th	33507	2605	59.0	4.5	6.0	12.7	17.9
8th	30913	2461	48.1	4.1	6.5	16.0	25.3
9th	28042	2484	34.7	2.5	5.5	19.7	37.7
10th	28732	2287	27.7	2.0	5.2	21.6	43.5
11th	21091	1959	21.5	1.4	3.5	20.3	53.3
12th	16008	1351	16.4	1.0	2.3	14.9	65.4
Jr Hi	84699	7005	57.8	4.3	5.7	12.7	19.5
Sr Hi	93873	8081	26.5	1.8	4.4	19.6	47.7
Total	178572	15086	41.3	3.0	5.0	16.3	34.3

Table 7.176: How easy is it to get smokeless tobacco?

Grade	N of	N of	Cannot	Very	Fairly	Fairly	Very
Level	Valid	Miss	Get	Difficult	Difficult	Easy	Easy
6th	20197	2021	79.2	4.2	3.7	5.0	7.9
7th	33364	2748	70.6	4.6	5.7	8.2	10.9
8th	30731	2643	61.7	4.8	7.2	10.8	15.5
9th	27878	2648	45.0	3.1	6.9	16.1	28.9
10th	28453	2566	38.8	3.2	7.3	18.4	32.3
11th	20950	2100	29.4	2.0	5.6	19.1	43.8
12th	15868	1491	23.2	1.7	3.8	15.2	56.1
Jr Hi	84292	7412	69.4	4.6	5.8	8.4	11.8
Sr Hi	93149	8805	35.9	2.6	6.2	17.3	37.9
Total	177441	16217	51.8	3.6	6.0	13.1	25.5

Table 7.177: How easy is it to get cigars?

Grade	N of	N of	Cannot	Very	Fairly	Fairly	Very
Level	Valid	Miss	Get	Difficult	Difficult	Easy	Easy
6th	20200	2018	79.3	4.3	4.0	4.7	7.7
7th	33322	2790	70.7	5.4	6.4	7.5	10.1
8th	30676	2698	60.2	5.6	8.2	10.9	15.1
9th	27830	2696	44.7	4.5	9.4	15.9	25.4
10th	28442	2577	36.7	3.6	9.7	19.0	31.0
11th	20954	2096	27.8	2.4	7.7	19.8	42.3
12th	15892	1467	21.4	1.8	5.1	16.0	55.6
Jr Hi	84198	7506	68.9	5.2	6.4	8.1	11.4
Sr Hi	93118	8836	34.5	3.3	8.4	17.7	36.1
Total	177316	16342	50.9	4.2	7.5	13.2	24.3

Table 7.178: How easy is it to get beer?

			• • • • • • • • • • • • • • • • • • • •	,	0		
Grade	N of	N of	Cannot	Very	Fairly	Fairly	Very
Level	Valid	Miss	Get	Difficult	Difficult	Easy	Easy
6th	20202	2016	68.5	5.0	5.0	7.6	14.0
7th	33356	2756	57.4	5.4	6.8	11.9	18.4
8th	30843	2531	44.3	4.6	8.2	16.4	26.6
9th	27965	2561	31.7	3.4	8.0	20.3	36.6
10th	28691	2328	23.9	3.0	7.6	23.2	42.3
11th	21068	1982	19.7	2.1	6.7	24.5	47.0
12th	15983	1376	16.9	2.1	6.7	26.4	47.9
Jr Hi	84401	7303	55.3	5.0	6.9	12.5	20.3
Sr Hi	93707	8247	24.1	2.8	7.4	23.2	42.6
Total	178108	15550	38.9	3.8	7.1	18.1	32.1

Table 7.179: How easy is it to get wine coolers?

Grade	N of	N of	Cannot	Very	Fairly	Fairly	Very
Level	Valid	Miss	Get	Difficult	Difficult	Easy	Easy
6th	20151	2067	72.3	4.9	4.8	6.8	11.2
7th	33298	2814	61.0	5.4	7.1	10.9	15.7
8th	30738	2636	47.6	5.0	8.4	15.5	23.5
9th	27912	2614	34.2	4.0	8.9	19.4	33.5
10th	28597	2422	26.5	3.2	8.1	22.6	39.5
11th	20999	2051	21.1	2.4	7.3	24.3	44.9
12th	15944	1415	17.9	2.1	7.2	25.8	46.9
Jr Hi	84187	7517	58.8	5.1	7.0	11.6	17.5
Sr Hi	93452	8502	26.1	3.1	8.0	22.6	40.2
Total	177639	16019	41.6	4.0	7.5	17.4	29.4

Table 7.180: How easy is it to get liquor?

Grade	N of	N of	Cannot	Very	Fairly	Fairly	Very
Level	Valid	Miss	Get	Difficult	Difficult	Easy	Easy
6th	20143	2075	77.7	4.4	3.9	5.1	8.8
7th	33277	2835	66.3	5.6	6.2	8.6	13.3
8th	30697	2677	52.0	5.1	8.2	13.2	21.4
9th	27889	2637	36.1	4.3	9.1	18.1	32.5
10th	28588	2431	26.7	3.9	8.8	22.1	38.5
11th	21020	2030	21.3	2.9	8.2	23.5	44.1
12th	15960	1399	17.9	2.7	8.3	26.0	45.0
Jr Hi	84117	7587	63.8	5.2	6.4	9.4	15.2
Sr Hi	93457	8497	26.8	3.6	8.7	21.9	39.1
Total	177574	16084	44.4	4.3	7.6	16.0	27.8

Table 7.181: How easy is it to get marijuana?

Grade	N of	N of	Cannot	Very	Fairly	Fairly	Very
Level	Valid	Miss	Get	Difficult	Difficult	Easy	Easy
6th	20167	2051	84.0	4.7	3.0	2.7	5.6
7th	33286	2826	75.6	5.8	5.0	5.1	8.5
8th	30687	2687	62.7	6.1	6.8	9.0	15.4
9th	27828	2698	44.8	5.2	8.7	14.4	26.9
10th	28440	2579	35.3	4.4	8.6	18.0	33.6
11th	20929	2121	28.0	3.7	8.6	20.1	39.6
12th	15852	1507	25.3	3.6	8.4	21.6	41.0
Jr Hi	84140	7564	72.9	5.6	5.2	5.9	10.3
Sr Hi	93049	8905	34.8	4.3	8.6	18.0	34.2
Total	177189	16469	52.9	5.0	7.0	12.3	22.9

Table 7.182: How easy is it to get cocaine?

Grade	N of	N of	Cannot	Very	Fairly	Fairly	Very
Level	Valid	Miss	Get	Difficult	Difficult	Easy	Easy
6th	20133	2085	86.5	4.7	2.5	2.0	4.2
7th	33236	2876	81.6	6.0	4.1	3.1	5.2
8th	30610	2764	73.0	7.4	6.3	5.4	8.0
9th	27652	2874	58.7	8.4	10.6	9.2	13.0
10th	28237	2782	51.6	9.6	12.9	11.2	14.6
11th	20714	2336	44.1	9.5	14.8	13.6	18.0
12th	15655	1704	41.7	9.9	14.6	14.6	19.2
Jr Hi	83979	7725	79.6	6.2	4.5	3.7	6.0
Sr Hi	92258	9696	50.4	9.3	12.9	11.8	15.7
Total	176237	17421	64.3	7.8	8.9	7.9	11.0

Table 7.183: How easy is it to get uppers?

Grade	N of	N of	Cannot	Very	Fairly	Fairly	Very
Level	Valid	Miss	Get	Difficult	Difficult	Easy	Easy
6th	19990	2228	87.3	4.2	2.5	2.0	4.0
7th	33189	2923	82.6	5.5	4.0	2.9	5.0
8th	30575	2799	74.8	7.1	6.0	4.9	7.2
9th	27621	2905	60.3	8.4	10.1	8.7	12.6
10th	28210	2809	54.0	9.9	11.9	10.5	13.7
11th	20678	2372	46.3	9.6	14.4	12.7	17.0
12th	15632	1727	44.2	10.3	14.0	13.5	18.0
Jr Hi	83754	7950	80.9	5.8	4.4	3.4	5.6
Sr Hi	92141	9813	52.5	9.4	12.3	10.9	14.9
Total	175895	17763	66.0	7.7	8.5	7.4	10.4

Table 7.184: How easy is it to get downers?

Grade	N of	N of	Cannot	Very	Fairly	Fairly	Very
Level	Valid	Miss	Get	Difficult	Difficult	Easy	Easy
6th	19955	2263	86.9	4.1	2.6	2.2	4.2
7th	33146	2966	81.8	5.3	4.1	3.4	5.4
8th	30551	2823	74.0	6.8	5.7	5.4	8.1
9th	27640	2886	59.1	7.6	9.6	9.7	14.1
10th	28210	2809	52.9	8.9	11.5	11.5	15.1
11th	20665	2385	45.0	8.7	13.4	14.1	18.8
12th	15612	1747	43.4	9.1	13.6	14.6	19.2
Jr Hi	83652	8052	80.2	5.6	4.3	3.8	6.1
Sr Hi	92127	9827	51.4	8.5	11.7	12.1	16.3
Total	175779	17879	65.1	7.1	8.2	8.1	11.5

Table 7.185: How easy is it to get inhalants?

Grade	N of	N of	Cannot	Very	Fairly	Fairly	Very
Level	Valid	Miss	Get	Difficult	Difficult	Easy	Easy
6th	19977	2241	81.6	3.0	2.1	2.8	10.5
7th	33147	2965	75.0	3.5	2.9	4.0	14.6
8th	30561	2813	67.9	4.2	4.0	5.4	18.4
9th	27633	2893	55.5	5.0	6.3	8.7	24.6
10th	28200	2819	49.6	5.7	7.4	10.0	27.4
11th	20679	2371	42.9	5.9	8.5	11.6	31.1
12th	15626	1733	41.3	6.1	8.7	11.7	32.2
Jr Hi	83685	8019	74.0	3.6	3.1	4.2	15.0
Sr Hi	92138	9816	48.5	5.6	7.5	10.3	28.2
Total	175823	17835	60.6	4.6	5.4	7.4	21.9

Table 7.186: How easy is it to get hallucinogens?

Grade	N of	N of	Cannot	Very	Fairly	Fairly	Very
Level	Valid	Miss	Get	Difficult	Difficult	Easy	Easy
6th	19918	2300	87.8	4.1	2.5	1.9	3.8
7th	33097	3015	83.5	5.4	3.9	2.7	4.5
8th	30507	2867	76.0	7.1	5.8	4.3	6.8
9th	27597	2929	61.5	9.1	10.0	7.9	11.6
10th	28177	2842	55.3	10.8	12.1	9.4	12.4
11th	20651	2399	47.6	11.4	14.3	11.3	15.5
12th	15620	1739	45.8	11.7	14.7	11.7	16.0
Jr Hi	83522	8182	81.8	5.7	4.3	3.1	5.2
Sr Hi	92045	9909	53.8	10.6	12.4	9.8	13.5
Total	175567	18091	67.1	8.3	8.5	6.6	9.5

Table 7.187: How easy is it to get heroin?

Grade	N of	N of	Cannot	Very	Fairly	Fairly	Very
Level	Valid	Miss	Get	Difficult	Difficult	Easy	Easy
6th	19961	2257	87.8	4.2	2.5	1.8	3.7
7th	33124	2988	83.7	5.6	3.7	2.6	4.4
8th	30544	2830	76.5	7.4	5.4	4.1	6.6
9th	27610	2916	62.9	10.0	9.4	6.9	10.8
10th	28167	2852	57.0	11.8	11.6	8.1	11.5
11th	20643	2407	49.8	13.0	13.4	9.4	14.4
12th	15635	1724	48.1	13.6	13.9	10.0	14.4
Jr Hi	83629	8075	82.1	5.9	4.0	3.0	5.1
Sr Hi	92055	9899	55.7	11.8	11.7	8.4	12.5
Total	175684	17974	68.2	9.0	8.1	5.8	8.9

Table 7.188: How easy is it to get steroids?

Grade	N of	N of	Cannot	Very	Fairly	Fairly	Very
Level	Valid	Miss	Get	Difficult	Difficult	Easy	Easy
6th	19964	2254	87.3	4.1	2.5	2.1	4.0
7th	33105	3007	83.2	5.2	4.0	2.9	4.7
8th	30547	2827	75.9	7.0	5.7	4.5	6.9
9th	27601	2925	62.2	8.7	9.3	8.1	11.7
10th	28161	2858	56.1	10.2	11.3	9.9	12.6
11th	20624	2426	48.7	10.7	13.0	11.7	15.9
12th	15612	1747	47.3	11.1	13.7	11.5	16.4
Jr Hi	83616	8808	81.5	5.6	4.3	3.3	5.3
Sr Hi	91998	9956	54.8	10.0	11.5	10.0	13.7
Total	175614	18044	67.5	7.9	8.0	6.8	9.7

Table 7.189: How easy is it to get ecstasy?

Grade	N of	N of	Cannot	Very	Fairly	Fairly	Very
Level	Valid	Miss	Get	Difficult	Difficult	Easy	Easy
6th	19924	2294	87.8	4.1	2.4	1.9	3.7
7th	33069	3043	83.7	5.4	3.6	2.7	4.6
8th	30506	2868	76.0	7.2	5.6	4.3	7.0
9th	27591	2935	61.7	9.1	9.5	7.8	11.9
10th	28184	2835	55.0	10.7	11.5	9.5	13.3
11th	20630	2420	47.3	11.1	13.4	11.6	16.6
12th	15631	1728	45.1	11.4	13.5	12.5	17.5
Jr Hi	83499	8205	81.9	5.7	4.0	3.1	5.3
Sr Hi	92036	9918	53.6	10.4	11.7	10.0	14.3
Total	175535	18123	67.0	8.2	8.0	6.7	10.0

Table 7.190: How easy is it to get OxyContin?

					- ,		
Grade	N of	N of	Cannot	Very	Fairly	Fairly	Very
Level	Valid	Miss	Get	Difficult	Difficult	Easy	Easy
6th	19854	2364	87.7	4.1	2.4	2.0	3.9
7th	32967	3145	83.6	5.2	3.6	2.7	4.9
8th	30429	2945	76.9	6.9	5.2	4.1	6.9
9th	27450	3076	62.0	8.7	8.8	7.8	12.6
10th	28068	2951	56.5	10.3	10.6	9.3	13.3
11th	20584	2466	48.1	10.5	12.4	11.7	17.3
12th	15543	1816	46.9	11.6	12.7	11.6	17.1
Jr Hi	83250	8454	82.1	5.5	3.9	3.1	5.4
Sr Hi	91645	10309	54.6	10.1	10.8	9.8	14.7
Total	174895	18763	67.7	7.9	7.5	6.6	10.2

#### 7.11 In My School, I Feel Safe...

Table 7.191: In my school, I feel safe in the classroom?

Grade	N of	N of	<u>,                                      </u>				Α
Level	Valid	Miss	Never	Seldom	Sometimes	Often	Lot
6th	20702	1516	9.1	3.8	10.9	15.5	60.6
7th	33830	2282	10.0	4.9	12.4	18.6	54.1
8th	31335	2039	11.4	4.8	12.2	19.6	52.1
9th	28272	2254	11.1	4.6	12.6	22.9	48.8
10th	28886	2133	10.2	4.2	12.5	23.3	49.7
11th	21101	1949	10.3	3.7	10.6	22.7	52.6
12th	16036	1323	9.5	3.3	9.5	21.7	56.0
Jr Hi	85867	5837	10.3	4.6	11.9	18.2	54.9
Sr Hi	94295	7659	10.4	4.1	11.6	22.8	51.2
Total	180162	13496	10.3	4.3	11.8	20.6	52.9

Table 7.192: In my school, I feel safe in the cafeteria?

Grade	N of	N of					А
Level	Valid	Miss	Never	Seldom	Sometimes	Often	Lot
6th	20655	1563	12.1	6.1	13.0	17.8	51.0
7th	33807	2305	12.5	6.6	14.1	19.5	47.3
8th	31347	2027	13.3	6.2	14.0	20.7	45.8
9th	28265	2261	12.6	6.3	15.3	23.6	42.1
10th	28845	2174	11.5	6.0	15.3	24.2	43.0
11th	21094	1956	11.3	4.9	13.2	23.6	47.0
12th	16048	1311	10.5	4.7	12.1	22.3	50.3
Jr Hi	85809	5895	12.7	6.3	13.8	19.5	47.6
Sr Hi	94252	7702	11.6	5.6	14.3	23.6	44.9
Total	180061	13597	12.1	6.0	14.1	21.6	46.2

Table 7.193: In my school, I feel safe in the halls?

Grade	N of	N of					Α
Level	Valid	Miss	Never	Seldom	Sometimes	Often	Lot
6th	20643	1575	16.0	8.5	16.6	17.4	41.4
7th	33758	2354	15.4	8.9	16.2	19.0	40.6
8th	31327	2047	15.0	8.1	16.4	19.9	40.6
9th	28243	2283	13.8	7.7	17.7	22.4	38.4
10th	28853	2166	12.3	7.1	16.8	23.4	40.5
11th	21093	1957	11.6	5.6	14.9	23.3	44.6
12th	16047	1312	10.8	4.9	13.6	22.5	48.2
Jr Hi	85728	5976	15.4	8.5	16.3	18.9	40.8
Sr Hi	94236	7718	12.3	6.6	16.1	22.9	42.1
Total	179964	13694	13.8	7.5	16.2	21.0	41.5

Table 7.194: In my school, I feel safe in the bathroom?

Grade	N of	N of					Α
Level	Valid	Miss	Never	Seldom	Sometimes	Often	Lot
6th	20589	1629	18.3	9.1	14.9	15.9	41.7
7th	33735	2377	17.3	9.4	15.0	17.8	40.6
8th	31275	2099	16.5	8.5	15.0	18.7	41.3
9th	28214	2312	15.3	8.3	16.1	21.3	39.1
10th	28834	2185	13.3	7.4	15.2	23.0	41.0
11th	21104	1946	12.6	6.0	13.6	22.4	45.3
12th	16033	1326	11.5	5.1	12.7	21.4	49.3
Jr Hi	85599	6105	17.2	9.0	15.0	17.7	41.1
Sr Hi	94185	7769	13.4	7.0	14.7	22.1	42.8
Total	179784	13874	15.2	8.0	14.8	20.0	42.0

Table 7.195: In my school, I feel safe in the gym?

				<u> </u>	0,		
Grade	N of	N of					Α
Level	Valid	Miss	Never	Seldom	Sometimes	Often	Lot
6th	20586	1632	12.6	5.9	12.0	16.3	53.2
7th	33711	2401	13.0	6.4	13.0	18.2	49.3
8th	31257	2117	13.5	6.1	13.1	19.6	47.7
9th	28152	2374	12.7	5.7	13.9	22.7	45.0
10th	28795	2224	11.5	5.2	13.3	23.8	46.2
11th	21074	1976	11.4	4.5	12.1	22.8	49.2
12th	16018	1341	10.5	4.0	11.1	22.1	52.4
Jr Hi	85554	6150	13.1	6.2	12.8	18.3	49.7
Sr Hi	94039	7915	11.7	5.0	12.8	23.0	47.6
Total	179593	14065	12.3	5.5	12.8	20.7	48.6

Table 7.196: In my school, I feel safe on the school bus?

Grade	N of	N of					Α
Level	Valid	Miss	Never	Seldom	Sometimes	Often	Lot
6th	20112	2106	19.8	8.5	14.9	15.8	41.0
7th	33115	2997	18.8	8.7	15.0	17.7	39.7
8th	30943	2431	17.4	7.8	14.7	18.8	41.3
9th	27852	2674	16.0	7.4	15.6	20.9	40.1
10th	28429	2590	14.5	7.0	15.0	22.0	41.5
11th	20790	2260	14.7	6.0	13.9	21.2	44.3
12th	15776	1583	13.7	5.2	12.7	20.4	48.0
Jr Hi	84170	7534	18.5	8.3	14.9	17.7	40.6
Sr Hi	92847	9107	14.8	6.6	14.5	21.2	42.8
Total	177017	16641	16.6	7.4	14.7	19.5	41.8

Table 7.197: In my school, I feel safe at school events?

			,	,			
Grade	N of	N of					Α
Level	Valid	Miss	Never	Seldom	Sometimes	Often	Lot
6th	20413	1805	16.2	6.9	13.4	16.7	46.7
7th	33557	2555	15.3	7.0	13.7	18.8	45.2
8th	31155	2219	15.2	6.6	14.1	19.6	44.6
9th	28110	2416	13.7	6.3	15.4	23.0	41.6
10th	28727	2292	12.5	6.1	14.7	23.8	42.9
11th	21030	2020	12.0	5.1	13.9	23.5	45.5
12th	16006	1353	10.9	4.6	13.0	22.5	49.0
Jr Hi	85125	6579	15.5	6.8	13.7	18.6	45.4
Sr Hi	93873	8081	12.5	5.7	14.5	23.3	44.1
Total	178998	14660	13.9	6.2	14.1	21.0	44.7

Table 7.198: In my school, I feel safe on the playground?

Grade	N of	N of			1 70		Α
Level	Valid	Miss	Never	Seldom	Sometimes	Often	Lot
6th	20239	1979	18.7	7.6	13.4	15.8	44.5
7th	32820	3292	19.5	7.1	13.0	16.6	43.8
8th	30611	2763	18.0	6.8	13.5	17.9	43.8
9th	27541	2985	17.5	6.0	13.7	20.2	42.6
10th	28192	2827	15.2	5.7	13.5	21.6	43.9
11th	20603	2447	14.6	4.7	11.9	20.9	48.1
12th	15696	1663	13.2	4.2	11.0	20.5	51.0
Jr Hi	83670	8034	18.8	7.1	13.3	16.9	44.0
Sr Hi	92032	9922	15.4	5.3	12.8	20.8	45.7
Total	175702	17956	17.0	6.2	13.0	18.9	44.9

Table 7.199: In my school, I feel safe in the parking lot?

Grade	N of	N of					Α
Level	Valid	Miss	Never	Seldom	Sometimes	Often	Lot
6th	20367	1851	25.1	10.2	14.7	14.1	35.9
7th	33464	2648	21.5	9.4	14.8	16.4	37.9
8th	31091	2283	19.4	9.0	14.9	17.5	39.3
9th	28085	2441	16.2	8.0	16.6	21.1	38.0
10th	28721	2298	14.4	7.6	16.1	22.2	39.7
11th	21035	2015	13.1	6.2	14.7	22.3	43.7
12th	15999	1360	12.4	5.6	13.6	21.8	46.7
Jr Hi	84922	6782	21.6	9.5	14.8	16.2	37.9
Sr Hi	93840	8114	14.3	7.1	15.5	21.8	41.3
Total	178762	14896	17.8	8.2	15.2	19.2	39.7

Table 7.200: In my school, I feel safe in all school areas?

			, ,				
Grade	N of	N of					Α
Level	Valid	Miss	Never	Seldom	Sometimes	Often	Lot
6th	20397	1821	15.3	7.3	16.7	17.7	43.0
7th	33518	2594	14.9	7.4	16.4	19.2	42.1
8th	31127	2247	15.0	6.8	16.1	20.0	42.2
9th	28073	2453	13.9	6.4	17.2	23.0	39.5
10th	28683	2336	12.7	6.1	16.4	24.1	40.6
11th	20974	2076	11.9	5.2	14.5	23.6	44.8
12th	15936	1423	10.9	4.8	13.5	22.9	48.0
Jr Hi	85042	6662	15.0	7.2	16.4	19.1	42.4
Sr Hi	93666	8288	12.5	5.8	15.7	23.5	42.5
Total	178708	14950	13.7	6.4	16.0	21.4	42.4

#### 7.12 In My Neighborhood, I Feel Safe...

Table 7.201: In my neighborhood, I feel safe where I live?

Grade	N of	N of	<u> </u>				Α
Level	Valid	Miss	Never	Seldom	Sometimes	Often	Lot
6th	20269	1949	6.8	2.4	6.7	9.8	74.2
7th	33311	2801	6.5	2.9	7.1	12.2	71.3
8th	30966	2408	7.2	3.0	8.0	13.3	68.6
9th	27973	2553	7.0	2.6	7.7	15.3	67.3
10th	28641	2378	6.3	2.5	7.4	17.2	66.6
11th	20969	2081	6.4	2.3	6.9	16.4	67.9
12th	15958	1401	6.8	2.3	6.4	16.8	67.7
Jr Hi	84546	7158	6.8	2.8	7.3	12.1	71.0
Sr Hi	93541	8413	6.6	2.5	7.2	16.4	67.3
Total	178087	15571	6.7	2.6	7.3	14.3	69.0

Table 7.202: In my neighborhood, I feel safe in the streets?

Grade	N of	N of					Α
Level	Valid	Miss	Never	Seldom	Sometimes	Often	Lot
6th	20144	2074	25.7	9.5	16.3	16.0	32.6
7th	33163	2949	19.2	8.5	16.1	18.5	37.8
8th	30888	2486	16.1	8.1	15.9	18.8	41.2
9th	27908	2618	12.9	6.6	15.8	20.4	44.4
10th	28575	2444	11.1	6.3	16.1	21.1	45.5
11th	20923	2127	10.3	5.4	13.9	20.7	49.6
12th	15943	1416	10.3	4.9	13.1	20.8	50.9
Jr Hi	84195	7509	19.6	8.6	16.1	18.0	37.8
Sr Hi	93349	8605	11.3	5.9	15.0	20.7	47.0
Total	177544	16114	15.2	7.2	15.5	19.4	42.6

Table 7.203: In my neighborhood, I feel safe at the movies?

Grade	N of	N of					Α
Level	Valid	Miss	Never	Seldom	Sometimes	Often	Lot
6th	20119	2099	14.2	7.4	17.4	19.6	41.4
7th	33156	2956	11.6	6.7	16.0	21.6	44.2
8th	30825	2549	11.0	5.9	15.8	21.9	45.3
9th	27873	2653	9.3	4.7	15.2	23.6	47.1
10th	28548	2471	8.6	4.6	15.0	24.8	47.0
11th	20923	2127	8.2	3.9	13.3	23.7	51.0
12th	15931	1428	8.3	3.7	12.6	23.0	52.4
Jr Hi	84100	7604	12.0	6.6	16.3	21.2	43.9
Sr Hi	93275	8679	8.7	4.3	14.3	23.9	48.8
Total	177375	16283	10.3	5.4	15.2	22.6	46.5

Table 7.204: In my neighborhood, I feel safe on the playground?

Grade	N of	N of	8	,		, 6	Α
Level	Valid	Miss	Never	Seldom	Sometimes	Often	Lot
6th	19984	2234	18.2	8.2	15.5	17.1	40.9
7th	32793	3319	16.4	7.6	14.5	18.3	43.2
8th	30601	2773	15.0	7.2	15.4	18.8	43.6
9th	27616	2910	13.1	5.7	15.2	20.4	45.6
10th	28337	2682	11.5	5.8	15.2	21.9	45.6
11th	20740	2310	10.8	4.5	13.1	21.5	50.1
12th	15829	1530	10.4	4.3	12.6	21.1	51.7
Jr Hi	83378	8326	16.3	7.6	15.1	18.2	42.8
Sr Hi	92522	9432	11.6	5.2	14.3	21.2	47.6
Total	175900	17758	13.8	6.3	14.7	19.8	45.3

Table 7.205: In my neighborhood, I feel safe at my friend's house?

Grade	N of	N of			-		А
Level	Valid	Miss	Never	Seldom	Sometimes	Often	Lot
6th	20120	2098	8.6	3.5	9.5	15.9	62.5
7th	33126	2986	7.4	3.4	9.1	17.3	62.8
8th	30794	2580	7.6	3.0	9.0	17.7	62.7
9th	27857	2669	7.1	2.3	8.3	19.6	62.7
10th	28543	2476	6.4	2.4	8.1	20.4	62.7
11th	20896	2154	6.6	2.1	7.0	19.5	64.8
12th	15916	1443	6.9	2.0	7.0	19.1	65.0
Jr Hi	84040	7664	7.8	3.2	9.2	17.1	62.7
Sr Hi	93212	8742	6.7	2.2	7.7	19.7	63.6
Total	177252	16406	7.2	2.7	8.4	18.5	63.1

Table 7.206: In my neighborhood, I feel safe at the mall?

Grade	N of	N of					Α
Level	Valid	Miss	Never	Seldom	Sometimes	Often	Lot
6th	20068	2150	16.2	8.6	17.8	20.0	37.4
7th	33083	3029	13.2	7.5	16.7	21.5	41.2
8th	30762	2612	11.9	6.7	16.7	22.1	42.6
9th	27759	2767	10.3	5.2	15.8	23.7	45.0
10th	28461	2558	9.3	5.3	16.1	25.0	44.2
11th	20828	2222	8.9	4.2	14.6	24.0	48.2
12th	15849	1510	9.1	4.2	13.3	24.0	49.5
Jr Hi	83913	7791	13.4	7.5	17.0	21.3	40.8
Sr Hi	92897	9057	9.5	4.9	15.2	24.2	46.2
Total	176810	16848	11.4	6.1	16.0	22.9	43.7

#### 7.13 Would Your Parents Disapprove Of You

Table 7.207: Would you parents disapprove of you using tobacco?

				11 7		
Grade	N of	N of	Don't		Strongly	Don't
Level	Valid	Miss	Disapprove	Disapprove	Disapprove	Know
6th	20177	2041	13.5	10.0	67.6	8.9
7th	33294	2818	11.1	10.4	69.5	9.0
8th	30977	2397	10.3	11.3	69.3	9.0
9th	27945	2581	10.5	14.5	65.7	9.3
10th	28631	2388	9.6	16.2	65.5	8.7
11th	20949	2101	11.0	18.9	61.6	8.5
12th	15943	1416	12.4	22.2	56.9	8.4
Jr Hi	84448	7256	11.4	10.6	69.0	9.0
Sr Hi	93468	8486	10.7	17.3	63.2	8.8
Total	177916	15742	11.0	14.2	65.9	8.9

Table 7.208: Would you parents disapprove of you using alcohol?

Grade	N of	N of	Don't		Strongly	Don't
Level	Valid	Miss	Disapprove	Disapprove	Disapprove	Know
6th	20178	2040	14.2	11.6	65.2	9.0
7th	33264	2848	12.2	12.9	65.6	9.3
8th	30940	2434	12.4	15.3	62.3	10.0
9th	27939	2587	12.5	18.9	58.4	10.2
10th	28615	2404	12.6	23.0	54.7	9.7
11th	20966	2084	13.7	24.7	52.9	8.7
12th	15942	1417	17.6	28.1	45.8	8.5
Jr Hi	84382	7322	12.7	13.5	64.3	9.5
Sr Hi	93462	8492	13.7	23.0	53.9	9.4
Total	177844	15814	13.2	18.5	58.8	9.5

T 11 7 000	<b>147</b> 11		1.	_		
Table 7.209:	VVOIIId v	vou narents	disannrove	ก† พกม	lising	mariiiiana (
Table 1.205.	v v Ouiu	you parcits	disappiove	oi you	using	manifuana.

Grade	N of	N of	Don't		Strongly	Don't
Level	Valid	Miss	Disapprove	Disapprove	Disapprove	Know
6th	20156	2062	13.3	8.2	70.5	8.0
7th	33230	2882	10.4	7.9	73.9	7.8
8th	30868	2506	9.5	8.2	74.4	8.0
9th	27903	2623	8.6	10.1	73.0	8.3
10th	28601	2418	7.8	11.3	73.3	7.6
11th	20934	2116	8.2	12.4	72.2	7.3
12th	15919	1440	8.8	13.8	69.9	7.5
Jr Hi	84254	7450	10.8	8.1	73.3	7.9
Sr Hi	93357	8597	8.3	11.6	72.4	7.7
Total	177611	16047	9.5	9.9	72.8	7.8

Table 7.210: Would you parents disapprove of you using other illicit drugs?

Grade	N of	N of	Don't	<u> </u>	Strongly	Don't
Level	Valid	Miss	Disapprove	Disapprove	Disapprove	Know
6th	20091	2127	13.3	8.0	70.5	8.1
7th	33132	2980	10.3	7.6	74.5	7.7
8th	30822	2552	8.9	7.6	75.6	7.9
9th	27801	2725	7.6	8.5	76.1	7.8
10th	28549	2470	6.4	8.5	77.9	7.2
11th	20906	2144	6.5	8.7	78.0	6.9
12th	15879	1480	6.7	8.9	77.4	7.0
Jr Hi	84045	7659	10.5	7.7	74.0	7.8
Sr Hi	93135	8819	6.8	8.6	77.3	7.3
Total	177180	16478	8.6	8.2	75.7	7.6

Table 7.211: Would you parents disapprove of you fighting with a student?

		<i>J</i> 1		, ,		
Grade	N of	N of	Don't		Strongly	Don't
Level	Valid	Miss	Disapprove	Disapprove	Disapprove	Know
6th	20071	2147	17.8	18.5	52.7	11.1
7th	33144	2968	17.6	20.5	50.8	11.2
8th	30839	2535	17.7	22.6	47.8	11.9
9th	27869	2657	16.8	25.3	47.1	10.8
10th	28553	2466	15.4	27.7	46.2	10.7
11th	20908	2142	14.3	28.0	48.1	9.6
12th	15896	1463	13.5	28.9	48.0	9.6
Jr Hi	84054	7650	17.7	20.8	50.1	11.4
Sr Hi	93226	8728	15.3	27.3	47.2	10.3
Total	177280	16378	16.4	24.2	48.6	10.8

Table 7.212: Would you parents disapprove of you carrying a weapon to school?

Grade	N of	N of	Don't		Strongly	Don't
Level	Valid	Miss	Disapprove	Disapprove	Disapprove	Know
6th	20114	2104	13.5	8.3	70.5	7.7
7th	33201	2911	10.3	8.2	74.1	7.4
8th	30867	2507	9.1	8.3	75.1	7.5
9th	27838	2688	7.6	9.5	75.9	7.0
10th	28558	2461	6.8	9.6	77.1	6.5
11th	20911	2139	6.6	9.6	77.8	6.0
12th	15924	1435	6.8	10.3	76.8	6.1
Jr Hi	84182	7522	10.6	8.3	73.6	7.5
Sr Hi	93231	8723	7.0	9.7	76.8	6.5
Total	177413	16245	8.7	9.0	75.3	7.0

Table 7.213: Would you parents disapprove of you threatening a student?

		<u> </u>				
Grade	N of	N of	Don't		Strongly	Don't
Level	Valid	Miss	Disapprove	Disapprove	Disapprove	Know
6th	20101	2117	14.3	12.7	63.7	9.3
7th	33176	2936	12.1	14.4	64.3	9.3
8th	30835	2539	11.4	15.5	63.3	9.7
9th	27837	2689	10.2	17.8	62.9	9.1
10th	28559	2460	9.3	19.3	62.7	8.7
11th	20920	2130	8.9	19.7	63.7	7.7
12th	15904	1455	9.1	20.0	63.0	7.9
Jr Hi	84112	7592	12.4	14.4	63.8	9.5
Sr Hi	93220	8734	9.4	19.0	63.0	8.5
Total	177332	16326	10.8	16.8	63.4	8.9

Table 7.214: Would you parents disapprove of you joining a gang?

Grade	N of	N of	Don't	71	Strongly	Don't
Level	Valid	Miss	Disapprove	Disapprove	Disapprove	Know
6th	20036	2182	13.9	9.3	67.1	9.7
7th	33050	3062	10.9	8.8	71.2	9.1
8th	30735	2639	9.5	8.6	72.7	9.2
9th	27725	2801	7.9	9.0	74.9	8.2
10th	28480	2539	6.7	8.9	76.9	7.5
11th	20837	2213	6.5	8.6	78.4	6.6
12th	15831	1528	6.7	8.9	77.9	6.6
Jr Hi	83821	7883	11.1	8.8	70.8	9.3
Sr Hi	92873	9081	7.0	8.8	76.8	7.3
Total	176694	16964	8.9	8.8	74.0	8.3

#### 7.14 Would Your Friends Disapprove Of You

Table 7.215: Would you friends disapprove of you using tobacco?

				11 7	U	
Grade	N of	N of	Don't		Strongly	Don't
Level	Valid	Miss	Disapprove	Disapprove	Disapprove	Know
6th	19743	2475	17.4	17.7	44.0	20.9
7th	32682	3430	19.8	19.2	39.5	21.5
8th	30491	2883	24.3	19.6	34.5	21.6
9th	27646	2880	32.8	21.5	26.2	19.5
10th	28312	2707	35.0	23.2	24.4	17.4
11th	20728	2322	40.7	21.7	22.3	15.3
12th	15747	1612	44.1	21.0	20.5	14.4
Jr Hi	82916	8788	20.9	19.0	38.7	21.4
Sr Hi	92433	9521	37.2	22.0	23.8	17.0
Total	175349	18309	29.5	20.6	30.9	19.1

Table 7.216: Would you friends disapprove of you using alcohol?

Grade	N of	N of	Don't		Strongly	Don't
Level	Valid	Miss	Disapprove	Disapprove	Disapprove	Know
6th	19740	2478	18.3	17.8	43.1	20.9
7th	32647	3465	21.8	18.9	37.8	21.5
8th	30500	2874	29.7	18.2	30.4	21.8
9th	27624	2902	41.5	18.2	21.5	18.9
10th	28292	2727	49.5	16.7	17.2	16.6
11th	20771	2279	53.2	15.8	16.8	14.3
12th	15744	1615	58.2	14.0	14.3	13.5
Jr Hi	82887	8817	23.8	18.4	36.4	21.5
Sr Hi	92431	9523	49.4	16.5	17.9	16.2
Total	175318	18340	37.3	17.4	26.6	18.7

Table 7.217: Would you friends disapprove of you using marijuana?

Grade	N of	N of	Don't		Strongly	Don't
Level	Valid	Miss	Disapprove	Disapprove	Disapprove	Know
6th	19709	2509	16.1	15.8	48.3	19.8
7th	32627	3485	17.1	17.1	45.4	20.3
8th	30444	2930	21.4	17.8	40.5	20.4
9th	27602	2924	29.0	19.9	32.9	18.3
10th	28285	2734	32.7	20.7	30.2	16.3
11th	20720	2330	36.6	20.5	28.9	14.1
12th	15753	1606	38.1	20.8	27.5	13.6
Jr Hi	82780	8924	18.4	17.0	44.3	20.2
Sr Hi	92360	9594	33.4	20.4	30.2	15.9
Total	175140	18518	26.3	18.8	36.9	18.0

Table 7.218: Would you friends disapprove of you using other illicit drugs?

Grade	N of	N of	Don't	<u> </u>	Strongly	Don't
Level	Valid	Miss	Disapprove	Disapprove	Disapprove	Know
6th	19665	2553	15.6	15.9	48.3	20.2
7th	32554	3558	15.4	17.2	46.6	20.8
8th	30387	2987	17.1	18.2	43.3	21.4
9th	27504	3022	20.3	21.0	39.2	19.5
10th	28208	2811	19.2	22.8	40.3	17.7
11th	20686	2364	20.4	23.4	40.5	15.7
12th	15713	1646	19.7	23.0	42.5	14.8
Jr Hi	82606	9098	16.1	17.3	45.8	20.9
Sr Hi	92111	9843	19.9	22.4	40.4	17.3
Total	174717	18941	18.1	20.0	43.0	19.0

Table 7.219: Would you friends disapprove of you fighting with a student?

		,		, 0	U	
Grade	N of	N of	Don't		Strongly	Don't
Level	Valid	Miss	Disapprove	Disapprove	Disapprove	Know
6th	19660	2558	25.1	18.0	34.6	22.4
7th	32570	3542	30.1	17.7	29.5	22.7
8th	30397	2977	36.2	16.6	24.7	22.4
9th	27536	2990	40.8	18.1	20.7	20.4
10th	28248	2771	42.4	19.1	19.4	19.0
11th	20718	2332	41.2	20.3	21.1	17.4
12th	15723	1636	39.7	21.1	22.1	17.1
Jr Hi	82627	9077	31.1	17.4	29.0	22.5
Sr Hi	92225	9729	41.2	19.4	20.6	18.8
Total	174852	18806	36.4	18.5	24.6	20.5

Table 7.220: Would you friends disapprove of you carrying a weapon to school?

Grade	N of	N of	Don't		Strongly	Don't
Level	Valid	Miss	Disapprove	Disapprove	Disapprove	Know
6th	19690	2528	15.9	15.5	48.6	20.0
7th	32600	3512	15.6	17.3	46.6	20.5
8th	30435	2939	17.3	18.3	43.4	21.1
9th	27553	2973	19.4	20.9	40.8	18.9
10th	28257	2762	18.2	22.1	42.4	17.4
11th	20742	2308	17.6	22.1	45.0	15.3
12th	15729	1630	16.8	21.5	46.9	14.7
Jr Hi	82725	8979	16.3	17.2	45.9	20.6
Sr Hi	92281	9673	18.2	21.6	43.3	16.9
Total	175006	18652	17.3	19.6	44.5	18.6

Table 7.221: Would you friends disapprove of you threatening a student?

Grade	N of	N of	Don't	, , , , , , , , , , , , , , , , , , ,	Strongly	Don't
Level	Valid	Miss	Disapprove	Disapprove	Disapprove	Know
6th	19675	2543	19.8	17.5	41.2	21.5
7th	32591	3521	22.5	18.4	36.9	22.2
8th	30422	2952	26.9	18.4	32.1	22.6
9th	27557	2969	30.8	20.6	27.9	20.7
10th	28247	2772	31.3	22.0	27.1	19.6
11th	20738	2312	31.1	22.7	28.9	17.4
12th	15720	1639	30.2	22.5	30.5	16.8
Jr Hi	82688	9016	23.5	18.2	36.2	22.2
Sr Hi	92262	9692	30.9	21.8	28.3	19.0
Total	174950	18708	27.4	20.1	32.0	20.5

Table 7.222: Would you friends disapprove of you joining a gang?

				11 7	3 0 0	
Grade	N of	N of	Don't		Strongly	Don't
Level	Valid	Miss	Disapprove	Disapprove	Disapprove	Know
6th	19586	2632	17.7	15.2	45.2	21.8
7th	32479	3633	17.4	16.3	43.9	22.4
8th	30322	3052	19.2	16.7	41.5	22.6
9th	27422	3104	19.5	19.1	41.2	20.2
10th	28146	2873	17.8	20.0	43.4	18.8
11th	20624	2426	16.6	19.8	47.1	16.5
12th	15638	1721	15.6	18.9	50.2	15.3
Jr Hi	82387	9317	18.1	16.2	43.3	22.3
Sr Hi	91830	10124	17.7	19.5	44.7	18.1
Total	174217	19441	17.9	17.9	44.1	20.1

### 7.15 Frequency of Use

Table 7.223: Frequency of Use – Cigarettes?

			1 2		0	
Grade	N of	N of				
Level	Valid	Miss	Daily	Weekly	Monthly	Annual
6th	21705	513	2.1	3.3	4.6	9.9
7th	35453	659	2.6	5.5	7.6	15.8
8th	32705	669	4.3	8.2	11.1	20.7
9th	29905	621	8.2	13.3	17.0	27.7
10th	30391	628	9.2	14.7	18.7	30.1
11th	22534	516	12.5	18.4	22.8	34.3
12th	16972	387	14.6	21.1	25.8	37.4
Jr Hi	89863	1841	3.1	6.0	8.1	16.2
Sr Hi	99802	2152	10.6	16.2	20.3	31.6
Total	189665	3993	7.0	11.4	14.5	24.3

Table 7.224: Frequency of Use – Smokeless Tobacco?

		- 1	- ,			
Grade	N of	N of				
Level	Valid	Miss	Daily	Weekly	Monthly	Annual
6th	21653	565	1.5	2.1	2.6	4.9
7th	35402	710	1.4	2.6	3.6	6.9
8th	32624	750	1.9	3.3	4.6	8.1
9th	29839	687	3.8	6.0	7.8	12.7
10th	30311	708	3.6	5.5	7.2	11.7
11th	22488	562	4.9	7.0	9.0	14.4
12th	16916	443	5.5	7.9	10.0	15.7
Jr Hi	89679	2025	1.6	2.8	3.7	6.9
Sr Hi	99554	2400	4.3	6.4	8.2	13.3
Total	189233	4425	3.0	4.7	6.1	10.2

Table 7.225: Frequency of Use – Cigars?

Grade	N of	N of				
Level	Valid	Miss	Daily	Weekly	Monthly	Annual
6th	21572	646	1.3	1.9	2.5	5.0
7th	35278	834	0.9	2.1	3.3	7.7
8th	32532	842	1.3	2.9	4.7	10.5
9th	29749	777	1.9	4.5	7.9	16.3
10th	30210	809	2.0	4.6	8.6	18.5
11th	22393	657	2.5	5.9	11.6	23.3
12th	16887	472	3.2	7.1	13.3	27.4
Jr Hi	89382	2322	1.2	2.3	3.6	8.0
Sr Hi	99239	2715	2.3	5.3	9.9	20.4
Total	188621	5037	1.8	3.9	6.9	14.6

Table 7.226: Frequency of Use – Beer?

rable 1.220. Frequency of obe Beer.								
Grade	N of	N of						
Level	Valid	Miss	Daily	Weekly	Monthly	Annual		
6th	21548	670	1.5	2.9	4.5	14.7		
7th	35272	840	1.1	3.7	7.3	21.3		
8th	32486	888	1.7	6.0	12.1	31.0		
9th	29781	745	2.4	10.2	20.1	40.4		
10th	30254	765	2.4	12.8	25.9	48.1		
11th	22430	620	2.9	15.7	29.9	51.4		
12th	16876	483	3.9	20.2	35.8	56.0		
Jr Hi	89306	2398	1.4	4.3	8.4	23.2		
Sr Hi	99341	2613	2.8	13.9	26.7	47.9		
Total	188647	5011	2.1	9.4	18.1	36.2		

Table 7.227: Frequency of Use – Wine Coolers?

Grade	N of	N of	<u> </u>			
Level	Valid	Miss	Daily	Weekly	Monthly	Annual
6th	21505	713	1.5	2.9	4.7	15.3
7th	35259	853	1.2	3.7	7.2	22.2
8th	32469	905	1.7	5.6	11.4	31.6
9th	29749	777	2.2	7.8	16.5	38.2
10th	30201	818	2.0	7.8	18.3	42.8
11th	22378	672	2.3	8.7	19.5	42.6
12th	16858	501	2.8	9.1	21.1	44.5
Jr Hi	89233	2471	1.5	4.2	8.1	24.0
Sr Hi	99186	2768	2.3	8.2	18.5	41.7
Total	188419	5239	1.9	6.3	13.6	33.3

Table 7.228: Frequency of Use – Liquor?

Grade	N of	N of				
Level	Valid	Miss	Daily	Weekly	Monthly	Annual
6th	21496	722	1.4	2.3	3.3	8.4
7th	35226	886	1.0	2.9	5.5	14.9
8th	32431	943	1.7	5.4	10.4	25.4
9th	29707	819	2.4	9.6	19.1	38.0
10th	30178	841	2.4	11.9	25.3	47.7
11th	22382	668	2.8	14.3	30.0	52.3
12th	16856	503	3.6	16.7	34.4	57.9
Jr Hi	89153	2551	1.3	3.7	6.7	17.1
Sr Hi	99123	2831	2.7	12.6	26.0	47.5
Total	188276	5382	2.1	8.3	16.9	33.1

Table 7.229: Frequency of Use – Marijuana?

			94400	0. 000	···ai ijaaiia i	
Grade	N of	N of				
Level	Valid	Miss	Daily	Weekly	Monthly	Annual
6th	21507	711	1.7	2.5	3.0	4.7
7th	35197	915	1.5	3.4	4.8	8.2
8th	32468	906	2.7	5.9	8.3	13.7
9th	29706	820	4.6	10.1	14.1	22.6
10th	30193	826	5.0	11.3	16.7	27.3
11th	22390	660	6.7	14.0	20.0	31.7
12th	16850	509	7.7	14.5	20.7	33.6
Jr Hi	89172	2532	2.0	4.1	5.6	9.4
Sr Hi	99139	2815	5.7	12.1	17.4	27.9
Total	188311	5347	3.9	8.3	11.8	19.1

Table 7.230: Frequency of Use – Cocaine?

				,	0000	
Grade	N of	N of				_
Level	Valid	Miss	Daily	Weekly	Monthly	Annual
6th	21492	726	1.3	1.6	1.8	2.5
7th	35159	953	0.7	1.1	1.5	2.5
8th	32455	919	1.1	1.7	2.3	3.7
9th	29729	797	1.5	2.4	3.3	5.3
10th	30164	855	1.7	2.6	3.5	5.7
11th	22339	711	2.0	3.1	4.5	7.5
12th	16845	514	2.6	3.9	5.4	8.8
Jr Hi	89106	2598	1.0	1.4	1.9	2.9
Sr Hi	99077	2877	1.9	2.9	4.0	6.5
Total	188183	5475	1.5	2.2	3.0	4.8

Table 7.231: Frequency of Use – Uppers?

				,		
Grade	N of	N of				
Level	Valid	Miss	Daily	Weekly	Monthly	Annual
6th	21321	897	1.3	1.6	1.9	2.4
7th	35118	994	0.6	1.1	1.4	2.3
8th	32418	956	1.0	1.6	2.2	3.5
9th	29677	849	1.6	2.5	3.6	5.5
10th	30119	900	1.6	2.5	3.6	5.6
11th	22340	710	1.9	3.1	4.5	7.0
12th	16821	538	2.5	3.6	5.2	7.7
Jr Hi	88857	2847	0.9	1.4	1.8	2.7
Sr Hi	98957	2997	1.8	2.8	4.0	6.3
Total	187814	5844	1.4	2.1	3.0	4.6

Table 7.232: Frequency of Use – Downers?

			- 1			
Grade	N of	N of				
Level	Valid	Miss	Daily	Weekly	Monthly	Annual
6th	21279	939	1.3	1.6	1.9	2.6
7th	35082	1030	0.7	1.2	1.7	2.8
8th	32368	1006	1.2	1.9	2.6	4.2
9th	29644	882	1.7	3.0	4.4	6.8
10th	30119	900	1.8	2.9	4.4	6.9
11th	22308	742	2.0	3.5	5.6	8.7
12th	16834	525	2.5	4.0	6.0	9.0
Jr Hi	88729	2975	1.0	1.5	2.1	3.3
Sr Hi	98905	3049	1.9	3.3	4.9	7.7
Total	187634	6024	1.5	2.4	3.6	5.6

Table 7.233: Frequency of Use – Inhalants?

Consta	NI - C	NI - C	- 1 7			
Grade	N of	N of				
Level	Valid	Miss	Daily	Weekly	Monthly	Annual
6th	21330	888	1.5	2.1	2.6	5.1
7th	35060	1052	0.9	1.8	2.7	5.8
8th	32344	1030	1.2	2.1	3.2	6.5
9th	29599	927	1.4	2.4	3.6	6.6
10th	30088	931	1.5	2.2	3.4	5.9
11th	22313	737	1.8	2.4	3.5	5.7
12th	16810	549	2.3	2.9	4.0	5.9
Jr Hi	88734	2970	1.1	2.0	2.9	5.9
Sr Hi	98810	3144	1.7	2.4	3.6	6.1
Total	187544	6114	1.4	2.2	3.2	6.0

Table 7.234: Frequency of Use – Hallucinogens?

Grade	N of	N of				
Level	Valid	Miss	Daily	Weekly	Monthly	Annual
6th	21224	994	1.2	1.5	1.7	2.2
7th	35038	1074	0.7	1.0	1.4	2.1
8th	32306	1068	0.9	1.4	2.0	3.2
9th	29608	918	1.3	2.0	3.0	4.9
10th	30088	931	1.5	2.1	3.1	4.9
11th	22308	742	1.8	2.5	3.7	6.4
12th	16785	574	2.3	3.1	4.4	7.3
Jr Hi	88568	3136	0.9	1.3	1.7	2.5
Sr Hi	98789	3165	1.6	2.3	3.4	5.6
Total	187357	6301	1.3	1.8	2.6	4.2

Table 7.235: Frequency of Use - Heroin?

			. 09 0	,		
Grade	N of	N of				
Level	Valid	Miss	Daily	Weekly	Monthly	Annual
6th	21228	990	1.2	1.5	1.7	2.2
7th	34991	1121	0.6	0.9	1.3	2.0
8th	32286	1088	1.0	1.4	1.8	2.8
9th	29601	925	1.3	1.8	2.4	3.5
10th	30051	968	1.5	2.0	2.4	3.4
11th	22281	769	1.8	2.3	2.9	4.2
12th	16778	581	2.3	3.0	3.7	5.0
Jr Hi	88505	3199	0.9	1.2	1.6	2.3
Sr Hi	98711	3243	1.6	2.1	2.8	3.9
Total	187216	6442	1.3	1.7	2.2	3.1

Table 7.236: Frequency of Use – Steroids?

				,	010.0.00.	
Grade	N of	N of				
Level	Valid	Miss	Daily	Weekly	Monthly	Annual
6th	21202	1016	1.3	1.6	1.8	2.5
7th	34963	1149	0.7	1.0	1.3	2.1
8th	32229	1145	1.0	1.5	1.8	2.7
9th	29583	943	1.3	1.9	2.4	3.5
10th	30028	991	1.5	1.9	2.4	3.3
11th	22250	800	1.8	2.3	2.9	3.9
12th	16773	586	2.2	2.9	3.6	4.7
Jr Hi	88394	3310	0.9	1.3	1.6	2.4
Sr Hi	98634	3320	1.6	2.2	2.7	3.7
Total	187028	6630	1.3	1.8	2.2	3.1

Table 7.237: Frequency of Use – Ecstasy?

Grade	N of	N of				
Level	Valid	Miss	Daily	Weekly	Monthly	Annual
6th	21108	1110	1.2	1.5	1.7	2.2
7th	34929	1183	0.6	1.0	1.4	2.2
8th	32195	1179	1.0	1.5	2.1	3.5
9th	29517	1009	1.4	2.1	3.0	5.0
10th	30000	1019	1.5	2.2	3.0	5.1
11th	22252	798	1.8	2.5	3.6	6.1
12th	16770	589	2.3	3.2	4.3	7.2
Jr Hi	88232	3472	0.9	1.3	1.7	2.7
Sr Hi	98539	3415	1.7	2.4	3.4	5.7
Total	186771	6887	1.3	1.9	2.6	4.3

Table 7.238: Frequency of Use – OxyContin?

	10010 1.2		quoney	01 000	oxy contini.	
Grade	${\sf N}$ of	${\sf N}$ of				
Level	Valid	Miss	Daily	Weekly	Monthly	Annual
6th	21065	1153	1.3	1.5	1.7	2.4
7th	34816	1296	0.7	1.1	1.5	2.4
8th	32056	1318	1.0	1.6	2.2	3.4
9th	29433	1093	1.6	2.4	3.4	5.7
10th	29898	1121	1.6	2.4	3.4	5.6
11th	22217	833	2.0	3.0	4.1	7.2
12th	16712	647	2.4	3.2	4.3	7.2
Jr Hi	87937	3767	1.0	1.4	1.8	2.8
Sr Hi	98260	3694	1.8	2.7	3.7	6.3
Total	186197	7461	1.4	2.1	2.8	4.6

Table 7.239: Frequency of Use – Any Tobacco?

Grade	N of	N of	, a c		ny robacco	<u></u>
Level	Valid	Miss	Daily	Weekly	Monthly	Annual
6th	21778	440	2.5	4.0	5.4	11.8
7th	35588	524	3.5	6.9	9.3	19.0
8th	32845	529	5.2	9.8	13.1	24.2
9th	30040	486	10.2	16.1	20.6	33.3
10th	30498	521	11.1	17.6	22.5	36.0
11th	22622	428	15.4	22.0	27.7	41.4
12th	17046	313	17.4	24.7	30.9	45.7
Jr Hi	90211	1493	3.9	7.3	9.8	19.2
Sr Hi	100206	1748	12.9	19.4	24.5	38.1
Total	190417	3241	8.6	13.6	17.5	29.1

Table 7.240: Frequency of Use – Any Alcohol?

Grade	N of	N of				
Level	Valid	Miss	Daily	Weekly	Monthly	Annual
6th	21723	495	1.9	3.9	6.2	21.4
7th	35526	586	1.6	5.3	10.0	30.5
8th	32780	594	2.4	8.4	16.2	42.5
9th	29978	548	3.2	13.3	25.4	52.6
10th	30451	568	3.0	15.9	31.8	61.1
11th	22575	475	3.6	19.2	36.2	63.7
12th	17004	355	4.5	23.3	41.8	68.0
Jr Hi	90029	1675	1.9	6.1	11.3	32.6
Sr Hi	100008	1946	3.5	17.1	32.6	60.3
Total	190037	3621	2.8	11.9	22.5	47.2

Table 7.241: Frequency of Use – Any Illicit Drugs?

Grade	N of	N of				
Level	Valid	Miss	Daily	Weekly	Monthly	Annual
6th	21756	462	2.5	3.7	4.5	8.3
7th	35569	543	2.6	5.0	6.7	12.5
8th	32820	554	3.7	7.4	10.3	17.5
9th	30027	499	6.0	11.8	16.2	25.7
10th	30478	541	6.2	12.9	18.5	29.7
11th	22596	454	8.0	15.6	21.8	33.9
12th	17032	327	9.1	16.4	22.5	35.6
Jr Hi	90145	1559	3.0	5.6	7.5	13.3
Sr Hi	100133	1821	7.0	13.8	19.2	30.4
Total	190278	3380	5.1	9.9	13.7	22.3


## **Chapter 8**


# **Year-to-Year Graphics**


The following graphs compare prevalence of drug use data across several years.


- The first set of graphs present data on the frequency of use. For the each drug, there is a chart reporting *Annual Use* (i.e. any use within the past year) and *Monthly Use* (i.e. use at least once per month).
- The second set of graphs present data on the availability of drugs. Each graph presents the percent of students who report a particular drug as being Fairly Easy or Very Easy to get.
- The third set of graphs present data on the effect of use of drugs. Each graph presents the percent of students who report getting *Very High* or *Bombed/Stoned* when using a particular drug.


### 8.1 Annual & Monthly Frequency of Use Across Years

































































Monthly Use of Inhalants































## 8.2 Availability Across Years







































## 8.3 Effect of Use Across Years

