



Questionnaire Report for Grades 6 to 12
2006-07 National Summary

February 1, 2008

Contents

- 1 Introduction 17**
 - 1.1 How To Use Your Data 17

- 2 Summary 19**
 - 2.1 Core Measures 19
 - 2.2 Annual and Monthly Use 20
 - 2.3 Where Students Use 20
 - 2.4 When Students Use 20
 - 2.5 Risk Factors 21
 - 2.6 Protective Factors 21

- 3 Graphics 22**
 - 3.1 Frequency of Use 23
 - 3.1.1 Annual Use 23
 - 3.1.2 30-Day Use 30
 - 3.2 Perception of Risk 37
 - 3.3 Perception of Parental Disapproval 58
 - 3.4 Perception of Friends' Disapproval 68
 - 3.5 Average Age of Onset of Use 78
 - 3.6 Student Information 92
 - 3.7 Availability 103
 - 3.8 Where Do You Use 114
 - 3.9 When Do You Use 127
 - 3.10 Drug Use by Gender 140
 - 3.11 Risk and Protective Factors – Cross Tabulations 161
 - 3.11.1 Attend Church or Synagogue 162

| | |
|--|------------|
| 3.11.2 Take Part in Community Activities | 163 |
| 3.11.3 Make Good Grades | 164 |
| 3.11.4 Take Part in Sports Teams | 165 |
| 3.11.5 Take Part in School Activities | 166 |
| 3.11.6 Get Into Trouble at School | 167 |
| 3.11.7 Teachers Talk About Dangers of Drugs | 168 |
| 3.11.8 Parents Talk About Dangers of Drugs | 169 |
| 3.11.9 Parents Set Clear Rules | 170 |
| 3.11.10Parents Punish for Breaking Rules | 171 |
| 3.12 Safety and Health – Cross Tabulations | 172 |
| 3.13 Carrying a Gun to School | 173 |
| 3.14 Involvement in Gangs | 174 |
| 3.15 Thinking About Suicide | 175 |
| 3.16 Being Overweight | 176 |
| 3.17 Threatening/Harmful Behaviors | 177 |
| 3.18 Trouble with Police | 178 |
| 3.19 Personal Safety | 179 |
| 4 Percentage Tables | 180 |
| 4.1 Personal & Family Information | 181 |
| 4.2 Student Information | 185 |
| 4.3 Do You Feel The Following Are Harmful To Your Health? | 196 |
| 4.4 Within The Past Year How Often Have You... | 203 |
| 4.5 At What Age Did You First... | 213 |
| 4.6 Where Do You Usually Use... | 218 |
| 4.7 When Do You Usually Use... | 223 |
| 4.8 How Easy Is It To Get... | 228 |
| 4.9 What Effect Do You Most Often Get When You Use | 231 |
| 4.10 While At School Have You... | 234 |
| 4.11 In My School, I Feel Safe... | 239 |
| 4.12 How Wrong Would Your Parents Feel It Would Be For You To... | 242 |
| 4.13 How Wrong Would Your Friends Feel It Would Be For You To... | 245 |
| 4.14 Frequency of Use | 248 |
| 5 Narrative Report | 255 |
| 5.1 Introduction | 255 |
| 5.1.1 The Pride Surveys Questionnaire | 255 |

| | | |
|----------|--|------------|
| 5.1.2 | The Report | 256 |
| 5.2 | Gateway Drugs | 256 |
| 5.2.1 | Tobacco | 257 |
| 5.2.2 | Alcohol | 258 |
| 5.2.3 | Marijuana | 261 |
| 5.3 | Other Illicit Drugs | 263 |
| 5.3.1 | Cocaine, Uppers, and Downers | 263 |
| 5.4 | The Media and Data Presentation | 266 |
| 5.4.1 | Community Awareness | 266 |
| 5.4.2 | The Media | 267 |
| 5.4.3 | Presentations to School/Community Groups | 269 |
| 5.4.4 | Sample Press Release | 272 |
| 6 | Drug-Free Communities Support Program Core Measures | 274 |
| 7 | National Summary Statistics | 277 |
| 7.1 | Outline of Procedures Used to Obtain PRIDE National Summary Data | 277 |
| 7.2 | National Summary Tables | 278 |
| 7.3 | National Summary Graphics | 289 |

List of Tables

| | | |
|------|---|-----|
| 1.1 | Number of Students Surveyed | 18 |
| 2.1 | Core Measures for All Students | 19 |
| 2.2 | Percentage of Students Who Report Using Drugs | 20 |
| 2.3 | Where Do Students Report Using | 20 |
| 2.4 | When Do Students Report Using | 20 |
| 2.5 | Percentage Of Students At Risk | 21 |
| 2.6 | Percentage Of Students Protected | 21 |
| 3.1 | Attend Church or Synagogue | 162 |
| 3.2 | Take Part in Community Activities | 163 |
| 3.3 | Make Good Grades | 164 |
| 3.4 | Take Part in Sports Teams | 165 |
| 3.5 | Take Part in School Activities | 166 |
| 3.6 | Get Into Trouble at School | 167 |
| 3.7 | Teachers Talk About Dangers of Drugs | 168 |
| 3.8 | Parents Talk About Dangers of Drugs | 169 |
| 3.9 | Parents Set Clear Rules | 170 |
| 3.10 | Parents Punish for Breaking Rules | 171 |
| 4.1 | Ethnic Origin | 181 |
| 4.2 | Sex | 181 |
| 4.3 | Age | 182 |
| 4.4 | Do you live with... | 182 |
| 4.5 | Do you have a job? | 182 |
| 4.6 | Does your father have a job? | 183 |
| 4.7 | Does your mother have a job? | 183 |

| | | |
|------|--|-----|
| 4.8 | What is the educational level of your father? | 183 |
| 4.9 | What is the educational level of your mother? | 184 |
| 4.10 | Do you make good grades? | 185 |
| 4.11 | Do you get into trouble at school? | 185 |
| 4.12 | Do you take part in school sports teams? | 185 |
| 4.13 | Do you take part in school activities such as band, clubs, etc.? | 186 |
| 4.14 | Do you take part in community activities such as scouts, rec. teams, youth clubs, etc.? | 186 |
| 4.15 | Do you attend church, synagogue, etc.? | 186 |
| 4.16 | Do your parents talk with you about the problems of tobacco, alcohol and drug use? | 187 |
| 4.17 | Do your teachers talk with you about the problems of tobacco, alcohol and drug use? | 187 |
| 4.18 | Have you skipped school without your parents' permission in the past year? | 187 |
| 4.19 | Does your school set clear rules on using drugs at school? | 188 |
| 4.20 | Does your school set clear rules on bullying or threatening other students at school? | 188 |
| 4.21 | Do your parents set clear rules for you? | 188 |
| 4.22 | Do your parents punish you when you break the rules? | 189 |
| 4.23 | Have you been in trouble with the police? | 189 |
| 4.24 | Do you take part in gang activities? | 189 |
| 4.25 | Have you thought about committing suicide? | 190 |
| 4.26 | Do you have an adult, other than your parent or guardian, that you talk to about problems? | 190 |
| 4.27 | Do your friends use tobacco (cigarettes, etc.)? | 190 |
| 4.28 | Do your friends use alcohol (beer, liquor, etc.)? | 191 |
| 4.29 | Do your friends use marijuana (pot, hash, etc.)? | 191 |
| 4.30 | Do your friends use other illicit drugs? | 192 |
| 4.31 | Have you had 5 or more glasses of beer, coolers, breezers or liquor within a few hours? | 192 |
| 4.32 | Have you driven a car after or while drinking alcohol? | 192 |
| 4.33 | Does your school ask any students to take a drug test? | 193 |
| 4.34 | Does your school have a Student Assistance Program(SAP)? | 193 |
| 4.35 | Does your school have a school security (police) officer? | 193 |
| 4.36 | Does your school security(police) officer help keep your school safe? | 193 |
| 4.37 | Do you think that you are overweight? | 194 |
| 4.38 | Has a doctor told you that you are overweight? | 194 |
| 4.39 | Have you bought or sold drugs AT school? | 194 |
| 4.40 | Have you bought or sold drugs when NOT at school? | 194 |
| 4.41 | Have you carried a gun for protection or as a weapon when NOT at school in the past year? | 195 |
| 4.42 | Do you feel that using cigarettes is harmful to your health? | 196 |
| 4.43 | Do you feel that using smokeless tobacco is harmful to your health? | 196 |

| | | |
|------|---|-----|
| 4.44 | Do you feel that using cigars is harmful to your health? | 196 |
| 4.45 | Do you feel that using beer is harmful to your health? | 197 |
| 4.46 | Do you feel that using coolers, breezers, etc. is harmful to your health? | 197 |
| 4.47 | Do you feel that using liquor is harmful to your health? | 197 |
| 4.48 | Do you feel that using marijuana is harmful to your health? | 198 |
| 4.49 | Do you feel that using cocaine is harmful to your health? | 198 |
| 4.50 | Do you feel that using uppers is harmful to your health? | 198 |
| 4.51 | Do you feel that using downers is harmful to your health? | 199 |
| 4.52 | Do you feel that using inhalants is harmful to your health? | 199 |
| 4.53 | Do you feel that using hallucinogens is harmful to your health? | 199 |
| 4.54 | Do you feel that using heroin is harmful to your health? | 200 |
| 4.55 | Do you feel that using anabolic steroids is harmful to your health? | 200 |
| 4.56 | Do you feel that using ecstasy is harmful to your health? | 200 |
| 4.57 | Do you feel that using OxyContin is harmful to your health? | 201 |
| 4.58 | Do you feel that using meth is harmful to your health? | 201 |
| 4.59 | Do you feel that using any tobacco is harmful to your health? | 201 |
| 4.60 | Do you feel that using any alcohol is harmful to your health? | 202 |
| 4.61 | Do you feel that using any illicit drugs is harmful to your health? | 202 |
| 4.62 | Within the past year how often have you smoked cigarettes? | 203 |
| 4.63 | Within the past year how often have you used smokeless tobacco? | 203 |
| 4.64 | Within the past year how often have you smoked cigars? | 204 |
| 4.65 | Within the past year how often have you drunk beer? | 204 |
| 4.66 | Within the past year how often have you drunk coolers, breezers, etc.? | 205 |
| 4.67 | Within the past year how often have you drunk liquor? | 205 |
| 4.68 | Within the past year how often have you smoked marijuana? | 206 |
| 4.69 | Within the past year how often have you used cocaine? | 206 |
| 4.70 | Within the past year how often have you used uppers? | 207 |
| 4.71 | Within the past year how often have you used downers? | 207 |
| 4.72 | Within the past year how often have you used inhalants? | 208 |
| 4.73 | Within the past year how often have you used hallucinogens? | 208 |
| 4.74 | Within the past year how often have you used heroin? | 209 |
| 4.75 | Within the past year how often have you used anabolic steroids? | 209 |
| 4.76 | Within the past year how often have you used ecstasy? | 210 |
| 4.77 | Within the past year how often have you used OxyContin? | 210 |
| 4.78 | Within the past year how often have you used meth? | 211 |
| 4.79 | Within the past year how often have you used any tobacco? | 211 |

| | | |
|-------|--|-----|
| 4.80 | Within the past year how often have you used any alcohol? | 212 |
| 4.81 | Within the past year how often have you used any illicit drug? | 212 |
| 4.82 | At what age did you first smoke cigarettes? | 213 |
| 4.83 | At what age did you first use smokeless tobacco? | 213 |
| 4.84 | At what age did you first smoke cigars? | 214 |
| 4.85 | At what age did you first drink beer? | 214 |
| 4.86 | At what age did you first drink coolers, breezers, etc.? | 215 |
| 4.87 | At what age did you first drink liquor? | 215 |
| 4.88 | At what age did you first smoke marijuana? | 216 |
| 4.89 | At what age did you first use cocaine? | 216 |
| 4.90 | At what age did you first use meth? | 217 |
| 4.91 | At what age did you first use other illegal drugs? | 217 |
| 4.92 | Where do you usually smoke cigarettes? | 218 |
| 4.93 | Where do you usually use smokeless tobacco? | 218 |
| 4.94 | Where do you usually smoke cigars? | 219 |
| 4.95 | Where do you usually drink beer? | 219 |
| 4.96 | Where do you usually drink coolers, breezers, etc.? | 219 |
| 4.97 | Where do you usually drink liquor? | 220 |
| 4.98 | Where do you usually smoke marijuana? | 220 |
| 4.99 | Where do you usually use cocaine? | 220 |
| 4.100 | Where do you usually use meth? | 221 |
| 4.101 | Where do you usually use tobacco? | 221 |
| 4.102 | Where do you usually use alcohol? | 221 |
| 4.103 | Where do you usually use illicit drugs? | 222 |
| 4.104 | When do you usually smoke cigarettes? | 223 |
| 4.105 | When do you usually use smokeless tobacco? | 223 |
| 4.106 | When do you usually smoke cigars? | 224 |
| 4.107 | When do you usually drink beer? | 224 |
| 4.108 | When do you usually drink coolers, breezers, etc.? | 224 |
| 4.109 | When do you usually drink liquor? | 225 |
| 4.110 | When do you usually smoke marijuana? | 225 |
| 4.111 | When do you usually use cocaine? | 225 |
| 4.112 | When do you usually use meth? | 226 |
| 4.113 | When do you usually use tobacco? | 226 |
| 4.114 | When do you usually use alcohol? | 226 |
| 4.115 | When do you usually use illicit drugs? | 227 |

| | | |
|-------|---|-----|
| 4.116 | How easy is it to get cigarettes, smokeless tobacco, cigars, etc.? | 228 |
| 4.117 | How easy is it to get beer? | 228 |
| 4.118 | How easy is it to get coolers, breezers, etc.? | 228 |
| 4.119 | How easy is it to get liquor? | 229 |
| 4.120 | How easy is it to get marijuana? | 229 |
| 4.121 | How easy is it to get cocaine? | 229 |
| 4.122 | How easy is it to get meth? | 230 |
| 4.123 | How easy is it to get a handgun? | 230 |
| 4.124 | What effect do you most often get when you drink beer? | 231 |
| 4.125 | What effect do you most often get when you drink wine coolers? | 231 |
| 4.126 | What effect do you most often get when you drink liquor? | 231 |
| 4.127 | What effect do you most often get when you smoke marijuana? | 232 |
| 4.128 | What effect do you most often get when you use cocaine? | 232 |
| 4.129 | What effect do you most often get when you use meth? | 232 |
| 4.130 | What effect do you most often get when you use other illegal drugs? | 233 |
| 4.131 | Carried a handgun? | 234 |
| 4.132 | Carried a knife, club or other weapon? | 234 |
| 4.133 | Threatened a student with a handgun, knife or club? | 234 |
| 4.134 | Threatened to hurt a student by hitting, slapping or kicking? | 235 |
| 4.135 | Hurt a student by using a handgun, knife or club? | 235 |
| 4.136 | Hurt a student by hitting, slapping or kicking? | 235 |
| 4.137 | Been threatened with a handgun, knife or club by a student? | 236 |
| 4.138 | Had a student threaten to hit, slap or kick you? | 236 |
| 4.139 | Been afraid a student may hurt you? | 236 |
| 4.140 | Been hurt by a student using a handgun, knife or club? | 237 |
| 4.141 | Been hurt by a student who hit, slapped or kicked you? | 237 |
| 4.142 | Been helped by a school security (police) officer? | 237 |
| 4.143 | Been in trouble with a school security (police) officer? | 238 |
| 4.144 | In my school, I feel safe in the classroom. | 239 |
| 4.145 | In my school, I feel safe in the cafeteria. | 239 |
| 4.146 | In my school, I feel safe in the halls. | 239 |
| 4.147 | In my school, I feel safe in the bathroom. | 240 |
| 4.148 | In my school, I feel safe in the gym. | 240 |
| 4.149 | In my school, I feel safe on the school bus. | 240 |
| 4.150 | In my school, I feel safe at school events. | 241 |
| 4.151 | In my school, I feel safe on the playground. | 241 |

| | | |
|-------|--|-----|
| 4.152 | In my school, I feel safe in the parking lot. | 241 |
| 4.153 | How wrong would your parents feel it would be for you to use tobacco? | 242 |
| 4.154 | How wrong would your parents feel it would be for you to use alcohol? | 242 |
| 4.155 | How wrong would your parents feel it would be for you to use marijuana? | 242 |
| 4.156 | How wrong would your parents feel it would be for you to use other illicit drugs? | 243 |
| 4.157 | How wrong would your parents feel it would be for you to fight with a student? | 243 |
| 4.158 | How wrong would your parents feel it would be for you to carry a weapon to school? | 243 |
| 4.159 | How wrong would your parents feel it would be for you to threaten a student? | 244 |
| 4.160 | How wrong would your parents feel it would be for you to join a gang? | 244 |
| 4.161 | How wrong would your parents feel it would be for you to make bad grades? | 244 |
| 4.162 | How wrong would your friends feel it would be for you to use tobacco? | 245 |
| 4.163 | How wrong would your friends feel it would be for you to use alcohol? | 245 |
| 4.164 | How wrong would your friends feel it would be for you to use marijuana? | 245 |
| 4.165 | How wrong would your friends feel it would be for you to use other illicit drugs? | 246 |
| 4.166 | How wrong would your friends feel it would be for you to fight with a student? | 246 |
| 4.167 | How wrong would your friends feel it would be for you to carry a weapon to school? | 246 |
| 4.168 | How wrong would your friends feel it would be for you to threaten a student? | 247 |
| 4.169 | How wrong would your friends feel it would be for you to join a gang? | 247 |
| 4.170 | How wrong would your friends feel it would be for you to make bad grades? | 247 |
| 4.171 | Frequency of use of cigarettes? | 248 |
| 4.172 | Frequency of use of smokeless tobacco? | 248 |
| 4.173 | Frequency of use of cigars? | 248 |
| 4.174 | Frequency of use of beer? | 249 |
| 4.175 | Frequency of use of coolers, breezers, etc.? | 249 |
| 4.176 | Frequency of use of liquor? | 249 |
| 4.177 | Frequency of use of marijuana? | 250 |
| 4.178 | Frequency of use of cocaine? | 250 |
| 4.179 | Frequency of use of uppers? | 250 |
| 4.180 | Frequency of use of downers? | 251 |
| 4.181 | Frequency of use of inhalants? | 251 |
| 4.182 | Frequency of use of hallucinogens? | 251 |
| 4.183 | Frequency of use of heroin? | 252 |
| 4.184 | Frequency of use of anabolic steroids? | 252 |
| 4.185 | Frequency of use of ecstasy? | 252 |
| 4.186 | Frequency of use of OxyContin? | 253 |
| 4.187 | Frequency of use of meth? | 253 |

| | | |
|-------|---|-----|
| 4.188 | Frequency of use of any tobacco? | 253 |
| 4.189 | Frequency of use of any alcohol? | 254 |
| 4.190 | Frequency of use of any illicit drug? | 254 |
| 5.1 | 30-Day Use of Tobacco | 257 |
| 5.2 | Reported Location of Any Tobacco Use For Your Students | 258 |
| 5.3 | Reported Times of Any Tobacco Use For Your Students | 258 |
| 5.4 | 30-Day Use of Alcohol | 258 |
| 5.5 | Pct of Students Reporting <i>Fairly Easy</i> or <i>Very Easy</i> to Get Tobacco and Alcohol | 260 |
| 5.6 | Pct. of Students Reporting <i>Fairly Easy</i> or <i>Very Easy</i> to Get Cocaine and Meth | 266 |
| 6.1 | Outcome Measures by Grade | 275 |
| 6.2 | Outcome Measures by Gender | 276 |
| 7.1 | Sample Sizes of Annual Summaries for Grades 6 thru 12 | 279 |
| 7.2 | Comparisons of Demographic Variables - Grades 6 thru 12 | 279 |
| 7.3 | Sample Distribution by Percentage Drawn from Each State - Grades 6 thru 12 | 280 |
| 7.4 | Sample Distribution by Percentage Drawn from Each State - Grades 6 thru 12 (continued) | 281 |
| 7.5 | Percentage of Students Who Report Using Drugs - Tobacco and Alcohol | 282 |
| 7.6 | Percentage of Students Who Report Using Drugs - Illicit Drugs | 283 |
| 7.7 | Percentage of Students Who Report Using Drugs - Illicit Drugs (continued) | 284 |
| 7.8 | Chi-Square Analysis of Junior High Student Who Used These Drugs At Least 1/Year | 285 |
| 7.9 | Chi-Square Analysis of Senior High Student Who Used These Drugs At Least 1/Year | 286 |
| 7.10 | PRIDE Summary Report - Violence | 287 |
| 7.11 | PRIDE Summary Report - Violence | 287 |
| 7.12 | Percentage of Annual Drug Use Across Years for Tobacco and Alcohol | 288 |
| 7.13 | Percentage of Annual Drug Use Across Years for Illicit Drugs | 288 |
| 7.14 | Percentage of Annual Drug Use Across Years for Illicit Drugs | 289 |

List of Figures

| | | |
|------|--|----|
| 3.1 | Annual Use of Any Tobacco, Any Alcohol and Any Illicit Drug | 24 |
| 3.2 | Annual Use of Cigarettes, Smokeless Tobacco and Cigars | 25 |
| 3.3 | Annual Use of Beer, Coolers and Liquor | 26 |
| 3.4 | Annual Use of Marijuana, Cocaine, Uppers and Downers | 27 |
| 3.5 | Annual Use of Inhalants, Hallucinogens, Heroin and Anabolic Steroids | 28 |
| 3.6 | Annual Use of Ecstasy, OxyContin and Meth | 29 |
| 3.7 | 30-Day Use of Any Tobacco, Any Alcohol and Any Illicit Drug | 31 |
| 3.8 | 30-Day Use of Cigarettes, Smokeless Tobacco and Cigars | 32 |
| 3.9 | 30-Day Use of Beer, Coolers and Liquor | 33 |
| 3.10 | 30-Day Use of Marijuana, Cocaine, Uppers and Downers | 34 |
| 3.11 | 30-Day Use of Inhalants, Hallucinogens, Heroin and Anabolic Steroids | 35 |
| 3.12 | 30-Day Use of Ecstasy, OxyContin and Meth | 36 |
| 3.13 | Perception of Risk – Any Tobacco | 38 |
| 3.14 | Perception of Risk – Any Alcohol | 39 |
| 3.15 | Perception of Risk – Any Illicit Drug | 40 |
| 3.16 | Perception of Risk – Cigarettes | 41 |
| 3.17 | Perception of Risk – Smokeless Tobacco | 42 |
| 3.18 | Perception of Risk – Cigars | 43 |
| 3.19 | Perception of Risk – Beer | 44 |
| 3.20 | Perception of Risk – Coolers, Breezers, etc. | 45 |
| 3.21 | Perception of Risk – Liquor | 46 |
| 3.22 | Perception of Risk – Marijuana | 47 |
| 3.23 | Perception of Risk – Cocaine | 48 |
| 3.24 | Perception of Risk – Uppers | 49 |
| 3.25 | Perception of Risk – Downers | 50 |
| 3.26 | Perception of Risk – Inhalants | 51 |

| | | |
|------|---|----|
| 3.27 | Perception of Risk – Hallucinogens | 52 |
| 3.28 | Perception of Risk – Heroin | 53 |
| 3.29 | Perception of Risk – Anabolic Steroids | 54 |
| 3.30 | Perception of Risk – Ecstasy | 55 |
| 3.31 | Perception of Risk – OxyContin | 56 |
| 3.32 | Perception of Risk – Meth | 57 |
| 3.33 | Perception of Parental Disapproval – Use Tobacco | 59 |
| 3.34 | Perception of Parental Disapproval – Use Alcohol | 60 |
| 3.35 | Perception of Parental Disapproval – Use Marijuana | 61 |
| 3.36 | Perception of Parental Disapproval – Use Other Illicit Drugs | 62 |
| 3.37 | Perception of Parental Disapproval – Fight With A Student | 63 |
| 3.38 | Perception of Parental Disapproval – Carry A Weapon To School | 64 |
| 3.39 | Perception of Parental Disapproval – Threaten A Student | 65 |
| 3.40 | Perception of Parental Disapproval – Join A Gang | 66 |
| 3.41 | Perception of Parental Disapproval – Make Bad Grades | 67 |
| 3.42 | Perception of Friends’ Disapproval – Use Tobacco | 69 |
| 3.43 | Perception of Friends’ Disapproval – Use Alcohol | 70 |
| 3.44 | Perception of Friends’ Disapproval – Use Marijuana | 71 |
| 3.45 | Perception of Friends’ Disapproval – Use Other Illicit Drugs | 72 |
| 3.46 | Perception of Friends’ Disapproval – Fight With A Student | 73 |
| 3.47 | Perception of Friends’ Disapproval – Carry A Weapon To School | 74 |
| 3.48 | Perception of Friends’ Disapproval – Threaten A Student | 75 |
| 3.49 | Perception of Friends’ Disapproval – Join A Gang | 76 |
| 3.50 | Perception of Friends’ Disapproval – Make Bad Grades | 77 |
| 3.51 | Average Age of Onset of Use of Any Tobacco | 79 |
| 3.52 | Average Age of Onset of Use of Any Alcohol | 80 |
| 3.53 | Average Age of Onset of Use of Any Illicit Drug | 81 |
| 3.54 | Average Age of Onset of Use of Cigarettes | 82 |
| 3.55 | Average Age of Onset of Use of Smokeless Tobacco | 83 |
| 3.56 | Average Age of Onset of Use of Cigars | 84 |
| 3.57 | Average Age of Onset of Use of Beer | 85 |
| 3.58 | Average Age of Onset of Use of Coolers, Breezers, etc. | 86 |
| 3.59 | Average Age of Onset of Use of Liquor | 87 |
| 3.60 | Average Age of Onset of Use of Marijuana | 88 |
| 3.61 | Average Age of Onset of Use of Cocaine | 89 |
| 3.62 | Average Age of Onset of Use of Meth | 90 |

| | | |
|------|--|-----|
| 3.63 | Average Age of Onset of Use of Other Illegal Drugs | 91 |
| 3.64 | Attend Church or Synagogue | 93 |
| 3.65 | Take Part in Community Activities | 94 |
| 3.66 | Make Good Grades | 95 |
| 3.67 | Take Part in Sports Teams | 96 |
| 3.68 | Take Part in School Activities | 97 |
| 3.69 | Get in Trouble at School | 98 |
| 3.70 | Teachers Talk About the Dangers of Drugs | 99 |
| 3.71 | Parents Talk About the Dangers of Drugs | 100 |
| 3.72 | Parents Set Clear Rules | 101 |
| 3.73 | Parents Punish for Breaking Rules | 102 |
| 3.74 | Availability – Any Tobacco | 104 |
| 3.75 | Availability – Any Alcohol | 105 |
| 3.76 | Availability – Any Illicit Drug | 106 |
| 3.77 | Availability – Beer | 107 |
| 3.78 | Availability – Coolers, Breezers, etc. | 108 |
| 3.79 | Availability – Liquor | 109 |
| 3.80 | Availability – Marijuana | 110 |
| 3.81 | Availability – Cocaine | 111 |
| 3.82 | Availability – Meth | 112 |
| 3.83 | Availability – A Gun | 113 |
| 3.84 | Where Do You Use Any Tobacco | 115 |
| 3.85 | Where Do You Use Any Alcohol | 116 |
| 3.86 | Where Do You Use Any Illicit Drug | 117 |
| 3.87 | Where Do You Use Cigarettes | 118 |
| 3.88 | Where Do You Use Smokeless Tobacco | 119 |
| 3.89 | Where Do You Use Cigars | 120 |
| 3.90 | Where Do You Use Beer | 121 |
| 3.91 | Where Do You Use Coolers, Breezers, etc. | 122 |
| 3.92 | Where Do You Use Liquor | 123 |
| 3.93 | Where Do You Use Marijuana | 124 |
| 3.94 | Where Do You Use Cocaine | 125 |
| 3.95 | Where Do You Use Meth | 126 |
| 3.96 | When Do You Use Any Tobacco | 128 |
| 3.97 | When Do You Use Any Alcohol | 129 |
| 3.98 | When Do You Use Any Illicit Drug | 130 |

| | | |
|-------|--|-----|
| 3.99 | When Do You Use Cigarettes | 131 |
| 3.100 | When Do You Use Smokeless Tobacco | 132 |
| 3.101 | When Do You Use Cigars | 133 |
| 3.102 | When Do You Use Beer | 134 |
| 3.103 | When Do You Use Coolers, Breezers, etc. | 135 |
| 3.104 | When Do You Use Liquor | 136 |
| 3.105 | When Do You Use Marijuana | 137 |
| 3.106 | When Do You Use Cocaine | 138 |
| 3.107 | When Do You Use Meth | 139 |
| 3.108 | Use of Any Tobacco by Gender | 141 |
| 3.109 | Use of Any Alcohol by Gender | 142 |
| 3.110 | Use of Any Illicit Drug by Gender | 143 |
| 3.111 | Use of Cigarettes by Gender | 144 |
| 3.112 | Use of Smokeless Tobacco by Gender | 145 |
| 3.113 | Use of Cigars by Gender | 146 |
| 3.114 | Use of Beer by Gender | 147 |
| 3.115 | Use of Coolers, Breezers, etc. by Gender | 148 |
| 3.116 | Use of Liquor by Gender | 149 |
| 3.117 | Use of Marijuana by Gender | 150 |
| 3.118 | Use of Cocaine by Gender | 151 |
| 3.119 | Use of Uppers by Gender | 152 |
| 3.120 | Use of Downers by Gender | 153 |
| 3.121 | Use of Inhalants by Gender | 154 |
| 3.122 | Use of Hallucinogens by Gender | 155 |
| 3.123 | Use of Heroin by Gender | 156 |
| 3.124 | Use of Anabolic Steroids by Gender | 157 |
| 3.125 | Use of Ecstasy by Gender | 158 |
| 3.126 | Use of OxyContin by Gender | 159 |
| 3.127 | Use of Meth by Gender | 160 |
| 3.128 | Attend Church or Synagogue | 162 |
| 3.129 | Take Part in Community Activities | 163 |
| 3.130 | Make Good Grades | 164 |
| 3.131 | Take Part in Sports Teams | 165 |
| 3.132 | Take Part in School Activities | 166 |
| 3.133 | Get Into Trouble at School | 167 |
| 3.134 | Teachers Talk About Dangers of Drugs | 168 |

| | | |
|-------|---|-----|
| 3.135 | Parents Talk About Dangers of Drugs | 169 |
| 3.136 | Parents Set Clear Rules | 170 |
| 3.137 | Parents Punish for Breaking Rules | 171 |
| 3.138 | Drug Use of Students Who Reported Carrying a Gun to School | 173 |
| 3.139 | Drug Use of Students Who Reported Involvement in Gangs | 174 |
| 3.140 | Drug Use of Students Who Reported Thinking About Suicide | 175 |
| 3.141 | Drug Use of Students Who Reported Being Overweight | 176 |
| 3.142 | Drug Use of Students Who Reported Threatening/Harmful Behaviors | 177 |
| 3.143 | Drug Use of Students Who Reported Trouble with Police | 178 |
| | | |
| 5.144 | 30-Day Use of Any Alcohol, Beer, Coolers and Liquor | 259 |
| 5.145 | Location of Any Alcohol Use | 259 |
| 5.146 | Time of Any Alcohol Use | 259 |
| 5.147 | Monthly Use of Marijuana | 261 |
| 5.148 | Location of Marijuana Use | 262 |
| 5.149 | Time of Any Marijuana Use | 262 |
| 5.150 | Friends' Use of Marijuana | 262 |
| 5.151 | Monthly Use of Cocaine, Uppers and Downers | 265 |
| | | |
| 7.152 | Percentage of Students Who Use Cigarettes & Alcohol - Grades 6 to 8 | 290 |
| 7.153 | Percentage of Students Who Use Cigarettes & Alcohol - Grades 9 to 12 | 291 |
| 7.154 | Percentage of Students Who Use Marijuana, Cocaine, Inhalants & Hallucinogens - Grades 6 to 8 | 292 |
| 7.155 | Percentage of Students Who Use Marijuana, Cocaine, Inhalants & Hallucinogens - Grades 9 to 12 | 293 |
| 7.156 | Percentage of Students Who Use Uppers, Downers & Any Illicit Drugs - Grades 6 to 8 | 294 |
| 7.157 | Percentage of Students Who Use Uppers, Downers & Any Illicit Drugs - Grades 9 to 12 | 295 |

Chapter 1

Introduction

This report contains the data collected in your school(s) using the *Pride Surveys Questionnaire*. The report is organized as follows:

1. A Summary that provides you with the fundamental findings in an abbreviated and easy to read fashion.
2. Color Graphs that provide more expansive results from the survey in pictorial fashion.
3. A List of Tables which contains the complete findings of the survey. This section itemizes student responses by each grade level and each item scale (for example: never, seldom, sometimes, often and a lot).
4. A Narrative Report which includes both text and graphic images. This section also includes a sample news release.

Additionally, the report contains a special section entitled *Drug Free Communities Support Program*. This section was developed to provide the data needed to satisfy core measures required by the Drug Free Communities Support Program, administered by the Substance Abuse and Mental Health Services Administration.

1.1 How To Use Your Data

- Meet the accountability requirements of federal and state agencies that your programs be evidence-based.
- Establish a needs assessment to design and secure funding for new programs.
- Conduct periodic performance evaluations for continuing programs.
- Encourage community-wide support for your programs.
- Determine why negative student behaviors occur by examining risk and protective factors.

Table 1.1: Number of Students Surveyed

| Grade | Grade Total | Male | Female |
|-------|-------------|-------|--------|
| 6 | 14308 | 6666 | 6659 |
| 7 | 19104 | 8706 | 8511 |
| 8 | 21336 | 9224 | 9502 |
| 9 | 12131 | 5189 | 5240 |
| 10 | 12806 | 5429 | 5795 |
| 11 | 10438 | 4297 | 4833 |
| 12 | 7963 | 3320 | 3576 |
| 6-8 | 54748 | 24596 | 24672 |
| 9-12 | 43338 | 18235 | 19444 |
| Total | 98086 | 42831 | 44116 |

The following information is for **Pride Surveys** internal use only.

- Data Files: us069999
- Filter:

We recommend that you share the findings of your survey with staff/faculty, administration, boards of education, elected officials, parents, community organizations and the news media.

While the findings are likely to show that certain problems exist within your student population, the overriding message will be that you are taking a fact-based approach to understand and solve these problems

If you have questions about this report or if you wish to have information on other **Pride Surveys** services and products, please contact:

Pride Surveys

c/o Janie Pitcock
 160 Vanderbilt Court
 Bowling Green, KY 42103
 1-800-279-6361
 1-270-746-9596
janie.pitcock@pridesurveys.com

Chapter 2

Summary

Many federal agencies have identified certain data that are most important in measuring drug use and perceptions among youth. These data are often referred to as the *Core Measures* and consist of:

- **Reported 30-day Use** - the percentage of students who have reported use in the last 30 days,
- **Perception of Risk** - the percentage of students who reported that a drug was *harmful* or *very harmful*,
- **Perception of Parental Disapproval of Use** - the percentage of students who reported that their parents would feel it was *Wrong* or *Very Wrong* to use,
- **Perception of friend's Disapproval of Use** - the percentage of students who reported that their friends would feel it was *Wrong* or *Very Wrong* to use,
- **Age of Onset of Use** - average age of first use

for the drug categories of tobacco, alcohol and marijuana. The chapter entitled *Drug Free Communities Support Program Core Measures* will delve into these measures in detail. This section will briefly summarize these data.

2.1 Core Measures

Table 2.1: Core Measures for All Students

| Measure | Tobacco | Alcohol | Marijuana |
|-----------------------|---------|---------|-----------|
| 30-Day Use | 15.9 | 21.1 | 10.0 |
| Perceived Risk | 89.5 | 76.3 | 81.3 |
| Parental Disapproval | 88.8 | 83.1 | 92.8 |
| Friend's Disapproval | 64.3 | 55.5 | 71.6 |
| Avg. Age of First Use | 12.3 | 12.5 | 13.3 |

2.2 Annual and Monthly Use

Table 2.2: Percentage of Students Who Report Using Drugs

| DRUG | ANNUAL | MONTHLY |
|-------------------------|--------|---------|
| Any Tobacco | 26.3 | 15.9 |
| Cigarettes | 21.6 | 13.0 |
| Smokeless Tobacco | 10.0 | 6.0 |
| Cigars | 13.0 | 6.3 |
| Any Alcohol | 43.9 | 21.1 |
| Beer | 34.4 | 17.2 |
| Coolers, etc. | 32.7 | 15.1 |
| Liquor | 30.4 | 15.3 |
| Any Illicit Drug | 20.1 | 12.2 |
| Marijuana | 16.2 | 10.0 |
| Cocaine | 4.3 | 2.7 |
| Uppers | 5.3 | 3.5 |
| Downers | 5.4 | 3.5 |
| Inhalants | 5.8 | 3.1 |
| Hallucinogens | 3.7 | 2.4 |
| Heroin | 2.9 | 2.0 |
| Steroids | 3.0 | 2.0 |
| Ecstasy | 3.9 | 2.4 |
| OxyContin | 4.2 | 2.6 |
| Meth | 3.2 | 2.2 |

2.3 Where Students Use

Table 2.3: Where Do Students Report Using

| DRUG | AT HOME | AT SCHOOL | IN A CAR | FRIENDS' HOUSE | OTHER |
|-----------|---------|-----------|----------|----------------|-------|
| Tobacco | 11.5 | 3.9 | 8.2 | 13.1 | 11.5 |
| Alcohol | 19.9 | 2.2 | 4.7 | 21.9 | 15.7 |
| Marijuana | 4.7 | 1.8 | 4.6 | 9.0 | 6.8 |

2.4 When Students Use

Table 2.4: When Do Students Report Using

| DRUG | BEFORE SCHOOL | DURING SCHOOL | AFTER SCHOOL | WEEK NIGHT | WEEK END |
|-----------|---------------|---------------|--------------|------------|----------|
| Tobacco | 6.1 | 3.7 | 10.5 | 8.2 | 16.9 |
| Alcohol | 2.0 | 1.8 | 5.5 | 6.8 | 32.6 |
| Marijuana | 2.7 | 1.7 | 4.5 | 4.5 | 10.8 |

2.5 Risk Factors

Table 2.5: Percentage Of Students At Risk

| FACTOR | PCT AT RISK |
|--|-------------|
| Guns NOT at School | 10.8 |
| Guns AT School | 3.7 |
| Gang Activity | 4.3 |
| Contemplate Suicide | 5.9 |
| Trouble With Police | 25.6 |
| Threaten A Student With a Gun, Knife or Club | 4.8 |
| Threaten To Hurt A Student By Hitting, Slapping or Kicking | 34.9 |
| Hurt A Student With A Gun, Knife or Club | 3.2 |
| Hurt A Student By Hitting, Slapping or Kicking | 29.4 |
| Been Threatened With a Gun, Knife or Club | 9.4 |
| Had A Student Threaten To Hit, Slap or Kick | 36.7 |
| Been Afraid A Student May Hurt You | 22.2 |
| Been Hurt By A Student With A Gun, Knife or Club | 3.3 |
| Been Hurt By A Student By Hitting, Slapping or Kicking | 19.5 |

2.6 Protective Factors

Table 2.6: Percentage Of Students Protected

| FACTOR | PCT PROTECTED |
|--|---------------|
| Make Good Grades | 69.8 |
| Attend Church or Synagogue | 50.9 |
| Take Part in Community Activities | 27.0 |
| Take Part in School Activities | 37.7 |
| Teachers Talk About the Dangers of Drugs | 31.9 |
| Parents Talk About the Dangers of Drugs | 39.3 |

Chapter 3

Graphics

The following graphs will assist you in understanding the relationship of student behavior to alcohol and other drug usage. You are encouraged to make overheads or slides from the graphs for presentations to school faculty, parents, media, and other audiences in the community.

The *Location* and *Time* of drug use graphs will be helpful in understanding the need for a commitment to drug abuse prevention by parents and the larger community - not just by schools. Student alcohol and other drug use occurs most often outside the school and at times when school is not in session.


The *Perceived Harm* of alcohol and other drugs will assist with understanding how the false assumptions concerning harm are related to drug use. When drugs are perceived as harmless, the probability of use increases.

Research indicates that easy access, *Availability*, to drugs increases the probability of use. Availability of alcohol and other drugs normally increases at higher grade levels.

3.1 Frequency of Use


3.1.1 Annual Use

Annual Use of Any Tobacco, Any Alcohol and Any Illicit Drug




Source: Pride Surveys

Annual Use of Cigarettes, Smokeless Tobacco and Cigars




Source: Pride Surveys

Annual Use of Beer, Coolers and Liquor




Source: Pride Surveys

Annual Use of Marijuana, Cocaine, Uppers and Downers




Source: Pride Surveys

Annual Use of Inhalants, Hallucinogens, Heroin and Anabolic Steroids



Source: Pride Surveys


Annual Use of Ecstasy, OxyContin and Meth



Source: Pride Surveys


3.1.2 30-Day Use

30-Day Use of Any Tobacco, Any Alcohol and Any Illicit Drug




Source: Pride Surveys

30-Day Use of Cigarettes, Smokeless Tobacco and Cigars




Source: Pride Surveys

30-Day Use of Beer, Coolers and Liquor




Source: Pride Surveys

30-Day Use of Marijuana, Cocaine, Uppers and Downers




Source: Pride Surveys

30-Day Use of Inhalants, Hallucinogens, Heroin and Anabolic Steroids



Source: Pride Surveys


30-Day Use of Ecstasy, OxyContin and Meth



Source: Pride Surveys


3.2 Perception of Risk

Perception of Risk -- Any Tobacco




Source: Pride Surveys

Perception of Risk -- Any Alcohol




Source: Pride Surveys

Perception of Risk -- Any Illicit Drug




Source: Pride Surveys

Perception of Risk -- Cigarettes




Source: Pride Surveys

Perception of Risk -- Smokeless Tobacco




Source: Pride Surveys

Perception of Risk -- Cigars




Source: Pride Surveys

Perception of Risk -- Beer




Source: Pride Surveys

Perception of Risk -- Coolers, Breezers, etc.




Source: Pride Surveys

Perception of Risk -- Liquor




Source: Pride Surveys

Perception of Risk -- Marijuana




Source: Pride Surveys

Perception of Risk -- Cocaine




Source: Pride Surveys

Perception of Risk -- Uppers




Source: Pride Surveys

Perception of Risk -- Downers




Source: Pride Surveys

Perception of Risk -- Inhalants




Source: Pride Surveys

Perception of Risk -- Hallucinogens




Source: Pride Surveys

Perception of Risk -- Heroin




Source: Pride Surveys

Perception of Risk -- Anabolic Steroids




Source: Pride Surveys

Perception of Risk -- Ecstasy




Source: Pride Surveys

Perception of Risk -- OxyContin



Source: Pride Surveys


Perception of Risk -- Meth



Source: Pride Surveys


3.3 Perception of Parental Disapproval

Perception of Parental Disapproval -- Use Tobacco




Source: Pride Surveys

Perception of Parental Disapproval -- Use Alcohol




Source: Pride Surveys

Perception of Parental Disapproval -- Use Marijuana




Source: Pride Surveys

Perception of Parental Disapproval -- Use Other Illicit Drugs




Source: Pride Surveys

Perception of Parental Disapproval -- Fight With A Student




Source: Pride Surveys

Perception of Parental Disapproval -- Carry A Weapon To School




Source: Pride Surveys

Perception of Parental Disapproval -- Threaten A Student




Source: Pride Surveys

Perception of Parental Disapproval -- Join A Gang



Source: Pride Surveys


Perception of Parental Disapproval -- Make Bad Grades



Source: Pride Surveys


3.4 Perception of Friends' Disapproval

Perception of Friends' Disapproval -- Use Tobacco




Source: Pride Surveys

Perception of Friends' Disapproval -- Use Alcohol




Source: Pride Surveys

Perception of Friends' Disapproval -- Use Marijuana




Source: Pride Surveys

Perception of Friends' Disapproval -- Use Other Illicit Drugs




Source: Pride Surveys

Perception of Friends' Disapproval -- Fight With A Student




Source: Pride Surveys

Perception of Friends' Disapproval -- Carry A Weapon To School




Source: Pride Surveys

Perception of Friends' Disapproval -- Threaten A Student




Source: Pride Surveys

Perception of Friends' Disapproval -- Join A Gang



Source: Pride Surveys


Perception of Friends' Disapproval -- Make Bad Grades



Source: Pride Surveys


3.5 Average Age of Onset of Use

Average Age of Onset of Use of Any Tobacco




Source: Pride Surveys

Average Age of Onset of Use of Any Alcohol




Source: Pride Surveys

Average Age of Onset of Use of Any Illicit Drug




Source: Pride Surveys

Average Age of Onset of Use of Cigarettes




Source: Pride Surveys

Average Age of Onset of Use of Smokeless Tobacco




Source: Pride Surveys

Average Age of Onset of Use of Cigars




Source: Pride Surveys

Average Age of Onset of Use of Beer




Source: Pride Surveys

Average Age of Onset of Use of Coolers, Breezers, etc.




Source: Pride Surveys

Average Age of Onset of Use of Liquor




Source: Pride Surveys

Average Age of Onset of Use of Marijuana




Source: Pride Surveys

Average Age of Onset of Use of Cocaine




Source: Pride Surveys

Average Age of Onset of Use of Meth



Source: Pride Surveys


Average Age of Onset of Use of Other Illegal Drugs



Source: Pride Surveys


3.6 Student Information

Attend Church or Synagogue




Source: Pride Surveys

Take Part in Community Activities




Source: Pride Surveys

Make Good Grades




Source: Pride Surveys

Take Part in Sports Teams




Source: Pride Surveys

Take Part in School Activities




Source: Pride Surveys

Get in Trouble at School




Source: Pride Surveys

Teachers Talk About the Dangers of Drugs




Source: Pride Surveys

Parents Talk About the Dangers of Drugs




Source: Pride Surveys

Parents Set Clear Rules



Source: Pride Surveys


Parents Punish for Breaking Rules



Source: Pride Surveys


3.7 Availability

Availability -- Any Tobacco




Source: Pride Surveys

Availability -- Any Alcohol




Source: Pride Surveys

Availability -- Any Illicit Drug




Source: Pride Surveys

Availability -- Beer




Source: Pride Surveys

Availability -- Coolers, Breezers, etc.




Source: Pride Surveys

Availability -- Liquor




Source: Pride Surveys

Availability -- Marijuana




Source: Pride Surveys

Availability -- Cocaine




Source: Pride Surveys

Availability -- Meth



Source: Pride Surveys


Availability -- A Gun



Source: Pride Surveys


3.8 Where Do You Use

Where Do You Use Any Tobacco




Source: Pride Surveys

Where Do You Use Any Alcohol




Source: Pride Surveys

Where Do You Use Any Illicit Drug




Source: Pride Surveys

Where Do You Use Cigarettes




Source: Pride Surveys

Where Do You Use Smokeless Tobacco




Source: Pride Surveys

Where Do You Use Cigars




Source: Pride Surveys

Where Do You Use Beer




Source: Pride Surveys

Where Do You Use Coolers, Breezers, etc.




Source: Pride Surveys

Where Do You Use Liquor




Source: Pride Surveys

Where Do You Use Marijuana




Source: Pride Surveys

Where Do You Use Cocaine



Source: Pride Surveys


Where Do You Use Meth



Source: Pride Surveys


3.9 When Do You Use

When Do You Use Any Tobacco




Source: Pride Surveys

When Do You Use Any Alcohol




Source: Pride Surveys

When Do You Use Any Illicit Drug




Source: Pride Surveys

When Do You Use Cigarettes




Source: Pride Surveys

When Do You Use Smokeless Tobacco




Source: Pride Surveys

When Do You Use Cigars




Source: Pride Surveys

When Do You Use Beer




Source: Pride Surveys

When Do You Use Coolers, Breezers, etc.




Source: Pride Surveys

When Do You Use Liquor




Source: Pride Surveys

When Do You Use Marijuana




Source: Pride Surveys

When Do You Use Cocaine



Source: Pride Surveys


When Do You Use Meth



Source: Pride Surveys


3.10 Drug Use by Gender

Use of Any Tobacco by Gender




Source: Pride Surveys

Use of Any Alcohol by Gender




Source: Pride Surveys

Use of Any Illicit Drug by Gender




Source: Pride Surveys

Use of Cigarettes by Gender




Source: Pride Surveys

Use of Smokeless Tobacco by Gender




Source: Pride Surveys

Use of Cigars by Gender




Source: Pride Surveys

Use of Beer by Gender




Source: Pride Surveys

Use of Coolers, Breezers, etc. by Gender




Source: Pride Surveys

Use of Liquor by Gender




Source: Pride Surveys

Use of Marijuana by Gender




Source: Pride Surveys

Use of Cocaine by Gender




Source: Pride Surveys

Use of Uppers by Gender




Source: Pride Surveys

Use of Downers by Gender




Source: Pride Surveys

Use of Inhalants by Gender




Source: Pride Surveys

Use of Hallucinogens by Gender




Source: Pride Surveys

Use of Heroin by Gender




Source: Pride Surveys

Use of Anabolic Steroids by Gender




Source: Pride Surveys

Use of Ecstasy by Gender




Source: Pride Surveys

Use of OxyContin by Gender



Source: Pride Surveys

Use of Meth by Gender



Source: Pride Surveys

3.11 Risk and Protective Factors – Cross Tabulations

This section looks at the following questions:

- Attend Church or Synagogue
- Take Part in Community Activities
- Make Good Grades
- Take Part in Sports Teams
- Take Part in School Activities
- Get Into Trouble at School
- Teachers Talk About Dangers of Drugs
- Parents Talk About Dangers of Drugs
- Parents Set Clear Rules
- Parents Punish for Breaking Rules

How students responded to each question is presented in table form. Students are then grouped based on how they responded to each question. The percent of illicit drug use for each subgroup is calculated and presented in graphic form. For example, if the bar for *Never* is at 40%, this means 40% of the students who marked *Never* reported using an illicit drug.


3.11.1 Attend Church or Synagogue

Students could respond to this question by marking Never, Seldom, Sometimes, Often or A Lot. The following table shows what percent of all students responded Never, what percent responded Sometimes, etc.

Table 3.1: Attend Church or Synagogue

| RESPONSE | PCT |
|-----------|------|
| Never | 15.1 |
| Seldom | 13.6 |
| Sometimes | 20.4 |
| Often | 17.1 |
| A Lot | 33.8 |

Students are grouped based on how they responded to the question and the percent of illicit drug use in the past year is calculated for each group. For example, if the bar for *Never* is at 40% this means 40% of the students who marked *Never* reported using an illicit drug.



Source: Pride Surveys


3.11.2 Take Part in Community Activities

Students could respond to this question by marking Never, Seldom, Sometimes, Often or A Lot. The following table shows what percent of all students responded Never, what percent responded Sometimes, etc.

Table 3.2: Take Part in Community Activities

| RESPONSE | PCT |
|-----------|------|
| Never | 39.9 |
| Seldom | 16.1 |
| Sometimes | 16.9 |
| Often | 12.1 |
| A Lot | 14.9 |

Students are grouped based on how they responded to the question and the percent of illicit drug use in the past year is calculated for each group. For example, if the bar for *Never* is at 40% this means 40% of the students who marked *Never* reported using an illicit drug.



Source: Pride Surveys


3.11.3 Make Good Grades

Students could respond to this question by marking Never, Seldom, Sometimes, Often or A Lot. The following table shows what percent of all students responded Never, what percent responded Sometimes, etc.

Table 3.3: Make Good Grades

| RESPONSE | PCT |
|-----------|------|
| Never | 1.2 |
| Seldom | 2.4 |
| Sometimes | 26.6 |
| Often | 36.7 |
| A Lot | 33.1 |

Students are grouped based on how they responded to the question and the percent of illicit drug use in the past year is calculated for each group. For example, if the bar for *Never* is at 40% this means 40% of the students who marked *Never* reported using an illicit drug.



Source: Pride Surveys


3.11.4 Take Part in Sports Teams

Students could respond to this question by marking Never, Seldom, Sometimes, Often or A Lot. The following table shows what percent of all students responded Never, what percent responded Sometimes, etc.

Table 3.4: Take Part in Sports Teams

| RESPONSE | PCT |
|-----------|------|
| Never | 32.5 |
| Seldom | 11.7 |
| Sometimes | 14.9 |
| Often | 13.1 |
| A Lot | 27.8 |

Students are grouped based on how they responded to the question and the percent of illicit drug use in the past year is calculated for each group. For example, if the bar for *Never* is at 40% this means 40% of the students who marked *Never* reported using an illicit drug.



Source: Pride Surveys


3.11.5 Take Part in School Activities

Students could respond to this question by marking Never, Seldom, Sometimes, Often or A Lot. The following table shows what percent of all students responded Never, what percent responded Sometimes, etc.

Table 3.5: Take Part in School Activities

| RESPONSE | PCT |
|-----------|------|
| Never | 32.2 |
| Seldom | 13.1 |
| Sometimes | 17.0 |
| Often | 14.8 |
| A Lot | 22.9 |

Students are grouped based on how they responded to the question and the percent of illicit drug use in the past year is calculated for each group. For example, if the bar for *Never* is at 40% this means 40% of the students who marked *Never* reported using an illicit drug.



Source: Pride Surveys


3.11.6 Get Into Trouble at School

Students could respond to this question by marking Never, Seldom, Sometimes, Often or A Lot. The following table shows what percent of all students responded Never, what percent responded Sometimes, etc.

Table 3.6: Get Into Trouble at School

| RESPONSE | PCT |
|-----------|------|
| Never | 32.8 |
| Seldom | 37.4 |
| Sometimes | 21.7 |
| Often | 5.0 |
| A Lot | 3.1 |

Students are grouped based on how they responded to the question and the percent of illicit drug use in the past year is calculated for each group. For example, if the bar for *Never* is at 40% this means 40% of the students who marked *Never* reported using an illicit drug.



Source: Pride Surveys


3.11.7 Teachers Talk About Dangers of Drugs

Students could respond to this question by marking Never, Seldom, Sometimes, Often or A Lot. The following table shows what percent of all students responded Never, what percent responded Sometimes, etc.

Table 3.7: Teachers Talk About Dangers of Drugs

| RESPONSE | PCT |
|-----------|------|
| Never | 15.5 |
| Seldom | 22.3 |
| Sometimes | 30.3 |
| Often | 17.8 |
| A Lot | 14.1 |

Students are grouped based on how they responded to the question and the percent of illicit drug use in the past year is calculated for each group. For example, if the bar for *Never* is at 40% this means 40% of the students who marked *Never* reported using an illicit drug.



Source: Pride Surveys


3.11.8 Parents Talk About Dangers of Drugs

Students could respond to this question by marking Never, Seldom, Sometimes, Often or A Lot. The following table shows what percent of all students responded Never, what percent responded Sometimes, etc.

Table 3.8: Parents Talk About Dangers of Drugs

| RESPONSE | PCT |
|-----------|------|
| Never | 14.8 |
| Seldom | 17.5 |
| Sometimes | 28.4 |
| Often | 19.5 |
| A Lot | 19.8 |

Students are grouped based on how they responded to the question and the percent of illicit drug use in the past year is calculated for each group. For example, if the bar for *Never* is at 40% this means 40% of the students who marked *Never* reported using an illicit drug.



Source: Pride Surveys


3.11.9 Parents Set Clear Rules

Students could respond to this question by marking Never, Seldom, Sometimes, Often or A Lot. The following table shows what percent of all students responded Never, what percent responded Sometimes, etc.

Table 3.9: Parents Set Clear Rules

| RESPONSE | PCT |
|-----------|------|
| Never | 3.7 |
| Seldom | 6.0 |
| Sometimes | 16.3 |
| Often | 25.2 |
| A Lot | 48.7 |

Students are grouped based on how they responded to the question and the percent of illicit drug use in the past year is calculated for each group. For example, if the bar for *Never* is at 40% this means 40% of the students who marked *Never* reported using an illicit drug.



Source: Pride Surveys


3.11.10 Parents Punish for Breaking Rules

Students could respond to this question by marking Never, Seldom, Sometimes, Often or A Lot. The following table shows what percent of all students responded Never, what percent responded Sometimes, etc.

Table 3.10: Parents Punish for Breaking Rules

| RESPONSE | PCT |
|-----------|------|
| Never | 7.4 |
| Seldom | 11.2 |
| Sometimes | 24.5 |
| Often | 25.4 |
| A Lot | 31.6 |

Students are grouped based on how they responded to the question and the percent of illicit drug use in the past year is calculated for each group. For example, if the bar for *Never* is at 40% this means 40% of the students who marked *Never* reported using an illicit drug.



Source: Pride Surveys

3.12 Safety and Health – Cross Tabulations

The following graphs and tables summarize some of the *Student Information* questions in regards to drug use. These data are calculated by examining specific subsets of your population. For example, a percentage is calculated for students who report carrying a gun and their liquor use. This percentage is calculated as follows:

$$\frac{\text{Number of those reporting carrying a gun to school and claiming to use liquor}}{\text{Number of those reporting carrying a gun and validly responding to the question *How Often Do You Use Liquor*}}$$

The *Ratio* describes the relationship between the groups examined on each graph. For example, in looking at Guns vs. No Guns if the cocaine ratio were 5.3, this would mean the percentage of students who report cocaine use was 5.3 times higher for students who report bringing a gun to school compared to those who don't.

3.13 Carrying a Gun to School

Total number of students surveyed = 98086

Total number who responded to this question = 94266

3509 students reported carrying a gun to school. (3.7% of total responding)

Of the 3509 students who reported carrying a gun to school,

2487 report using liquor (72.5%),


2171 report using marijuana (63.3%),

1386 report using cocaine (40.4%),

1292 report using Meth (37.9%).

NOTE: Results based on students who reported one or more instances of carrying a gun to school

Drug Use of Students Who Reported Carrying a Gun to School vs. Students Who Did Not



Source: Pride Surveys

| Drug | Gun | No Gun | Ratio |
|---------------|-------|--------|-------|
| Liquor | 72.5% | 28.6% | 2.5 |
| Marijuana | 63.3% | 14.2% | 4.5 |
| Cocaine | 40.4% | 2.7% | 15.0 |
| Meth | 37.9% | 1.8% | 21.1 |
| N of Students | 3509 | 90757 | |

3.14 Involvement in Gangs

Total number of students surveyed = 98086

Total number who responded to this question = 96884

11867 students reported involvement in gangs. (12.2% of total responding)

Of the 11867 students who reported involvement in gangs,


6766 report using liquor (58.7%),

5474 report using marijuana (47.5%),

2396 report using cocaine (20.8%),

1944 report using Meth (17.0%).

Drug Use of Students Who Reported Involvement in Gangs vs. Students Who Did Not



Source: Pride Surveys

NOTE: Results based on students who reported any involvement with gangs

| Drug | Gang | No Gang | Ratio |
|---------------|-------|---------|-------|
| Liquor | 58.7% | 26.5% | 2.2 |
| Marijuana | 47.5% | 11.9% | 4.0 |
| Cocaine | 20.8% | 2.0% | 10.4 |
| Meth | 17.0% | 1.3% | 13.1 |
| N of Students | 11867 | 85017 | |

3.15 Thinking About Suicide

Total number of students surveyed = 98086

Total number who responded to this question = 96568

5657 students reported thinking about suicide. (5.9% of total responding)

Of the 5657 students who reported thinking about suicide,

3281 report using liquor (59.4%),


2526 report using marijuana (45.7%),

1281 report using cocaine (23.2%),

1109 report using Meth (20.2%).

NOTE: Results based on students who reported thinking Often or A Lot about committing suicide

Drug Use of Students Who Reported Thinking About Suicide vs. Students Who Did Not



Source: Pride Surveys

| Drug | Suicide | No Suicide | Ratio |
|---------------|---------|------------|-------|
| Liquor | 59.4% | 28.7% | 2.1 |
| Marijuana | 45.7% | 14.5% | 3.2 |
| Cocaine | 23.2% | 3.1% | 7.5 |
| Meth | 20.2% | 2.2% | 9.2 |
| N of Students | 5657 | 90911 | |

3.16 Being Overweight

Total number of students surveyed = 98086

Total number who responded to this question = 95155

26600 students reported being overweight. (28.0% of total responding)

Of the 26600 students who reported being overweight,


9526 report using liquor (36.3%),

5207 report using marijuana (19.8%),

1663 report using cocaine (6.3%),

1352 report using Meth (5.2%).

Drug Use of Students Who Reported Being Overweight vs. Students Who Did Not



Source: Pride Surveys

| Drug | Overweight | No Overweight | Ratio |
|---------------|------------|---------------|-------|
| Liquor | 36.3% | 28.2% | 1.3 |
| Marijuana | 19.8% | 14.9% | 1.3 |
| Cocaine | 6.3% | 3.5% | 1.8 |
| Meth | 5.2% | 2.4% | 2.2 |
| N of Students | 26600 | 68555 | |

3.17 Threatening/Harmful Behaviors

Total number of students surveyed = 98086

Total number who responded to this question = 94536

33431 students reported threatening/harmful behaviors. (35.4% of total responding)

Of the 33431 students who reported threatening/harmful behaviors,

14886 report using liquor (45.0%),


8823 report using marijuana (26.7%),

2703 report using cocaine (8.2%),

2148 report using Meth (6.5%).

NOTE: Results based on students who reported either threatening with a gun, knife or club or threatening to hit, slap or kick

Drug Use of Students Who Reported Threatening/Harmful Behaviors vs. Students Who Did Not



Source: Pride Surveys

| Drug | Threat | No Threat | Ratio |
|---------------|--------|-----------|-------|
| Liquor | 45.0% | 22.1% | 2.0 |
| Marijuana | 26.7% | 10.2% | 2.6 |
| Cocaine | 8.2% | 2.0% | 4.1 |
| Meth | 6.5% | 1.3% | 5.0 |
| N of Students | 33431 | 61105 | |

3.18 Trouble with Police

Total number of students surveyed = 98086

Total number who responded to this question = 96988

24801 students reported trouble with police. (25.6% of total responding)

Of the 24801 students who reported trouble with police,

13460 report using liquor (55.5%),


9522 report using marijuana (39.3%),

3072 report using cocaine (12.7%),

2278 report using Meth (9.5%).

NOTE: Results based on students who reported any trouble with police

Drug Use of Students Who Reported Trouble with Police vs. Students Who Did Not



Source: Pride Surveys

| Drug | Police | No Police | Ratio |
|---------------|--------|-----------|-------|
| Liquor | 55.5% | 21.8% | 2.5 |
| Marijuana | 39.3% | 8.4% | 4.7 |
| Cocaine | 12.7% | 1.4% | 9.1 |
| Meth | 9.5% | 1.1% | 8.6 |
| N of Students | 24801 | 72187 | |

3.19 Personal Safety

Total number of students surveyed = 98086

20851 students report being afraid another student will hurt them at school.
(22.2% of total responding)

Of these 20851 students, 1597 report carrying a gun to school (7.7%).

19002 students report getting hurt at school. (20.2% of total responding)

Of these 19002 students, 2009 report carrying a gun to school (10.6%).

Chapter 4

Percentage Tables

This chapter contains your school survey results in tabular form. Each table corresponds to an item on the questionnaire. The tables contain percentage data by grade level, grades 6 through 8 combined, grades 9 through 12 combined, and all grades combined. The *N of Valid* column contains the number of students who responded to the question and the *N of Missing* column contains the number of students who did not respond to the question. The remaining columns contain the percentages of students responding to the particular response categories.

The percentage tables of the report appear in the same order as corresponding questions on the questionnaire. The Table of Contents contains the percentage tables by section and gives the page number where each section is located. The List of Tables contains the location of each individual table.

The last section of tables presents the frequency of drug use *How Often Do You Use* data with the categories *collapsed* as follows:

- Daily Use – Every Day
- Weekly Use – Once/Week + 3 Times/Week + Every Day
- Monthly Use – Once/Month + Twice/Month + Once/Week + 3 Times/Week + Every Day
- Annual Use – Once/Year + 6 Times/Year + Once/Month + Twice/Month + Once/Week + 3 Times/Week + Every Day

Three additional drug use categories have been created for the question *How Often Do You Use* by combining the existing data. A *Tobacco Use* category was created by looking at the responses on each questionnaire on the tobacco categories and taking the highest value as the value for *Tobacco Use*. The *Alcohol Use* category was created by looking at the responses on each questionnaire on the alcohol categories. The category of *Illicit Drug Use* was created in the same way by looking at the illicit drug categories. Therefore, the *Tobacco Use* category represents any tobacco use regardless of the type of tobacco, the *Alcohol Use* category represents any alcohol use regardless of the type of alcohol and the *Illicit Drug Use* category represents any illicit drug use regardless of the type of drug.

4.1 Personal & Family Information

Table 4.1: Ethnic Origin








| RESPONSE | 6th | 7th | 8th | 9th | 10th | 11th | 12th | 6-8th | 9-12th | TOTAL | |
|------------------------|-------|-------|-------|-------|-------|-------|------|-------|--------|-------|---|
| White | 61.0 | 62.9 | 63.7 | 65.3 | 68.8 | 68.6 | 70.0 | 62.7 | 68.0 | 65.1 |  |
| African American | 16.3 | 15.8 | 13.7 | 17.8 | 14.7 | 15.8 | 14.9 | 15.1 | 15.9 | 15.5 |  |
| Hispanic/Latino | 11.8 | 10.5 | 11.5 | 5.8 | 5.7 | 5.0 | 5.3 | 11.2 | 5.5 | 8.7 |  |
| Asian/Pacific Islander | 1.4 | 2.1 | 2.3 | 2.9 | 2.9 | 2.9 | 3.1 | 2.0 | 2.9 | 2.4 |  |
| Native American | 1.6 | 1.7 | 1.6 | 2.4 | 1.9 | 2.2 | 2.2 | 1.6 | 2.2 | 1.9 |  |
| Mixed Origin | 6.0 | 5.1 | 5.5 | 4.2 | 4.0 | 3.1 | 2.6 | 5.5 | 3.6 | 4.6 |  |
| Other | 2.0 | 1.9 | 1.8 | 1.7 | 1.9 | 2.2 | 1.9 | 1.9 | 1.9 | 1.9 |  |
| N of Valid | 14032 | 18821 | 20962 | 11941 | 12618 | 10297 | 7867 | 53815 | 42723 | 96538 | |
| N of Miss | 269 | 283 | 374 | 190 | 188 | 141 | 96 | 926 | 615 | 1541 | |

Table 4.2: Sex



| RESPONSE | 6th | 7th | 8th | 9th | 10th | 11th | 12th | 6-8th | 9-12th | TOTAL | |
|------------|-------|-------|-------|-------|-------|------|------|-------|--------|-------|---|
| Male | 50.0 | 50.6 | 49.3 | 49.8 | 48.4 | 47.1 | 48.1 | 49.9 | 48.4 | 49.3 |  |
| Female | 50.0 | 49.4 | 50.7 | 50.2 | 51.6 | 52.9 | 51.9 | 50.1 | 51.6 | 50.7 |  |
| N of Valid | 13325 | 17217 | 18726 | 10429 | 11224 | 9130 | 6896 | 49268 | 37679 | 86947 | |
| N of Miss | 978 | 1887 | 2610 | 1702 | 1582 | 1308 | 1067 | 5475 | 5659 | 11134 | |

Table 4.3: Age

| RESPONSE | 6th | 7th | 8th | 9th | 10th | 11th | 12th | 6-8th | 9-12th | TOTAL |
|-------------|-------|-------|-------|-------|-------|-------|------|-------|--------|-------|
| 10 or under | 0.7 | 0.0 | 0.0 | 0.1 | 0.1 | 0.1 | 0.6 | 0.2 | 0.2 | 0.2 |
| 11 | 37.0 | 0.5 | 0.0 | 0.0 | 0.0 | 0.0 | 0.1 | 9.8 | 0.0 | 5.5 |
| 12 | 52.1 | 37.3 | 0.4 | 0.0 | 0.0 | 0.0 | 0.2 | 26.8 | 0.1 | 15.0 |
| 13 | 8.5 | 53.1 | 40.6 | 0.5 | 0.0 | 0.0 | 0.1 | 36.6 | 0.2 | 20.5 |
| 14 | 0.8 | 8.1 | 50.0 | 39.0 | 0.4 | 0.0 | 0.0 | 22.5 | 11.0 | 17.5 |
| 15 | 0.1 | 0.8 | 8.1 | 49.6 | 39.5 | 0.4 | 0.1 | 3.5 | 25.6 | 13.3 |
| 16 | 0.1 | 0.1 | 0.6 | 9.2 | 51.7 | 44.6 | 0.7 | 0.3 | 28.7 | 12.9 |
| 17 | 0.1 | 0.0 | 0.1 | 1.1 | 7.5 | 48.5 | 44.6 | 0.0 | 22.4 | 9.9 |
| 18 | 0.0 | 0.0 | 0.0 | 0.1 | 0.6 | 5.9 | 48.3 | 0.0 | 10.5 | 4.7 |
| 19+ | 0.6 | 0.1 | 0.1 | 0.3 | 0.3 | 0.5 | 5.5 | 0.3 | 1.3 | 0.7 |
| N of Valid | 14228 | 19027 | 21244 | 12087 | 12743 | 10404 | 7945 | 54499 | 43179 | 97678 |
| N of Miss | 76 | 77 | 92 | 44 | 63 | 34 | 18 | 245 | 159 | 404 |

Table 4.4: Do you live with...

| RESPONSE | 6th | 7th | 8th | 9th | 10th | 11th | 12th | 6-8th | 9-12th | TOTAL |
|---------------------|-------|-------|-------|-------|-------|-------|------|-------|--------|-------|
| Both Parents | 56.7 | 57.0 | 55.2 | 53.1 | 55.8 | 54.6 | 55.3 | 56.3 | 54.7 | 55.6 |
| Mother Only | 17.2 | 17.8 | 18.2 | 18.8 | 17.1 | 18.0 | 16.9 | 17.8 | 17.8 | 17.8 |
| Father Only | 2.5 | 2.7 | 3.2 | 3.4 | 3.6 | 3.5 | 3.8 | 2.8 | 3.5 | 3.1 |
| Mother & Stepfather | 13.5 | 13.4 | 13.9 | 14.2 | 13.3 | 13.1 | 11.6 | 13.6 | 13.2 | 13.4 |
| Father & Stepmother | 2.4 | 2.8 | 3.2 | 3.6 | 3.6 | 3.7 | 3.0 | 2.8 | 3.5 | 3.1 |
| Other | 7.7 | 6.3 | 6.3 | 7.0 | 6.6 | 7.1 | 9.4 | 6.7 | 7.3 | 7.0 |
| N of Valid | 14158 | 18913 | 21126 | 12020 | 12695 | 10347 | 7917 | 54197 | 42979 | 97176 |
| N of Miss | 150 | 191 | 210 | 111 | 111 | 91 | 46 | 551 | 359 | 910 |

Table 4.5: Do you have a job?

| RESPONSE | 6th | 7th | 8th | 9th | 10th | 11th | 12th | 6-8th | 9-12th | TOTAL |
|----------------|-------|-------|-------|-------|-------|------|------|-------|--------|-------|
| Yes, Full-time | 1.8 | 1.1 | 1.1 | 1.3 | 2.0 | 2.6 | 4.7 | 1.3 | 2.4 | 1.8 |
| Yes, Part-time | 12.8 | 13.0 | 13.8 | 17.9 | 24.9 | 40.6 | 51.6 | 13.3 | 31.6 | 21.3 |
| No | 85.4 | 85.9 | 85.1 | 80.8 | 73.1 | 56.8 | 43.7 | 85.4 | 65.9 | 76.9 |
| N of Valid | 13791 | 18175 | 20178 | 11362 | 12067 | 9809 | 7479 | 52144 | 40717 | 92861 |
| N of Miss | 517 | 929 | 1158 | 769 | 739 | 629 | 484 | 2604 | 2621 | 5225 |

Table 4.6: Does your father have a job?

| RESPONSE | 6th | 7th | 8th | 9th | 10th | 11th | 12th | 6-8th | 9-12th | TOTAL | |
|----------------|-------|-------|-------|-------|-------|------|------|-------|--------|-------|--|
| Yes, Full-time | 74.5 | 79.5 | 82.0 | 82.6 | 84.3 | 84.5 | 85.0 | 79.2 | 84.0 | 81.3 | |
| Yes, Part-time | 15.9 | 12.2 | 9.3 | 7.3 | 5.6 | 4.8 | 3.8 | 12.1 | 5.6 | 9.2 | |
| No | 9.6 | 8.2 | 8.7 | 10.1 | 10.1 | 10.7 | 11.2 | 8.8 | 10.4 | 9.5 | |
| N of Valid | 13077 | 17379 | 19402 | 11117 | 11837 | 9670 | 7420 | 49858 | 40044 | 89902 | |
| N of Miss | 1231 | 1725 | 1934 | 1014 | 969 | 768 | 543 | 4890 | 3294 | 8184 | |





Table 4.7: Does your mother have a job?

| RESPONSE | 6th | 7th | 8th | 9th | 10th | 11th | 12th | 6-8th | 9-12th | TOTAL | |
|----------------|-------|-------|-------|-------|-------|------|------|-------|--------|-------|--|
| Yes, Full-time | 54.1 | 57.1 | 60.8 | 63.1 | 65.1 | 66.4 | 67.0 | 57.8 | 65.2 | 61.1 | |
| Yes, Part-time | 24.3 | 22.4 | 19.0 | 16.8 | 15.7 | 14.3 | 13.1 | 21.6 | 15.2 | 18.7 | |
| No | 21.6 | 20.6 | 20.2 | 20.1 | 19.2 | 19.2 | 19.9 | 20.7 | 19.6 | 20.2 | |
| N of Valid | 13237 | 17852 | 20065 | 11388 | 12145 | 9892 | 7576 | 51154 | 41001 | 92155 | |
| N of Miss | 1071 | 1252 | 1271 | 743 | 661 | 546 | 387 | 3594 | 2337 | 5931 | |

Table 4.8: What is the educational level of your father?

| RESPONSE | 6th | 7th | 8th | 9th | 10th | 11th | 12th | 6-8th | 9-12th | TOTAL | |
|----------------------|-------|-------|-------|-------|-------|------|------|-------|--------|-------|--|
| Some High School | 17.3 | 15.6 | 17.7 | 17.8 | 15.7 | 15.1 | 15.6 | 16.8 | 16.1 | 16.5 | |
| High School Graduate | 31.0 | 29.6 | 34.0 | 33.7 | 35.9 | 35.2 | 37.3 | 31.7 | 35.4 | 33.4 | |
| Some College | 14.9 | 15.1 | 15.9 | 16.6 | 16.9 | 17.6 | 17.0 | 15.4 | 17.0 | 16.1 | |
| College Graduate | 36.9 | 39.7 | 32.4 | 31.9 | 31.4 | 32.2 | 30.1 | 36.1 | 31.5 | 34.0 | |
| N of Valid | 11279 | 15431 | 17412 | 10061 | 10851 | 8963 | 6890 | 44122 | 36765 | 80887 | |
| N of Miss | 3029 | 3673 | 3924 | 2070 | 1955 | 1475 | 1073 | 10626 | 6573 | 17199 | |

Table 4.9: What is the educational level of your mother?

| RESPONSE | 6th | 7th | 8th | 9th | 10th | 11th | 12th | 6-8th | 9-12th | TOTAL | |
|----------------------|-------|-------|-------|-------|-------|------|------|-------|--------|-------|---|
| Some High School | 14.2 | 12.3 | 14.4 | 13.6 | 11.8 | 11.8 | 12.0 | 13.6 | 12.3 | 13.0 |  |
| High School Graduate | 25.9 | 24.8 | 28.6 | 27.8 | 29.5 | 29.3 | 30.9 | 26.6 | 29.2 | 27.8 |  |
| Some College | 18.3 | 18.6 | 19.8 | 20.9 | 20.7 | 21.2 | 20.3 | 19.0 | 20.8 | 19.8 |  |
| College Graduate | 41.6 | 44.2 | 37.2 | 37.7 | 38.0 | 37.7 | 36.8 | 40.8 | 37.6 | 39.4 |  |
| N of Valid | 11873 | 16294 | 18407 | 10544 | 11297 | 9304 | 7148 | 46574 | 38293 | 84867 | |
| N of Miss | 2435 | 2810 | 2929 | 1587 | 1509 | 1134 | 815 | 8174 | 5045 | 13219 | |

4.2 Student Information

Table 4.10: Do you make good grades?

| RESPONSE | 6th | 7th | 8th | 9th | 10th | 11th | 12th | 6-8th | 9-12th | TOTAL |
|------------|-------|-------|-------|-------|-------|-------|------|-------|--------|-------|
| Never | 1.4 | 0.7 | 0.9 | 1.4 | 1.3 | 1.4 | 1.6 | 1.0 | 1.4 | 1.2 |
| Seldom | 2.0 | 2.1 | 2.5 | 3.2 | 2.9 | 2.3 | 1.8 | 2.2 | 2.6 | 2.4 |
| Sometimes | 27.1 | 26.9 | 27.2 | 28.1 | 27.0 | 25.2 | 22.8 | 27.1 | 26.1 | 26.6 |
| Often | 34.6 | 35.9 | 36.0 | 37.2 | 37.6 | 39.6 | 38.0 | 35.6 | 38.0 | 36.7 |
| A Lot | 34.8 | 34.4 | 33.5 | 30.1 | 31.3 | 31.5 | 35.9 | 34.1 | 31.8 | 33.1 |
| N of Valid | 14219 | 19019 | 21249 | 12080 | 12755 | 10398 | 7925 | 54487 | 43158 | 97645 |
| N of Miss | 89 | 85 | 87 | 51 | 51 | 40 | 38 | 261 | 180 | 441 |

Table 4.11: Do you get into trouble at school?

| RESPONSE | 6th | 7th | 8th | 9th | 10th | 11th | 12th | 6-8th | 9-12th | TOTAL |
|------------|-------|-------|-------|-------|-------|-------|------|-------|--------|-------|
| Never | 30.2 | 27.5 | 27.7 | 29.9 | 37.7 | 41.9 | 49.1 | 28.3 | 38.6 | 32.8 |
| Seldom | 34.5 | 36.8 | 37.6 | 40.3 | 38.8 | 38.6 | 34.7 | 36.5 | 38.4 | 37.4 |
| Sometimes | 26.0 | 25.7 | 24.9 | 21.3 | 17.8 | 14.7 | 11.6 | 25.5 | 16.9 | 21.7 |
| Often | 5.4 | 6.5 | 6.2 | 5.6 | 3.2 | 2.8 | 2.4 | 6.1 | 3.6 | 5.0 |
| A Lot | 3.9 | 3.5 | 3.5 | 2.9 | 2.5 | 2.1 | 2.2 | 3.6 | 2.4 | 3.1 |
| N of Valid | 14148 | 18925 | 21189 | 12047 | 12719 | 10353 | 7922 | 54262 | 43041 | 97303 |
| N of Miss | 160 | 179 | 147 | 84 | 87 | 85 | 41 | 486 | 297 | 783 |

Table 4.12: Do you take part in school sports teams?

| RESPONSE | 6th | 7th | 8th | 9th | 10th | 11th | 12th | 6-8th | 9-12th | TOTAL |
|------------|-------|-------|-------|-------|-------|-------|------|-------|--------|-------|
| Never | 40.0 | 30.2 | 29.0 | 29.9 | 31.8 | 35.5 | 35.4 | 32.3 | 32.8 | 32.5 |
| Seldom | 9.3 | 10.9 | 12.2 | 12.7 | 12.1 | 12.9 | 13.2 | 11.0 | 12.7 | 11.7 |
| Sometimes | 15.4 | 15.7 | 15.5 | 14.5 | 14.0 | 13.8 | 13.4 | 15.6 | 14.0 | 14.9 |
| Often | 11.6 | 13.8 | 13.7 | 13.6 | 13.0 | 12.0 | 12.9 | 13.2 | 12.9 | 13.1 |
| A Lot | 23.7 | 29.4 | 29.5 | 29.3 | 29.2 | 25.8 | 25.0 | 28.0 | 27.7 | 27.8 |
| N of Valid | 13581 | 18440 | 20713 | 11796 | 12526 | 10199 | 7827 | 52734 | 42348 | 95082 |
| N of Miss | 727 | 664 | 623 | 335 | 280 | 239 | 136 | 2014 | 990 | 3004 |

Table 4.13: Do you take part in school activities such as band, clubs, etc.?






| RESPONSE | 6th | 7th | 8th | 9th | 10th | 11th | 12th | 6-8th | 9-12th | TOTAL | |
|------------|-------|-------|-------|-------|-------|-------|------|-------|--------|-------|---|
| Never | 33.7 | 33.4 | 34.0 | 32.9 | 31.0 | 28.8 | 27.1 | 33.7 | 30.3 | 32.2 |  |
| Seldom | 9.0 | 12.5 | 13.9 | 15.6 | 14.5 | 13.6 | 13.0 | 12.2 | 14.3 | 13.1 |  |
| Sometimes | 13.9 | 15.8 | 17.0 | 17.6 | 18.6 | 19.1 | 19.4 | 15.8 | 18.6 | 17.0 |  |
| Often | 13.9 | 14.5 | 13.7 | 14.4 | 15.3 | 16.5 | 17.6 | 14.0 | 15.8 | 14.8 |  |
| A Lot | 29.4 | 23.9 | 21.4 | 19.5 | 20.6 | 22.1 | 22.9 | 24.3 | 21.1 | 22.9 |  |
| N of Valid | 14112 | 18949 | 21172 | 12034 | 12709 | 10347 | 7901 | 54233 | 42991 | 97224 | |
| N of Miss | 196 | 155 | 164 | 97 | 97 | 91 | 62 | 515 | 347 | 862 | |

Table 4.14: Do you take part in community activities such as scouts, rec. teams, youth clubs, etc.?






| RESPONSE | 6th | 7th | 8th | 9th | 10th | 11th | 12th | 6-8th | 9-12th | TOTAL | |
|------------|-------|-------|-------|-------|-------|-------|------|-------|--------|-------|---|
| Never | 40.0 | 40.3 | 41.7 | 41.2 | 40.0 | 37.6 | 35.1 | 40.7 | 38.9 | 39.9 |  |
| Seldom | 11.8 | 14.3 | 15.5 | 17.5 | 19.0 | 18.8 | 19.8 | 14.1 | 18.7 | 16.1 |  |
| Sometimes | 14.8 | 15.9 | 16.7 | 17.6 | 17.4 | 18.7 | 19.6 | 15.9 | 18.2 | 16.9 |  |
| Often | 12.0 | 12.3 | 11.8 | 11.7 | 11.9 | 12.7 | 13.0 | 12.0 | 12.3 | 12.1 |  |
| A Lot | 21.4 | 17.3 | 14.3 | 11.9 | 11.7 | 12.2 | 12.5 | 17.2 | 12.0 | 14.9 |  |
| N of Valid | 13969 | 18719 | 20991 | 11947 | 12603 | 10288 | 7850 | 53679 | 42688 | 96367 | |
| N of Miss | 339 | 385 | 345 | 184 | 203 | 150 | 113 | 1069 | 650 | 1719 | |

Table 4.15: Do you attend church, synagogue, etc.?






| RESPONSE | 6th | 7th | 8th | 9th | 10th | 11th | 12th | 6-8th | 9-12th | TOTAL | |
|------------|-------|-------|-------|-------|-------|-------|------|-------|--------|-------|---|
| Never | 11.5 | 12.2 | 15.3 | 14.9 | 17.8 | 18.0 | 19.6 | 13.2 | 17.4 | 15.1 |  |
| Seldom | 10.4 | 11.5 | 13.4 | 13.9 | 15.5 | 16.9 | 17.2 | 11.9 | 15.7 | 13.6 |  |
| Sometimes | 21.0 | 20.1 | 20.8 | 20.5 | 20.0 | 19.8 | 20.5 | 20.6 | 20.2 | 20.4 |  |
| Often | 18.0 | 18.4 | 17.6 | 17.2 | 16.3 | 15.3 | 15.2 | 18.0 | 16.1 | 17.1 |  |
| A Lot | 39.1 | 37.9 | 32.9 | 33.4 | 30.4 | 30.1 | 27.5 | 36.3 | 30.6 | 33.8 |  |
| N of Valid | 13873 | 18529 | 20796 | 11803 | 12470 | 10175 | 7797 | 53198 | 42245 | 95443 | |
| N of Miss | 435 | 575 | 540 | 328 | 336 | 263 | 166 | 1550 | 1093 | 2643 | |

Table 4.16: Do your parents talk with you about the problems of tobacco, alcohol and drug use?

| RESPONSE | 6th | 7th | 8th | 9th | 10th | 11th | 12th | 6-8th | 9-12th | TOTAL | |
|------------|-------|-------|-------|-------|-------|-------|------|-------|--------|-------|--|
| Never | 12.2 | 12.2 | 14.0 | 15.5 | 17.0 | 17.9 | 19.6 | 12.9 | 17.3 | 14.8 | |
| Seldom | 11.0 | 14.3 | 17.1 | 18.9 | 21.4 | 21.8 | 24.0 | 14.5 | 21.3 | 17.5 | |
| Sometimes | 25.5 | 27.2 | 28.5 | 29.1 | 30.3 | 29.6 | 30.4 | 27.3 | 29.8 | 28.4 | |
| Often | 21.6 | 21.2 | 20.5 | 19.1 | 17.5 | 17.1 | 15.4 | 21.1 | 17.5 | 19.5 | |
| A Lot | 29.8 | 25.1 | 19.8 | 17.5 | 13.8 | 13.7 | 10.7 | 24.2 | 14.2 | 19.8 | |
| N of Valid | 14078 | 18845 | 21108 | 11995 | 12681 | 10323 | 7886 | 54031 | 42885 | 96916 | |
| N of Miss | 230 | 259 | 228 | 136 | 125 | 115 | 77 | 717 | 453 | 1170 | |

Table 4.17: Do your teachers talk with you about the problems of tobacco, alcohol and drug use?

| RESPONSE | 6th | 7th | 8th | 9th | 10th | 11th | 12th | 6-8th | 9-12th | TOTAL | |
|------------|-------|-------|-------|-------|-------|-------|------|-------|--------|-------|--|
| Never | 12.1 | 12.3 | 13.4 | 16.8 | 18.3 | 21.0 | 21.6 | 12.7 | 19.1 | 15.5 | |
| Seldom | 13.6 | 18.2 | 19.9 | 24.9 | 27.1 | 30.1 | 31.6 | 17.7 | 28.0 | 22.3 | |
| Sometimes | 27.0 | 30.1 | 30.6 | 31.9 | 32.0 | 29.7 | 31.5 | 29.5 | 31.3 | 30.3 | |
| Often | 23.2 | 21.1 | 20.4 | 15.3 | 14.4 | 12.5 | 9.5 | 21.4 | 13.3 | 17.8 | |
| A Lot | 24.1 | 18.3 | 15.6 | 11.1 | 8.3 | 6.8 | 5.9 | 18.8 | 8.3 | 14.1 | |
| N of Valid | 13997 | 18810 | 21055 | 11985 | 12634 | 10308 | 7878 | 53862 | 42805 | 96667 | |
| N of Miss | 311 | 294 | 281 | 146 | 172 | 130 | 85 | 886 | 533 | 1419 | |

Table 4.18: Have you skipped school without your parents' permission in the past year?

| RESPONSE | 6th | 7th | 8th | 9th | 10th | 11th | 12th | 6-8th | 9-12th | TOTAL | |
|------------|-------|-------|-------|-------|-------|-------|------|-------|--------|-------|--|
| Never | 92.8 | 89.0 | 83.5 | 77.5 | 72.4 | 64.7 | 59.7 | 87.8 | 69.6 | 79.8 | |
| Seldom | 3.0 | 5.0 | 7.1 | 9.5 | 11.9 | 14.0 | 15.6 | 5.3 | 12.4 | 8.4 | |
| Sometimes | 1.7 | 3.0 | 5.0 | 6.9 | 8.4 | 11.3 | 13.2 | 3.4 | 9.6 | 6.1 | |
| Often | 0.8 | 1.2 | 2.1 | 2.6 | 3.1 | 4.8 | 5.7 | 1.4 | 3.9 | 2.5 | |
| A Lot | 1.8 | 1.7 | 2.4 | 3.4 | 4.2 | 5.2 | 5.8 | 2.0 | 4.5 | 3.1 | |
| N of Valid | 14135 | 18901 | 21130 | 12007 | 12701 | 10337 | 7896 | 54166 | 42941 | 97107 | |
| N of Miss | 173 | 203 | 206 | 124 | 105 | 101 | 67 | 582 | 397 | 979 | |

Table 4.19: Does your school set clear rules on using drugs at school?






| RESPONSE | 6th | 7th | 8th | 9th | 10th | 11th | 12th | 6-8th | 9-12th | TOTAL | |
|------------|-------|-------|-------|-------|-------|-------|------|-------|--------|-------|---|
| Never | 4.7 | 4.5 | 5.3 | 5.8 | 5.6 | 6.2 | 6.0 | 4.9 | 5.9 | 5.3 |  |
| Seldom | 3.5 | 5.2 | 6.2 | 7.9 | 8.0 | 7.8 | 8.0 | 5.2 | 7.9 | 6.4 |  |
| Sometimes | 6.9 | 8.9 | 11.5 | 14.7 | 15.2 | 14.8 | 15.6 | 9.4 | 15.1 | 11.9 |  |
| Often | 13.8 | 17.3 | 19.5 | 22.6 | 25.0 | 24.6 | 26.5 | 17.2 | 24.5 | 20.5 |  |
| A Lot | 71.1 | 64.1 | 57.5 | 49.0 | 46.2 | 46.6 | 43.8 | 63.3 | 46.6 | 55.9 |  |
| N of Valid | 13954 | 18746 | 21011 | 11953 | 12647 | 10293 | 7854 | 53711 | 42747 | 96458 | |
| N of Miss | 354 | 358 | 325 | 178 | 159 | 145 | 109 | 1037 | 591 | 1628 | |

Table 4.20: Does your school set clear rules on bullying or threatening other students at school?






| RESPONSE | 6th | 7th | 8th | 9th | 10th | 11th | 12th | 6-8th | 9-12th | TOTAL | |
|------------|-------|-------|-------|-------|-------|-------|------|-------|--------|-------|---|
| Never | 4.3 | 4.2 | 5.3 | 8.1 | 8.7 | 9.3 | 10.2 | 4.7 | 8.9 | 6.6 |  |
| Seldom | 3.9 | 5.8 | 7.4 | 12.6 | 14.6 | 14.0 | 15.1 | 5.9 | 14.0 | 9.5 |  |
| Sometimes | 9.2 | 11.7 | 15.2 | 20.9 | 23.6 | 23.3 | 25.3 | 12.4 | 23.1 | 17.1 |  |
| Often | 17.9 | 21.2 | 24.5 | 24.5 | 24.7 | 24.3 | 24.5 | 21.6 | 24.5 | 22.9 |  |
| A Lot | 64.7 | 57.0 | 47.7 | 33.9 | 28.4 | 29.1 | 25.0 | 55.4 | 29.5 | 43.9 |  |
| N of Valid | 14058 | 18841 | 21117 | 11978 | 12679 | 10309 | 7882 | 54016 | 42848 | 96864 | |
| N of Miss | 250 | 263 | 219 | 153 | 127 | 129 | 81 | 732 | 490 | 1222 | |

Table 4.21: Do your parents set clear rules for you?






| RESPONSE | 6th | 7th | 8th | 9th | 10th | 11th | 12th | 6-8th | 9-12th | TOTAL | |
|------------|-------|-------|-------|-------|-------|-------|------|-------|--------|-------|---|
| Never | 3.0 | 2.7 | 3.1 | 4.4 | 4.3 | 4.5 | 6.6 | 2.9 | 4.8 | 3.7 |  |
| Seldom | 3.3 | 4.3 | 5.5 | 6.8 | 7.5 | 8.5 | 9.2 | 4.5 | 7.8 | 6.0 |  |
| Sometimes | 10.9 | 12.9 | 16.3 | 18.0 | 18.8 | 20.5 | 22.3 | 13.7 | 19.6 | 16.3 |  |
| Often | 19.7 | 22.9 | 25.0 | 26.9 | 28.9 | 28.5 | 28.4 | 22.9 | 28.1 | 25.2 |  |
| A Lot | 63.1 | 57.2 | 50.1 | 44.0 | 40.6 | 38.0 | 33.5 | 56.0 | 39.6 | 48.7 |  |
| N of Valid | 14060 | 18819 | 21030 | 11954 | 12644 | 10281 | 7860 | 53909 | 42739 | 96648 | |
| N of Miss | 248 | 285 | 306 | 177 | 162 | 157 | 103 | 839 | 599 | 1438 | |

Table 4.22: Do your parents punish you when you break the rules?

| RESPONSE | 6th | 7th | 8th | 9th | 10th | 11th | 12th | 6-8th | 9-12th | TOTAL | |
|------------|-------|-------|-------|-------|-------|-------|------|-------|--------|-------|--|
| Never | 6.3 | 5.8 | 6.8 | 7.7 | 8.2 | 9.0 | 10.8 | 6.3 | 8.7 | 7.4 | |
| Seldom | 7.6 | 8.5 | 10.7 | 11.9 | 13.4 | 14.6 | 15.8 | 9.1 | 13.7 | 11.2 | |
| Sometimes | 22.5 | 22.6 | 24.7 | 24.5 | 25.2 | 26.5 | 28.1 | 23.4 | 25.8 | 24.5 | |
| Often | 24.7 | 26.1 | 25.5 | 25.7 | 25.5 | 25.2 | 23.9 | 25.5 | 25.2 | 25.4 | |
| A Lot | 39.0 | 37.0 | 32.2 | 30.2 | 27.8 | 24.7 | 21.3 | 35.6 | 26.5 | 31.6 | |
| N of Valid | 14044 | 18844 | 21089 | 11969 | 12654 | 10308 | 7864 | 53977 | 42795 | 96772 | |
| N of Miss | 264 | 260 | 247 | 162 | 152 | 130 | 99 | 771 | 543 | 1314 | |

Table 4.23: Have you been in trouble with the police?

| RESPONSE | 6th | 7th | 8th | 9th | 10th | 11th | 12th | 6-8th | 9-12th | TOTAL | |
|------------|-------|-------|-------|-------|-------|-------|------|-------|--------|-------|--|
| Never | 83.7 | 78.7 | 72.4 | 70.7 | 70.8 | 69.9 | 70.3 | 77.6 | 70.5 | 74.4 | |
| Seldom | 8.5 | 11.0 | 13.9 | 15.1 | 15.3 | 16.7 | 17.0 | 11.5 | 15.9 | 13.4 | |
| Sometimes | 3.8 | 5.5 | 7.5 | 7.7 | 7.8 | 7.9 | 7.7 | 5.8 | 7.8 | 6.7 | |
| Often | 1.6 | 2.5 | 3.0 | 3.1 | 2.9 | 2.5 | 2.2 | 2.5 | 2.7 | 2.6 | |
| A Lot | 2.5 | 2.3 | 3.1 | 3.3 | 3.1 | 2.9 | 2.8 | 2.7 | 3.1 | 2.8 | |
| N of Valid | 14113 | 18900 | 21122 | 11981 | 12672 | 10315 | 7885 | 54135 | 42853 | 96988 | |
| N of Miss | 195 | 204 | 214 | 150 | 134 | 123 | 78 | 613 | 485 | 1098 | |

Table 4.24: Do you take part in gang activities?

| RESPONSE | 6th | 7th | 8th | 9th | 10th | 11th | 12th | 6-8th | 9-12th | TOTAL | |
|------------|-------|-------|-------|-------|-------|-------|------|-------|--------|-------|--|
| Never | 89.3 | 88.1 | 86.6 | 86.6 | 87.5 | 87.6 | 89.6 | 87.8 | 87.6 | 87.8 | |
| Seldom | 4.1 | 4.9 | 5.6 | 5.2 | 4.5 | 4.2 | 2.8 | 4.9 | 4.3 | 4.7 | |
| Sometimes | 2.9 | 3.1 | 3.6 | 3.4 | 3.2 | 3.5 | 3.0 | 3.2 | 3.3 | 3.2 | |
| Often | 1.3 | 1.5 | 1.5 | 1.6 | 1.4 | 1.4 | 1.4 | 1.4 | 1.4 | 1.4 | |
| A Lot | 2.5 | 2.3 | 2.8 | 3.4 | 3.4 | 3.4 | 3.3 | 2.5 | 3.4 | 2.9 | |
| N of Valid | 14043 | 18874 | 21101 | 11982 | 12677 | 10324 | 7883 | 54018 | 42866 | 96884 | |
| N of Miss | 265 | 230 | 235 | 149 | 129 | 114 | 80 | 730 | 472 | 1202 | |

Table 4.25: Have you thought about committing suicide?


| RESPONSE | 6th | 7th | 8th | 9th | 10th | 11th | 12th | 6-8th | 9-12th | TOTAL | |
|------------|-------|-------|-------|-------|-------|-------|------|-------|--------|-------|---|
| Never | 83.2 | 79.9 | 75.4 | 73.0 | 71.6 | 70.9 | 71.9 | 79.0 | 71.9 | 75.8 |  |
| Seldom | 7.8 | 9.8 | 11.3 | 12.6 | 12.8 | 14.4 | 13.3 | 9.8 | 13.2 | 11.3 | |
| Sometimes | 4.7 | 5.8 | 6.9 | 7.5 | 8.3 | 8.6 | 8.8 | 6.0 | 8.3 | 7.0 | |
| Often | 1.6 | 1.8 | 2.7 | 3.0 | 3.2 | 2.6 | 2.6 | 2.1 | 2.9 | 2.5 | |
| A Lot | 2.7 | 2.8 | 3.6 | 3.9 | 4.1 | 3.6 | 3.3 | 3.1 | 3.8 | 3.4 | |
| N of Valid | 13913 | 18801 | 21055 | 11974 | 12660 | 10288 | 7877 | 53769 | 42799 | 96568 | |
| N of Miss | 395 | 303 | 281 | 157 | 146 | 150 | 86 | 979 | 539 | 1518 | |

Table 4.26: Do you have an adult, other than your parent or guardian, that you talk to about problems?


| RESPONSE | 6th | 7th | 8th | 9th | 10th | 11th | 12th | 6-8th | 9-12th | TOTAL | |
|------------|-------|-------|-------|-------|-------|-------|------|-------|--------|-------|---|
| Never | 19.8 | 18.9 | 17.9 | 17.5 | 18.3 | 17.2 | 17.4 | 18.7 | 17.6 | 18.3 |  |
| Seldom | 12.1 | 13.5 | 14.0 | 14.6 | 14.6 | 14.2 | 14.0 | 13.3 | 14.4 | 13.8 | |
| Sometimes | 25.2 | 24.3 | 24.8 | 25.1 | 25.5 | 25.3 | 27.4 | 24.7 | 25.7 | 25.1 | |
| Often | 16.3 | 17.9 | 18.3 | 19.1 | 19.2 | 19.8 | 19.4 | 17.6 | 19.4 | 18.4 | |
| A Lot | 26.5 | 25.5 | 25.0 | 23.7 | 22.5 | 23.4 | 21.7 | 25.6 | 22.9 | 24.4 | |
| N of Valid | 13971 | 18757 | 21026 | 11921 | 12600 | 10250 | 7836 | 53754 | 42607 | 96361 | |
| N of Miss | 337 | 347 | 310 | 210 | 206 | 188 | 127 | 994 | 731 | 1725 | |

Table 4.27: Do your friends use tobacco (cigarettes, etc.)?


| RESPONSE | 6th | 7th | 8th | 9th | 10th | 11th | 12th | 6-8th | 9-12th | TOTAL | |
|------------|-------|-------|-------|-------|-------|-------|------|-------|--------|-------|---|
| Never | 80.4 | 67.4 | 52.7 | 32.6 | 26.5 | 19.6 | 17.4 | 65.0 | 24.9 | 47.2 |  |
| Seldom | 6.5 | 10.8 | 13.6 | 15.7 | 14.7 | 13.6 | 12.8 | 10.8 | 14.4 | 12.4 | |
| Sometimes | 6.2 | 10.3 | 15.4 | 21.3 | 22.8 | 24.4 | 24.4 | 11.2 | 23.1 | 16.4 | |
| Often | 2.9 | 5.5 | 8.4 | 12.9 | 15.4 | 17.7 | 19.0 | 6.0 | 15.9 | 10.4 | |
| A Lot | 4.0 | 6.0 | 10.0 | 17.6 | 20.6 | 24.6 | 26.5 | 7.1 | 21.8 | 13.6 | |
| N of Valid | 13888 | 18656 | 20911 | 11880 | 12581 | 10242 | 7829 | 53455 | 42532 | 95987 | |
| N of Miss | 420 | 448 | 425 | 251 | 225 | 196 | 134 | 1293 | 806 | 2099 | |

Table 4.28: Do your friends use alcohol (beer, liquor, etc.)?






| RESPONSE | 6th | 7th | 8th | 9th | 10th | 11th | 12th | 6-8th | 9-12th | TOTAL | |
|------------|-------|-------|-------|-------|-------|-------|------|-------|--------|-------|---|
| Never | 81.3 | 66.7 | 47.3 | 27.0 | 18.0 | 12.9 | 11.0 | 62.9 | 18.0 | 43.0 |  |
| Seldom | 7.6 | 12.4 | 16.7 | 16.6 | 13.8 | 11.8 | 10.3 | 12.8 | 13.5 | 13.1 |  |
| Sometimes | 5.7 | 10.7 | 17.3 | 23.9 | 25.1 | 25.7 | 25.4 | 12.0 | 25.0 | 17.7 |  |
| Often | 2.3 | 5.0 | 9.2 | 15.4 | 19.8 | 21.2 | 23.2 | 6.0 | 19.5 | 12.0 |  |
| A Lot | 3.1 | 5.2 | 9.4 | 17.1 | 23.2 | 28.4 | 30.1 | 6.3 | 24.0 | 14.2 |  |
| N of Valid | 13884 | 18616 | 20917 | 11880 | 12570 | 10230 | 7829 | 53417 | 42509 | 95926 | |
| N of Miss | 424 | 488 | 419 | 251 | 236 | 208 | 134 | 1331 | 829 | 2160 | |

Table 4.29: Do your friends use marijuana (pot, hash, etc.)?






| RESPONSE | 6th | 7th | 8th | 9th | 10th | 11th | 12th | 6-8th | 9-12th | TOTAL | |
|------------|-------|-------|-------|-------|-------|-------|------|-------|--------|-------|---|
| Never | 91.1 | 81.9 | 67.9 | 50.7 | 41.3 | 32.9 | 32.0 | 78.8 | 40.2 | 61.7 |  |
| Seldom | 3.0 | 6.5 | 10.3 | 14.7 | 15.5 | 15.9 | 16.9 | 7.1 | 15.6 | 10.9 |  |
| Sometimes | 2.4 | 4.8 | 9.0 | 13.8 | 16.3 | 19.3 | 20.3 | 5.8 | 17.1 | 10.8 |  |
| Often | 1.1 | 2.8 | 5.2 | 8.2 | 10.8 | 13.3 | 13.1 | 3.3 | 11.1 | 6.8 |  |
| A Lot | 2.4 | 4.0 | 7.5 | 12.7 | 16.0 | 18.6 | 17.7 | 5.0 | 16.0 | 9.9 |  |
| N of Valid | 13874 | 18598 | 20880 | 11839 | 12545 | 10210 | 7823 | 53352 | 42417 | 95769 | |
| N of Miss | 434 | 506 | 456 | 292 | 261 | 228 | 140 | 1396 | 921 | 2317 | |

Table 4.30: Do your friends use other illicit drugs?

| RESPONSE | 6th | 7th | 8th | 9th | 10th | 11th | 12th | 6-8th | 9-12th | TOTAL | |
|------------|-------|-------|-------|-------|-------|-------|------|-------|--------|-------|--|
| Never | 93.1 | 88.0 | 80.1 | 69.7 | 63.0 | 57.4 | 58.2 | 86.2 | 62.7 | 75.8 | |
| Seldom | 2.5 | 5.3 | 8.5 | 12.4 | 14.8 | 17.1 | 16.8 | 5.8 | 15.1 | 9.9 | |
| Sometimes | 1.8 | 3.1 | 5.6 | 8.5 | 10.5 | 12.6 | 13.0 | 3.7 | 10.9 | 6.9 | |
| Often | 0.6 | 1.5 | 2.3 | 3.4 | 4.6 | 5.1 | 4.9 | 1.6 | 4.4 | 2.8 | |
| A Lot | 2.0 | 2.1 | 3.6 | 5.9 | 7.0 | 7.8 | 7.1 | 2.7 | 6.9 | 4.5 | |
| N of Valid | 13715 | 18302 | 20645 | 11714 | 12415 | 10118 | 7758 | 52662 | 42005 | 94667 | |
| N of Miss | 593 | 802 | 691 | 417 | 391 | 320 | 205 | 2086 | 1333 | 3419 | |

Table 4.31: Have you had 5 or more glasses of beer, coolers, breezers or liquor within a few hours?

| RESPONSE | 6th | 7th | 8th | 9th | 10th | 11th | 12th | 6-8th | 9-12th | TOTAL | |
|------------|-------|-------|-------|-------|-------|-------|------|-------|--------|-------|--|
| Never | 93.4 | 89.9 | 82.4 | 73.1 | 63.9 | 57.6 | 51.7 | 87.9 | 62.7 | 76.7 | |
| Seldom | 2.7 | 4.1 | 6.4 | 8.3 | 9.5 | 10.8 | 12.4 | 4.6 | 10.0 | 7.0 | |
| Sometimes | 1.4 | 2.6 | 5.0 | 8.0 | 10.9 | 12.8 | 14.9 | 3.2 | 11.3 | 6.8 | |
| Often | 0.6 | 1.3 | 2.4 | 4.1 | 5.9 | 7.3 | 8.6 | 1.5 | 6.3 | 3.6 | |
| A Lot | 1.9 | 2.2 | 3.8 | 6.5 | 9.7 | 11.5 | 12.5 | 2.7 | 9.8 | 5.8 | |
| N of Valid | 13954 | 18677 | 20910 | 11868 | 12525 | 10194 | 7798 | 53541 | 42385 | 95926 | |
| N of Miss | 354 | 427 | 426 | 263 | 281 | 244 | 165 | 1207 | 953 | 2160 | |

Table 4.32: Have you driven a car after or while drinking alcohol?

| RESPONSE | 6th | 7th | 8th | 9th | 10th | 11th | 12th | 6-8th | 9-12th | TOTAL | |
|------------|-------|-------|-------|-------|-------|-------|------|-------|--------|-------|--|
| Never | 97.2 | 96.9 | 94.9 | 91.8 | 88.6 | 81.6 | 71.0 | 96.2 | 84.6 | 91.0 | |
| Seldom | 0.8 | 1.3 | 2.1 | 3.2 | 4.6 | 8.2 | 14.0 | 1.5 | 6.8 | 3.8 | |
| Sometimes | 0.5 | 0.7 | 1.2 | 2.1 | 3.0 | 4.8 | 7.5 | 0.9 | 4.0 | 2.3 | |
| Often | 0.3 | 0.3 | 0.6 | 1.0 | 1.2 | 2.0 | 3.1 | 0.4 | 1.7 | 1.0 | |
| A Lot | 1.2 | 0.8 | 1.2 | 2.0 | 2.7 | 3.4 | 4.3 | 1.0 | 3.0 | 1.9 | |
| N of Valid | 13850 | 18618 | 20837 | 11841 | 12519 | 10170 | 7792 | 53305 | 42322 | 95627 | |
| N of Miss | 458 | 486 | 499 | 290 | 287 | 268 | 171 | 1443 | 1016 | 2459 | |

Table 4.33: Does your school ask any students to take a drug test?

| RESPONSE | 6th | 7th | 8th | 9th | 10th | 11th | 12th | 6-8th | 9-12th | TOTAL |
|------------|-------|-------|-------|-------|-------|-------|------|-------|--------|-------|
| Yes | 17.5 | 19.3 | 19.0 | 37.4 | 29.5 | 32.0 | 25.2 | 18.7 | 31.5 | 24.4 |
| No | 82.5 | 80.7 | 81.0 | 62.6 | 70.5 | 68.0 | 74.8 | 81.3 | 68.5 | 75.6 |
| N of Valid | 13134 | 17939 | 20401 | 11596 | 12369 | 10053 | 7749 | 51474 | 41767 | 93241 |
| N of Miss | 1169 | 1165 | 935 | 535 | 437 | 385 | 214 | 3269 | 1571 | 4840 |

Table 4.34: Does your school have a Student Assistance Program(SAP)?

| RESPONSE | 6th | 7th | 8th | 9th | 10th | 11th | 12th | 6-8th | 9-12th | TOTAL |
|------------|-------|-------|-------|-------|-------|------|------|-------|--------|-------|
| Yes | 45.6 | 47.3 | 40.0 | 43.9 | 35.4 | 33.7 | 25.7 | 43.9 | 35.5 | 40.1 |
| No | 54.4 | 52.7 | 60.0 | 56.1 | 64.6 | 66.3 | 74.3 | 56.1 | 64.5 | 59.9 |
| N of Valid | 11778 | 16343 | 19076 | 10910 | 11728 | 9619 | 7493 | 47197 | 39750 | 86947 |
| N of Miss | 2525 | 2761 | 2260 | 1221 | 1078 | 819 | 470 | 7546 | 3588 | 11134 |

Table 4.35: Does your school have a school security (police) officer?

| RESPONSE | 6th | 7th | 8th | 9th | 10th | 11th | 12th | 6-8th | 9-12th | TOTAL |
|------------|-------|-------|-------|-------|-------|-------|------|-------|--------|-------|
| Yes | 55.6 | 67.1 | 60.6 | 75.4 | 65.0 | 73.2 | 61.0 | 61.6 | 69.1 | 64.9 |
| No | 44.4 | 32.9 | 39.4 | 24.6 | 35.0 | 26.8 | 39.0 | 38.4 | 30.9 | 35.1 |
| N of Valid | 13300 | 18145 | 20457 | 11661 | 12360 | 10067 | 7727 | 51902 | 41815 | 93717 |
| N of Miss | 1002 | 959 | 879 | 470 | 446 | 371 | 236 | 2840 | 1523 | 4363 |

Table 4.36: Does your school security(police) officer help keep your school safe?

| RESPONSE | 6th | 7th | 8th | 9th | 10th | 11th | 12th | 6-8th | 9-12th | TOTAL |
|------------|-------|-------|-------|-------|-------|------|------|-------|--------|-------|
| Yes | 61.3 | 67.0 | 58.2 | 66.0 | 53.5 | 59.2 | 49.6 | 62.1 | 57.6 | 60.1 |
| No | 38.7 | 33.0 | 41.8 | 34.0 | 46.5 | 40.8 | 50.4 | 37.9 | 42.4 | 39.9 |
| N of Valid | 12838 | 17773 | 19966 | 11542 | 12178 | 9966 | 7611 | 50577 | 41297 | 91874 |
| N of Miss | 1465 | 1331 | 1370 | 589 | 628 | 472 | 352 | 4166 | 2041 | 6207 |

Table 4.37: Do you think that you are overweight?

| RESPONSE | 6th | 7th | 8th | 9th | 10th | 11th | 12th | 6-8th | 9-12th | TOTAL |
|------------|-------|-------|-------|-------|-------|-------|------|-------|--------|-------|
| Yes | 24.7 | 25.7 | 28.5 | 29.1 | 29.3 | 30.9 | 30.0 | 26.5 | 29.7 | 28.0 |
| No | 75.3 | 74.3 | 71.5 | 70.9 | 70.7 | 69.1 | 70.0 | 73.5 | 70.3 | 72.0 |
| N of Valid | 13695 | 18480 | 20773 | 11804 | 12477 | 10146 | 7780 | 52948 | 42207 | 95155 |
| N of Miss | 602 | 624 | 563 | 327 | 329 | 292 | 183 | 1789 | 1131 | 2920 |

Table 4.38: Has a doctor told you that you are overweight?

| RESPONSE | 6th | 7th | 8th | 9th | 10th | 11th | 12th | 6-8th | 9-12th | TOTAL |
|------------|-------|-------|-------|-------|-------|-------|------|-------|--------|-------|
| Yes | 9.1 | 9.7 | 11.0 | 12.4 | 11.9 | 12.8 | 12.6 | 10.1 | 12.4 | 11.1 |
| No | 90.9 | 90.3 | 89.0 | 87.6 | 88.1 | 87.2 | 87.4 | 89.9 | 87.6 | 88.9 |
| N of Valid | 13728 | 18501 | 20783 | 11813 | 12466 | 10146 | 7775 | 53012 | 42200 | 95212 |
| N of Miss | 568 | 603 | 553 | 318 | 340 | 292 | 188 | 1724 | 1138 | 2862 |

Table 4.39: Have you bought or sold drugs AT school?

| RESPONSE | 6th | 7th | 8th | 9th | 10th | 11th | 12th | 6-8th | 9-12th | TOTAL |
|------------|-------|-------|-------|-------|-------|-------|------|-------|--------|-------|
| Yes | 2.2 | 2.7 | 4.7 | 8.6 | 11.0 | 12.3 | 11.4 | 3.4 | 10.7 | 6.6 |
| No | 97.8 | 97.3 | 95.3 | 91.4 | 89.0 | 87.7 | 88.6 | 96.6 | 89.3 | 93.4 |
| N of Valid | 13865 | 18605 | 20847 | 11817 | 12474 | 10139 | 7780 | 53317 | 42210 | 95527 |
| N of Miss | 435 | 499 | 489 | 314 | 332 | 299 | 183 | 1423 | 1128 | 2551 |

Table 4.40: Have you bought or sold drugs when NOT at school?

| RESPONSE | 6th | 7th | 8th | 9th | 10th | 11th | 12th | 6-8th | 9-12th | TOTAL |
|------------|-------|-------|-------|-------|-------|-------|------|-------|--------|-------|
| Yes | 3.0 | 4.5 | 8.4 | 13.7 | 17.9 | 21.4 | 21.9 | 5.7 | 18.3 | 11.3 |
| No | 97.0 | 95.5 | 91.6 | 86.3 | 82.1 | 78.6 | 78.1 | 94.3 | 81.7 | 88.7 |
| N of Valid | 13730 | 18438 | 20699 | 11737 | 12431 | 10096 | 7754 | 52867 | 42018 | 94885 |
| N of Miss | 567 | 666 | 637 | 394 | 375 | 342 | 209 | 1870 | 1320 | 3190 |

Table 4.41: Have you carried a gun for protection or as a weapon when NOT at school in the past year?

| RESPONSE | 6th | 7th | 8th | 9th | 10th | 11th | 12th | 6-8th | 9-12th | TOTAL |
|------------|-------|-------|-------|-------|-------|-------|------|-------|--------|-------|
| Yes | 9.1 | 9.9 | 11.2 | 12.7 | 11.4 | 11.0 | 10.6 | 10.2 | 11.5 | 10.8 |
| No | 90.9 | 90.1 | 88.8 | 87.3 | 88.6 | 89.0 | 89.4 | 89.8 | 88.5 | 89.2 |
| N of Valid | 13841 | 18604 | 20865 | 11824 | 12485 | 10139 | 7783 | 53310 | 42231 | 95541 |
| N of Miss | 457 | 500 | 471 | 307 | 321 | 299 | 180 | 1428 | 1107 | 2535 |

4.3 Do You Feel The Following Are Harmful To Your Health?

Table 4.42: Do you feel that using cigarettes is harmful to your health?

| RESPONSE | 6th | 7th | 8th | 9th | 10th | 11th | 12th | 6-8th | 9-12th | TOTAL |
|--------------|-------|-------|-------|-------|-------|-------|------|-------|--------|-------|
| No harm | 5.2 | 4.2 | 4.4 | 5.5 | 5.0 | 5.0 | 4.7 | 4.5 | 5.1 | 4.8 |
| Some harm | 6.0 | 8.3 | 11.0 | 12.4 | 13.5 | 13.2 | 13.0 | 8.7 | 13.0 | 10.6 |
| Harmful | 22.6 | 24.9 | 26.2 | 27.6 | 27.9 | 29.0 | 30.4 | 24.8 | 28.5 | 26.5 |
| Very harmful | 66.2 | 62.6 | 58.4 | 54.4 | 53.6 | 52.8 | 52.0 | 61.9 | 53.4 | 58.1 |
| N of Valid | 13959 | 18712 | 20911 | 11868 | 12521 | 10207 | 7782 | 53582 | 42378 | 95960 |
| N of Miss | 349 | 392 | 425 | 263 | 285 | 231 | 181 | 1166 | 960 | 2126 |

Table 4.43: Do you feel that using smokeless tobacco is harmful to your health?

| RESPONSE | 6th | 7th | 8th | 9th | 10th | 11th | 12th | 6-8th | 9-12th | TOTAL |
|--------------|-------|-------|-------|-------|-------|-------|------|-------|--------|-------|
| No harm | 5.9 | 5.1 | 5.2 | 6.6 | 5.9 | 5.8 | 5.3 | 5.4 | 6.0 | 5.6 |
| Some harm | 9.3 | 11.4 | 13.5 | 15.7 | 16.0 | 16.2 | 16.1 | 11.7 | 16.0 | 13.6 |
| Harmful | 24.9 | 27.1 | 28.0 | 29.2 | 30.0 | 30.2 | 31.7 | 26.9 | 30.1 | 28.3 |
| Very harmful | 59.8 | 56.4 | 53.3 | 48.5 | 48.1 | 47.8 | 46.9 | 56.1 | 47.9 | 52.5 |
| N of Valid | 13951 | 18689 | 20887 | 11857 | 12510 | 10211 | 7769 | 53527 | 42347 | 95874 |
| N of Miss | 357 | 415 | 449 | 274 | 296 | 227 | 194 | 1221 | 991 | 2212 |

Table 4.44: Do you feel that using cigars is harmful to your health?

| RESPONSE | 6th | 7th | 8th | 9th | 10th | 11th | 12th | 6-8th | 9-12th | TOTAL |
|--------------|-------|-------|-------|-------|-------|-------|------|-------|--------|-------|
| No harm | 5.6 | 5.4 | 5.7 | 7.1 | 6.6 | 7.1 | 6.5 | 5.6 | 6.9 | 6.1 |
| Some harm | 10.2 | 13.4 | 16.2 | 18.4 | 20.2 | 21.0 | 21.1 | 13.6 | 20.0 | 16.5 |
| Harmful | 25.1 | 26.9 | 28.0 | 28.9 | 28.9 | 30.1 | 30.3 | 26.9 | 29.5 | 28.0 |
| Very harmful | 59.0 | 54.3 | 50.1 | 45.7 | 44.2 | 41.8 | 42.1 | 53.9 | 43.6 | 49.4 |
| N of Valid | 13910 | 18636 | 20825 | 11825 | 12479 | 10202 | 7764 | 53371 | 42270 | 95641 |
| N of Miss | 398 | 468 | 511 | 306 | 327 | 236 | 199 | 1377 | 1068 | 2445 |

Table 4.45: Do you feel that using beer is harmful to your health?





| RESPONSE | 6th | 7th | 8th | 9th | 10th | 11th | 12th | 6-8th | 9-12th | TOTAL | |
|--------------|-------|-------|-------|-------|-------|-------|------|-------|--------|-------|---|
| No harm | 7.4 | 8.2 | 9.7 | 11.9 | 12.3 | 12.6 | 11.5 | 8.6 | 12.1 | 10.2 |  |
| Some harm | 20.1 | 25.2 | 28.7 | 31.8 | 34.7 | 35.7 | 38.3 | 25.3 | 34.8 | 29.5 |  |
| Harmful | 25.4 | 26.0 | 25.6 | 25.2 | 24.3 | 23.8 | 24.1 | 25.7 | 24.4 | 25.1 |  |
| Very harmful | 47.0 | 40.5 | 36.0 | 31.1 | 28.6 | 27.9 | 26.1 | 40.4 | 28.7 | 35.2 |  |
| N of Valid | 13916 | 18611 | 20805 | 11819 | 12468 | 10179 | 7753 | 53332 | 42219 | 95551 | |
| N of Miss | 389 | 493 | 531 | 312 | 338 | 259 | 210 | 1413 | 1119 | 2532 | |

Table 4.46: Do you feel that using coolers, breezers, etc. is harmful to your health?





| RESPONSE | 6th | 7th | 8th | 9th | 10th | 11th | 12th | 6-8th | 9-12th | TOTAL | |
|--------------|-------|-------|-------|-------|-------|-------|------|-------|--------|-------|---|
| No harm | 11.2 | 12.9 | 15.9 | 17.9 | 19.2 | 19.1 | 17.4 | 13.7 | 18.5 | 15.8 |  |
| Some harm | 20.3 | 25.6 | 30.4 | 34.6 | 36.9 | 38.3 | 40.8 | 26.1 | 37.3 | 31.1 |  |
| Harmful | 25.0 | 24.7 | 22.9 | 21.1 | 20.6 | 19.5 | 19.8 | 24.1 | 20.4 | 22.4 |  |
| Very harmful | 43.5 | 36.7 | 30.8 | 26.4 | 23.2 | 23.1 | 21.9 | 36.1 | 23.8 | 30.7 |  |
| N of Valid | 13582 | 18378 | 20734 | 11786 | 12472 | 10180 | 7754 | 52694 | 42192 | 94886 | |
| N of Miss | 719 | 726 | 602 | 345 | 334 | 258 | 209 | 2047 | 1146 | 3193 | |

Table 4.47: Do you feel that using liquor is harmful to your health?





| RESPONSE | 6th | 7th | 8th | 9th | 10th | 11th | 12th | 6-8th | 9-12th | TOTAL | |
|--------------|-------|-------|-------|-------|-------|-------|------|-------|--------|-------|---|
| No harm | 6.1 | 6.5 | 7.6 | 9.2 | 9.8 | 9.9 | 9.0 | 6.8 | 9.5 | 8.0 |  |
| Some harm | 11.0 | 15.4 | 18.4 | 22.5 | 24.7 | 26.7 | 28.5 | 15.4 | 25.3 | 19.8 |  |
| Harmful | 24.7 | 27.9 | 29.0 | 29.1 | 29.4 | 29.8 | 30.1 | 27.5 | 29.5 | 28.4 |  |
| Very harmful | 58.2 | 50.2 | 45.0 | 39.3 | 36.1 | 33.6 | 32.5 | 50.2 | 35.7 | 43.8 |  |
| N of Valid | 13909 | 18630 | 20836 | 11832 | 12490 | 10186 | 7773 | 53375 | 42281 | 95656 | |
| N of Miss | 398 | 474 | 500 | 299 | 316 | 252 | 190 | 1372 | 1057 | 2429 | |

Table 4.48: Do you feel that using marijuana is harmful to your health?

| RESPONSE | 6th | 7th | 8th | 9th | 10th | 11th | 12th | 6-8th | 9-12th | TOTAL |
|--------------|-------|-------|-------|-------|-------|-------|------|-------|--------|-------|
| No harm | 5.4 | 5.5 | 7.6 | 11.2 | 11.9 | 13.3 | 12.6 | 6.3 | 12.2 | 8.9 |
| Some harm | 2.6 | 4.8 | 7.3 | 11.6 | 15.1 | 18.0 | 19.5 | 5.2 | 15.6 | 9.8 |
| Harmful | 8.9 | 11.0 | 14.4 | 17.0 | 19.5 | 21.1 | 21.4 | 11.8 | 19.5 | 15.2 |
| Very harmful | 83.1 | 78.8 | 70.8 | 60.3 | 53.6 | 47.6 | 46.5 | 76.8 | 52.7 | 66.1 |
| N of Valid | 13938 | 18656 | 20865 | 11835 | 12482 | 10200 | 7763 | 53459 | 42280 | 95739 |
| N of Miss | 362 | 448 | 471 | 296 | 324 | 238 | 200 | 1281 | 1058 | 2339 |

Table 4.49: Do you feel that using cocaine is harmful to your health?

| RESPONSE | 6th | 7th | 8th | 9th | 10th | 11th | 12th | 6-8th | 9-12th | TOTAL |
|--------------|-------|-------|-------|-------|-------|-------|------|-------|--------|-------|
| No harm | 4.7 | 3.6 | 3.6 | 4.5 | 4.2 | 4.1 | 3.8 | 3.9 | 4.2 | 4.0 |
| Some harm | 1.7 | 2.0 | 2.6 | 3.2 | 3.3 | 3.6 | 3.6 | 2.1 | 3.4 | 2.7 |
| Harmful | 7.5 | 8.2 | 10.3 | 11.3 | 12.5 | 12.6 | 12.3 | 8.9 | 12.2 | 10.3 |
| Very harmful | 86.1 | 86.2 | 83.5 | 81.0 | 80.1 | 79.6 | 80.3 | 85.1 | 80.3 | 83.0 |
| N of Valid | 13932 | 18654 | 20854 | 11853 | 12485 | 10198 | 7766 | 53440 | 42302 | 95742 |
| N of Miss | 375 | 450 | 482 | 278 | 321 | 240 | 197 | 1307 | 1036 | 2343 |

Table 4.50: Do you feel that using uppers is harmful to your health?

| RESPONSE | 6th | 7th | 8th | 9th | 10th | 11th | 12th | 6-8th | 9-12th | TOTAL |
|--------------|-------|-------|-------|-------|-------|-------|------|-------|--------|-------|
| No harm | 6.0 | 4.6 | 4.5 | 5.4 | 5.4 | 5.0 | 4.7 | 5.0 | 5.2 | 5.0 |
| Some harm | 5.6 | 5.8 | 7.0 | 7.4 | 8.6 | 8.5 | 7.8 | 6.2 | 8.1 | 7.1 |
| Harmful | 18.5 | 19.7 | 19.5 | 19.1 | 20.9 | 21.0 | 20.2 | 19.3 | 20.3 | 19.8 |
| Very harmful | 69.8 | 69.9 | 69.0 | 68.0 | 65.2 | 65.5 | 67.3 | 69.5 | 66.4 | 68.1 |
| N of Valid | 13322 | 18212 | 20659 | 11788 | 12445 | 10188 | 7762 | 52193 | 42183 | 94376 |
| N of Miss | 983 | 892 | 677 | 343 | 361 | 250 | 201 | 2552 | 1155 | 3707 |

Table 4.51: Do you feel that using downers is harmful to your health?

| RESPONSE | 6th | 7th | 8th | 9th | 10th | 11th | 12th | 6-8th | 9-12th | TOTAL |
|--------------|-------|-------|-------|-------|-------|-------|------|-------|--------|-------|
| No harm | 6.5 | 5.2 | 5.0 | 5.9 | 5.6 | 5.3 | 4.7 | 5.5 | 5.4 | 5.5 |
| Some harm | 8.0 | 8.2 | 9.0 | 9.4 | 10.0 | 9.6 | 8.5 | 8.5 | 9.5 | 8.9 |
| Harmful | 20.6 | 21.4 | 21.1 | 20.0 | 22.0 | 20.9 | 20.7 | 21.1 | 20.9 | 21.0 |
| Very harmful | 64.9 | 65.2 | 64.8 | 64.7 | 62.4 | 64.2 | 66.1 | 65.0 | 64.1 | 64.6 |
| N of Valid | 13279 | 18213 | 20644 | 11787 | 12446 | 10179 | 7762 | 52136 | 42174 | 94310 |
| N of Miss | 1013 | 891 | 692 | 344 | 360 | 259 | 201 | 2596 | 1164 | 3760 |

Table 4.52: Do you feel that using inhalants is harmful to your health?

| RESPONSE | 6th | 7th | 8th | 9th | 10th | 11th | 12th | 6-8th | 9-12th | TOTAL |
|--------------|-------|-------|-------|-------|-------|-------|------|-------|--------|-------|
| No harm | 6.7 | 5.1 | 5.0 | 5.3 | 4.9 | 4.6 | 4.1 | 5.5 | 4.8 | 5.2 |
| Some harm | 8.6 | 8.4 | 8.4 | 8.1 | 7.5 | 7.1 | 5.5 | 8.5 | 7.2 | 7.9 |
| Harmful | 18.3 | 19.4 | 19.0 | 18.8 | 19.2 | 18.8 | 17.8 | 19.0 | 18.7 | 18.9 |
| Very harmful | 66.4 | 67.1 | 67.6 | 67.9 | 68.4 | 69.5 | 72.7 | 67.1 | 69.3 | 68.1 |
| N of Valid | 13664 | 18480 | 20780 | 11823 | 12455 | 10180 | 7771 | 52924 | 42229 | 95153 |
| N of Miss | 638 | 624 | 556 | 308 | 351 | 258 | 192 | 1818 | 1109 | 2927 |

Table 4.53: Do you feel that using hallucinogens is harmful to your health?

| RESPONSE | 6th | 7th | 8th | 9th | 10th | 11th | 12th | 6-8th | 9-12th | TOTAL |
|--------------|-------|-------|-------|-------|-------|-------|------|-------|--------|-------|
| No harm | 5.6 | 4.2 | 4.1 | 4.8 | 4.6 | 4.5 | 4.2 | 4.5 | 4.5 | 4.5 |
| Some harm | 4.4 | 4.5 | 4.7 | 4.7 | 4.7 | 5.0 | 4.4 | 4.6 | 4.7 | 4.6 |
| Harmful | 16.3 | 17.1 | 16.7 | 16.0 | 16.4 | 15.6 | 14.5 | 16.7 | 15.8 | 16.3 |
| Very harmful | 73.6 | 74.2 | 74.5 | 74.5 | 74.4 | 74.9 | 76.8 | 74.2 | 75.0 | 74.5 |
| N of Valid | 12958 | 17866 | 20462 | 11746 | 12418 | 10180 | 7764 | 51286 | 42108 | 93394 |
| N of Miss | 1344 | 1238 | 874 | 385 | 388 | 258 | 199 | 3456 | 1230 | 4686 |

Table 4.54: Do you feel that using heroin is harmful to your health?

| RESPONSE | 6th | 7th | 8th | 9th | 10th | 11th | 12th | 6-8th | 9-12th | TOTAL | |
|--------------|-------|-------|-------|-------|-------|-------|------|-------|--------|-------|--|
| No harm | 5.3 | 3.8 | 3.6 | 4.2 | 3.9 | 3.9 | 3.6 | 4.1 | 3.9 | 4.0 | |
| Some harm | 3.2 | 2.9 | 2.7 | 2.8 | 2.7 | 2.6 | 2.4 | 2.9 | 2.6 | 2.8 | |
| Harmful | 12.4 | 12.2 | 12.2 | 11.1 | 11.0 | 10.7 | 10.2 | 12.3 | 10.8 | 11.6 | |
| Very harmful | 79.1 | 81.1 | 81.5 | 81.8 | 82.4 | 82.9 | 83.8 | 80.8 | 82.6 | 81.6 | |
| N of Valid | 13298 | 18395 | 20751 | 11819 | 12458 | 10178 | 7763 | 52444 | 42218 | 94662 | |
| N of Miss | 996 | 709 | 585 | 312 | 348 | 260 | 200 | 2290 | 1120 | 3410 | |

Table 4.55: Do you feel that using anabolic steroids is harmful to your health?

| RESPONSE | 6th | 7th | 8th | 9th | 10th | 11th | 12th | 6-8th | 9-12th | TOTAL | |
|--------------|-------|-------|-------|-------|-------|-------|------|-------|--------|-------|--|
| No harm | 6.6 | 4.8 | 4.5 | 5.2 | 4.8 | 4.7 | 4.1 | 5.1 | 4.8 | 5.0 | |
| Some harm | 7.6 | 7.6 | 7.9 | 8.1 | 8.1 | 7.2 | 7.2 | 7.7 | 7.7 | 7.7 | |
| Harmful | 20.1 | 21.6 | 22.6 | 21.9 | 22.8 | 22.2 | 21.2 | 21.6 | 22.1 | 21.8 | |
| Very harmful | 65.7 | 66.0 | 65.0 | 64.8 | 64.3 | 65.9 | 67.5 | 65.5 | 65.4 | 65.5 | |
| N of Valid | 13567 | 18400 | 20720 | 11797 | 12437 | 10166 | 7760 | 52687 | 42160 | 94847 | |
| N of Miss | 726 | 704 | 616 | 334 | 369 | 272 | 203 | 2046 | 1178 | 3224 | |

Table 4.56: Do you feel that using ecstasy is harmful to your health?

| RESPONSE | 6th | 7th | 8th | 9th | 10th | 11th | 12th | 6-8th | 9-12th | TOTAL | |
|--------------|-------|-------|-------|-------|-------|-------|------|-------|--------|-------|--|
| No harm | 5.7 | 4.3 | 4.3 | 4.8 | 4.8 | 4.6 | 4.3 | 4.6 | 4.7 | 4.6 | |
| Some harm | 4.5 | 4.8 | 4.9 | 5.0 | 5.2 | 4.7 | 4.9 | 4.7 | 5.0 | 4.9 | |
| Harmful | 17.3 | 16.8 | 16.6 | 15.8 | 15.6 | 15.3 | 14.2 | 16.8 | 15.3 | 16.2 | |
| Very harmful | 72.6 | 74.1 | 74.3 | 74.3 | 74.4 | 75.4 | 76.7 | 73.8 | 75.0 | 74.3 | |
| N of Valid | 12910 | 17915 | 20540 | 11748 | 12422 | 10160 | 7757 | 51365 | 42087 | 93452 | |
| N of Miss | 1391 | 1189 | 796 | 383 | 384 | 278 | 206 | 3376 | 1251 | 4627 | |

Table 4.57: Do you feel that using OxyContin is harmful to your health?





| RESPONSE | 6th | 7th | 8th | 9th | 10th | 11th | 12th | 6-8th | 9-12th | TOTAL |
|--------------|-------|-------|-------|-------|-------|-------|------|-------|--------|--|
| No harm | 6.3 | 4.6 | 4.5 | 5.4 | 5.1 | 5.1 | 4.6 | 5.0 | 5.1 | 5.0  |
| Some harm | 5.6 | 5.5 | 5.6 | 5.7 | 6.5 | 5.9 | 6.4 | 5.6 | 6.1 | 5.8  |
| Harmful | 17.4 | 18.0 | 18.1 | 17.1 | 17.8 | 17.4 | 16.7 | 17.9 | 17.3 | 17.6  |
| Very harmful | 70.8 | 72.0 | 71.8 | 71.8 | 70.7 | 71.5 | 72.3 | 71.6 | 71.5 | 71.6  |
| N of Valid | 12897 | 17780 | 20398 | 11662 | 12367 | 10131 | 7733 | 51075 | 41893 | 92968 |
| N of Miss | 1401 | 1324 | 938 | 469 | 439 | 307 | 230 | 3663 | 1445 | 5108 |

Table 4.58: Do you feel that using meth is harmful to your health?





| RESPONSE | 6th | 7th | 8th | 9th | 10th | 11th | 12th | 6-8th | 9-12th | TOTAL |
|--------------|-------|-------|-------|-------|-------|-------|------|-------|--------|--|
| No harm | 6.0 | 4.1 | 3.9 | 4.2 | 3.9 | 3.9 | 3.6 | 4.5 | 3.9 | 4.3  |
| Some harm | 3.9 | 2.9 | 2.7 | 2.6 | 2.6 | 2.3 | 2.2 | 3.1 | 2.5 | 2.8  |
| Harmful | 9.5 | 8.6 | 9.9 | 8.7 | 9.3 | 8.9 | 9.6 | 9.3 | 9.1 | 9.2  |
| Very harmful | 80.6 | 84.4 | 83.5 | 84.5 | 84.1 | 84.9 | 84.6 | 83.1 | 84.5 | 83.7  |
| N of Valid | 13471 | 18397 | 20710 | 11779 | 12427 | 10150 | 7751 | 52578 | 42107 | 94685 |
| N of Miss | 836 | 707 | 626 | 352 | 379 | 288 | 212 | 2169 | 1231 | 3400 |

Table 4.59: Do you feel that using any tobacco is harmful to your health?





| RESPONSE | 6th | 7th | 8th | 9th | 10th | 11th | 12th | 6-8th | 9-12th | TOTAL |
|--------------|-------|-------|-------|-------|-------|-------|------|-------|--------|--|
| No harm | 4.4 | 3.3 | 3.2 | 4.1 | 3.7 | 3.8 | 3.7 | 3.5 | 3.8 | 3.7  |
| Some harm | 3.3 | 4.8 | 6.7 | 8.1 | 9.4 | 9.2 | 9.5 | 5.2 | 9.0 | 6.9  |
| Harmful | 18.3 | 22.0 | 24.7 | 27.2 | 27.4 | 28.4 | 29.7 | 22.1 | 28.0 | 24.7  |
| Very harmful | 74.1 | 69.9 | 65.4 | 60.7 | 59.5 | 58.5 | 57.0 | 69.2 | 59.1 | 64.8  |
| N of Valid | 14040 | 18781 | 20963 | 11902 | 12544 | 10239 | 7791 | 53784 | 42476 | 96260 |
| N of Miss | 268 | 323 | 373 | 229 | 262 | 199 | 172 | 964 | 862 | 1826 |

Table 4.60: Do you feel that using any alcohol is harmful to your health?

| RESPONSE | 6th | 7th | 8th | 9th | 10th | 11th | 12th | 6-8th | 9-12th | TOTAL |
|--------------|-------|-------|-------|-------|-------|-------|------|-------|--------|-------|
| No harm | 4.8 | 4.9 | 5.8 | 7.4 | 8.2 | 8.5 | 7.7 | 5.2 | 8.0 | 6.4 |
| Some harm | 7.8 | 12.2 | 15.9 | 20.2 | 23.0 | 24.8 | 27.1 | 12.5 | 23.4 | 17.3 |
| Harmful | 22.8 | 27.1 | 28.5 | 29.6 | 29.7 | 30.3 | 30.2 | 26.5 | 29.9 | 28.0 |
| Very harmful | 64.6 | 55.8 | 49.8 | 42.9 | 39.1 | 36.4 | 35.0 | 55.8 | 38.7 | 48.3 |
| N of Valid | 14013 | 18762 | 20942 | 11889 | 12537 | 10231 | 7789 | 53717 | 42446 | 96163 |
| N of Miss | 287 | 342 | 394 | 242 | 269 | 207 | 174 | 1023 | 892 | 1915 |

Table 4.61: Do you feel that using any illicit drugs is harmful to your health?

| RESPONSE | 6th | 7th | 8th | 9th | 10th | 11th | 12th | 6-8th | 9-12th | TOTAL |
|--------------|-------|-------|-------|-------|-------|-------|------|-------|--------|-------|
| No harm | 4.0 | 2.8 | 2.6 | 3.2 | 2.8 | 3.0 | 2.7 | 3.0 | 2.9 | 3.0 |
| Some harm | 0.6 | 0.8 | 1.0 | 1.4 | 1.4 | 1.4 | 1.5 | 0.8 | 1.4 | 1.1 |
| Harmful | 3.0 | 3.5 | 5.1 | 5.6 | 6.5 | 6.4 | 6.9 | 4.0 | 6.3 | 5.0 |
| Very harmful | 92.5 | 92.9 | 91.4 | 89.8 | 89.2 | 89.2 | 89.0 | 92.2 | 89.3 | 90.9 |
| N of Valid | 13988 | 18749 | 20939 | 11897 | 12536 | 10245 | 7795 | 53676 | 42473 | 96149 |
| N of Miss | 292 | 355 | 397 | 234 | 270 | 193 | 168 | 1044 | 865 | 1909 |

4.4 Within The Past Year How Often Have You...

Table 4.62: Within the past year how often have you smoked cigarettes?

| RESPONSE | 6th | 7th | 8th | 9th | 10th | 11th | 12th | 6-8th | 9-12th | TOTAL |
|--------------|-------|-------|-------|-------|-------|-------|------|-------|--------|-------|
| Do not use | 91.7 | 87.8 | 81.5 | 74.2 | 69.7 | 64.8 | 61.6 | 86.4 | 68.3 | 78.4 |
| Once/year | 3.6 | 5.1 | 6.2 | 6.9 | 7.3 | 7.6 | 7.3 | 5.1 | 7.3 | 6.1 |
| 6 times/year | 0.9 | 1.4 | 2.5 | 3.1 | 3.3 | 3.9 | 4.3 | 1.7 | 3.6 | 2.5 |
| Once/month | 0.7 | 1.0 | 1.4 | 1.9 | 2.4 | 2.4 | 2.3 | 1.1 | 2.3 | 1.6 |
| Twice/month | 0.3 | 0.6 | 1.1 | 1.7 | 1.8 | 2.2 | 2.3 | 0.7 | 2.0 | 1.3 |
| Once/week | 0.5 | 1.1 | 1.8 | 2.0 | 2.6 | 3.0 | 2.9 | 1.2 | 2.6 | 1.8 |
| 3 times/week | 0.6 | 1.2 | 1.9 | 3.0 | 3.1 | 3.6 | 4.3 | 1.3 | 3.4 | 2.3 |
| Every day | 1.6 | 1.8 | 3.7 | 7.2 | 9.7 | 12.4 | 15.0 | 2.5 | 10.6 | 6.1 |
| N of Valid | 14048 | 18792 | 21016 | 11934 | 12600 | 10252 | 7847 | 53856 | 42633 | 96489 |
| N of Miss | 260 | 312 | 320 | 197 | 206 | 186 | 116 | 892 | 705 | 1597 |

Table 4.63: Within the past year how often have you used smokeless tobacco?

| RESPONSE | 6th | 7th | 8th | 9th | 10th | 11th | 12th | 6-8th | 9-12th | TOTAL |
|--------------|-------|-------|-------|-------|-------|-------|------|-------|--------|-------|
| Do not use | 95.7 | 94.5 | 91.9 | 86.8 | 85.9 | 83.6 | 83.5 | 93.8 | 85.2 | 90.0 |
| Once/year | 1.5 | 2.1 | 2.7 | 3.6 | 3.6 | 3.9 | 4.0 | 2.2 | 3.8 | 2.9 |
| 6 times/year | 0.5 | 0.6 | 1.0 | 1.2 | 1.7 | 1.7 | 1.7 | 0.7 | 1.6 | 1.1 |
| Once/month | 0.4 | 0.4 | 0.5 | 1.2 | 1.0 | 1.2 | 1.3 | 0.5 | 1.1 | 0.8 |
| Twice/month | 0.2 | 0.3 | 0.6 | 0.8 | 0.9 | 0.9 | 0.8 | 0.4 | 0.8 | 0.6 |
| Once/week | 0.2 | 0.3 | 0.6 | 1.0 | 1.2 | 1.2 | 1.2 | 0.4 | 1.1 | 0.7 |
| 3 times/week | 0.3 | 0.5 | 0.8 | 1.3 | 1.3 | 1.6 | 1.4 | 0.6 | 1.4 | 0.9 |
| Every day | 1.3 | 1.1 | 1.9 | 4.1 | 4.4 | 5.8 | 6.1 | 1.5 | 4.9 | 3.0 |
| N of Valid | 14031 | 18792 | 21013 | 11930 | 12606 | 10250 | 7841 | 53836 | 42627 | 96463 |
| N of Miss | 277 | 312 | 323 | 201 | 200 | 188 | 122 | 912 | 711 | 1623 |

Table 4.64: Within the past year how often have you smoked cigars?

| RESPONSE | 6th | 7th | 8th | 9th | 10th | 11th | 12th | 6-8th | 9-12th | TOTAL |
|--------------|-------|-------|-------|-------|-------|-------|------|-------|--------|-------|
| Do not use | 95.5 | 94.0 | 90.2 | 85.0 | 81.2 | 76.2 | 72.8 | 92.9 | 79.5 | 87.0 |
| Once/year | 1.7 | 2.8 | 4.1 | 5.3 | 6.4 | 7.5 | 8.2 | 3.0 | 6.7 | 4.6 |
| 6 times/year | 0.4 | 0.8 | 1.3 | 2.2 | 3.1 | 4.6 | 5.4 | 0.9 | 3.6 | 2.1 |
| Once/month | 0.4 | 0.5 | 1.2 | 1.9 | 2.3 | 2.9 | 3.2 | 0.7 | 2.5 | 1.5 |
| Twice/month | 0.3 | 0.3 | 0.7 | 1.5 | 1.9 | 2.5 | 3.1 | 0.5 | 2.1 | 1.2 |
| Once/week | 0.2 | 0.4 | 0.8 | 1.4 | 1.6 | 2.2 | 2.4 | 0.5 | 1.8 | 1.1 |
| 3 times/week | 0.3 | 0.4 | 0.7 | 1.0 | 1.3 | 1.3 | 1.7 | 0.5 | 1.3 | 0.8 |
| Every day | 1.2 | 0.7 | 1.0 | 1.8 | 2.2 | 2.8 | 3.2 | 1.0 | 2.4 | 1.6 |
| N of Valid | 14015 | 18757 | 20955 | 11890 | 12549 | 10205 | 7813 | 53727 | 42457 | 96184 |
| N of Miss | 293 | 347 | 381 | 241 | 257 | 233 | 150 | 1021 | 881 | 1902 |

Table 4.65: Within the past year how often have you drunk beer?

| RESPONSE | 6th | 7th | 8th | 9th | 10th | 11th | 12th | 6-8th | 9-12th | TOTAL |
|--------------|-------|-------|-------|-------|-------|-------|------|-------|--------|-------|
| Do not use | 85.5 | 79.0 | 69.2 | 59.3 | 52.5 | 47.3 | 43.3 | 76.9 | 51.5 | 65.6 |
| Once/year | 8.4 | 10.9 | 13.0 | 13.8 | 12.3 | 10.7 | 10.3 | 11.1 | 11.9 | 11.5 |
| 6 times/year | 2.0 | 3.2 | 5.7 | 6.9 | 7.9 | 9.3 | 8.7 | 3.8 | 8.1 | 5.7 |
| Once/month | 0.9 | 1.8 | 3.3 | 4.8 | 5.7 | 6.8 | 7.3 | 2.2 | 6.0 | 3.9 |
| Twice/month | 0.8 | 1.6 | 3.0 | 4.9 | 7.5 | 8.0 | 9.5 | 1.9 | 7.3 | 4.3 |
| Once/week | 0.6 | 1.5 | 2.7 | 5.2 | 7.5 | 9.8 | 11.2 | 1.7 | 8.1 | 4.5 |
| 3 times/week | 0.5 | 1.0 | 1.7 | 2.9 | 3.9 | 4.9 | 6.2 | 1.2 | 4.3 | 2.5 |
| Every day | 1.3 | 1.1 | 1.4 | 2.2 | 2.8 | 3.1 | 3.5 | 1.2 | 2.8 | 2.0 |
| N of Valid | 13972 | 18717 | 20937 | 11886 | 12552 | 10210 | 7801 | 53626 | 42449 | 96075 |
| N of Miss | 336 | 387 | 399 | 245 | 254 | 228 | 162 | 1122 | 889 | 2011 |

Table 4.66: Within the past year how often have you drunk coolers, breezers, etc.?

| RESPONSE | 6th | 7th | 8th | 9th | 10th | 11th | 12th | 6-8th | 9-12th | TOTAL |
|--------------|-------|-------|-------|-------|-------|-------|------|-------|--------|-------|
| Do not use | 87.6 | 81.7 | 69.8 | 60.4 | 53.5 | 49.9 | 45.2 | 78.6 | 53.0 | 67.3 |
| Once/year | 6.8 | 9.1 | 13.0 | 14.1 | 13.5 | 12.4 | 12.8 | 10.0 | 13.3 | 11.5 |
| 6 times/year | 1.7 | 2.9 | 5.6 | 7.7 | 8.9 | 10.5 | 11.6 | 3.6 | 9.4 | 6.2 |
| Once/month | 0.8 | 1.7 | 3.1 | 4.8 | 6.0 | 6.8 | 7.9 | 2.0 | 6.2 | 3.9 |
| Twice/month | 0.7 | 1.5 | 3.1 | 4.5 | 7.1 | 7.6 | 9.0 | 1.9 | 6.8 | 4.1 |
| Once/week | 0.5 | 1.3 | 2.4 | 4.1 | 5.8 | 7.0 | 7.9 | 1.5 | 6.0 | 3.5 |
| 3 times/week | 0.5 | 0.9 | 1.7 | 2.2 | 2.8 | 3.3 | 3.1 | 1.1 | 2.8 | 1.9 |
| Every day | 1.4 | 1.0 | 1.4 | 2.2 | 2.4 | 2.7 | 2.7 | 1.3 | 2.5 | 1.8 |
| N of Valid | 13942 | 18703 | 20941 | 11893 | 12551 | 10205 | 7818 | 53586 | 42467 | 96053 |
| N of Miss | 366 | 401 | 395 | 238 | 255 | 233 | 145 | 1162 | 871 | 2033 |

Table 4.67: Within the past year how often have you drunk liquor?

| RESPONSE | 6th | 7th | 8th | 9th | 10th | 11th | 12th | 6-8th | 9-12th | TOTAL |
|--------------|-------|-------|-------|-------|-------|-------|------|-------|--------|-------|
| Do not use | 91.2 | 85.5 | 75.1 | 63.2 | 53.7 | 47.5 | 42.3 | 82.9 | 52.8 | 69.6 |
| Once/year | 4.9 | 7.6 | 11.0 | 12.5 | 12.6 | 11.8 | 12.0 | 8.2 | 12.3 | 10.0 |
| 6 times/year | 1.0 | 1.9 | 3.9 | 6.5 | 8.0 | 9.6 | 10.1 | 2.5 | 8.3 | 5.1 |
| Once/month | 0.6 | 1.2 | 2.8 | 4.5 | 6.1 | 7.0 | 8.4 | 1.7 | 6.3 | 3.7 |
| Twice/month | 0.5 | 1.2 | 2.4 | 4.5 | 7.3 | 8.6 | 10.3 | 1.5 | 7.4 | 4.1 |
| Once/week | 0.4 | 0.9 | 2.2 | 4.2 | 6.6 | 8.6 | 9.7 | 1.3 | 7.0 | 3.8 |
| 3 times/week | 0.4 | 0.8 | 1.3 | 2.3 | 2.8 | 4.0 | 4.1 | 0.9 | 3.2 | 1.9 |
| Every day | 1.1 | 0.9 | 1.3 | 2.2 | 2.9 | 2.9 | 3.0 | 1.1 | 2.7 | 1.8 |
| N of Valid | 14005 | 18764 | 20960 | 11901 | 12558 | 10206 | 7826 | 53729 | 42491 | 96220 |
| N of Miss | 303 | 340 | 376 | 230 | 248 | 232 | 137 | 1019 | 847 | 1866 |

Table 4.68: Within the past year how often have you smoked marijuana?

| RESPONSE | 6th | 7th | 8th | 9th | 10th | 11th | 12th | 6-8th | 9-12th | TOTAL |
|--------------|-------|-------|-------|-------|-------|-------|------|-------|--------|-------|
| Do not use | 96.2 | 93.4 | 87.5 | 80.7 | 74.0 | 69.0 | 68.2 | 91.8 | 73.6 | 83.8 |
| Once/year | 1.1 | 2.1 | 3.7 | 4.8 | 6.5 | 7.2 | 7.9 | 2.5 | 6.4 | 4.2 |
| 6 times/year | 0.4 | 0.7 | 1.3 | 2.5 | 3.2 | 4.1 | 4.5 | 0.9 | 3.5 | 2.0 |
| Once/month | 0.3 | 0.6 | 1.1 | 1.6 | 2.5 | 2.8 | 2.7 | 0.7 | 2.3 | 1.4 |
| Twice/month | 0.1 | 0.4 | 1.2 | 1.9 | 2.7 | 3.4 | 2.9 | 0.7 | 2.7 | 1.5 |
| Once/week | 0.2 | 0.7 | 1.4 | 2.2 | 2.8 | 3.4 | 3.1 | 0.8 | 2.8 | 1.7 |
| 3 times/week | 0.3 | 0.9 | 1.6 | 2.2 | 3.2 | 3.8 | 3.8 | 1.0 | 3.2 | 2.0 |
| Every day | 1.3 | 1.2 | 2.2 | 4.1 | 5.2 | 6.4 | 7.0 | 1.6 | 5.5 | 3.4 |
| N of Valid | 14013 | 18752 | 20980 | 11887 | 12566 | 10216 | 7825 | 53745 | 42494 | 96239 |
| N of Miss | 295 | 352 | 356 | 244 | 240 | 222 | 138 | 1003 | 844 | 1847 |

Table 4.69: Within the past year how often have you used cocaine?

| RESPONSE | 6th | 7th | 8th | 9th | 10th | 11th | 12th | 6-8th | 9-12th | TOTAL |
|--------------|-------|-------|-------|-------|-------|-------|------|-------|--------|-------|
| Do not use | 97.8 | 98.0 | 96.8 | 95.4 | 93.7 | 92.3 | 91.3 | 97.5 | 93.4 | 95.7 |
| Once/year | 0.5 | 0.7 | 0.9 | 1.2 | 1.5 | 2.0 | 2.3 | 0.7 | 1.7 | 1.1 |
| 6 times/year | 0.2 | 0.1 | 0.3 | 0.5 | 0.9 | 0.9 | 1.0 | 0.2 | 0.8 | 0.5 |
| Once/month | 0.1 | 0.2 | 0.3 | 0.4 | 0.5 | 0.7 | 0.8 | 0.2 | 0.6 | 0.4 |
| Twice/month | 0.1 | 0.1 | 0.3 | 0.4 | 0.5 | 0.6 | 0.9 | 0.2 | 0.6 | 0.4 |
| Once/week | 0.1 | 0.1 | 0.2 | 0.4 | 0.5 | 0.7 | 0.8 | 0.2 | 0.6 | 0.3 |
| 3 times/week | 0.1 | 0.1 | 0.3 | 0.3 | 0.4 | 0.5 | 0.5 | 0.2 | 0.4 | 0.3 |
| Every day | 1.1 | 0.6 | 0.8 | 1.4 | 1.9 | 2.2 | 2.3 | 0.8 | 1.9 | 1.3 |
| N of Valid | 14005 | 18756 | 20988 | 11917 | 12583 | 10228 | 7831 | 53749 | 42559 | 96308 |
| N of Miss | 303 | 348 | 348 | 214 | 223 | 210 | 132 | 999 | 779 | 1778 |

Table 4.70: Within the past year how often have you used uppers?

| RESPONSE | 6th | 7th | 8th | 9th | 10th | 11th | 12th | 6-8th | 9-12th | TOTAL | |
|--------------|-------|-------|-------|-------|-------|-------|------|-------|--------|-------|--|
| Do not use | 97.6 | 97.8 | 96.2 | 93.8 | 91.6 | 90.2 | 90.5 | 97.1 | 91.7 | 94.7 | |
| Once/year | 0.5 | 0.6 | 1.0 | 1.3 | 1.6 | 2.1 | 1.9 | 0.7 | 1.7 | 1.2 | |
| 6 times/year | 0.2 | 0.2 | 0.5 | 0.8 | 1.3 | 1.3 | 1.1 | 0.3 | 1.1 | 0.7 | |
| Once/month | 0.2 | 0.3 | 0.4 | 0.8 | 0.9 | 1.1 | 1.1 | 0.3 | 0.9 | 0.6 | |
| Twice/month | 0.1 | 0.2 | 0.4 | 0.6 | 1.0 | 1.0 | 1.1 | 0.2 | 0.9 | 0.5 | |
| Once/week | 0.1 | 0.1 | 0.4 | 0.7 | 0.8 | 0.9 | 0.9 | 0.2 | 0.8 | 0.5 | |
| 3 times/week | 0.1 | 0.2 | 0.3 | 0.5 | 0.8 | 1.1 | 0.9 | 0.3 | 0.8 | 0.5 | |
| Every day | 1.1 | 0.6 | 0.9 | 1.5 | 2.0 | 2.4 | 2.4 | 0.8 | 2.0 | 1.3 | |
| N of Valid | 13822 | 18663 | 20937 | 11905 | 12560 | 10208 | 7831 | 53422 | 42504 | 95926 | |
| N of Miss | 486 | 441 | 399 | 226 | 246 | 230 | 132 | 1326 | 834 | 2160 | |

Table 4.71: Within the past year how often have you used downers?

| RESPONSE | 6th | 7th | 8th | 9th | 10th | 11th | 12th | 6-8th | 9-12th | TOTAL | |
|--------------|-------|-------|-------|-------|-------|-------|------|-------|--------|-------|--|
| Do not use | 97.4 | 97.5 | 96.1 | 93.5 | 91.7 | 90.4 | 90.5 | 96.9 | 91.6 | 94.6 | |
| Once/year | 0.6 | 0.7 | 1.0 | 1.5 | 1.6 | 1.8 | 2.1 | 0.8 | 1.7 | 1.2 | |
| 6 times/year | 0.3 | 0.3 | 0.5 | 0.8 | 1.2 | 1.2 | 1.3 | 0.4 | 1.1 | 0.7 | |
| Once/month | 0.1 | 0.2 | 0.4 | 0.7 | 1.0 | 1.1 | 1.0 | 0.3 | 0.9 | 0.6 | |
| Twice/month | 0.1 | 0.2 | 0.4 | 0.6 | 1.0 | 1.2 | 1.1 | 0.2 | 1.0 | 0.6 | |
| Once/week | 0.1 | 0.2 | 0.4 | 0.7 | 0.9 | 1.0 | 0.9 | 0.3 | 0.9 | 0.5 | |
| 3 times/week | 0.1 | 0.2 | 0.3 | 0.5 | 0.8 | 0.9 | 0.8 | 0.2 | 0.7 | 0.4 | |
| Every day | 1.1 | 0.7 | 1.0 | 1.7 | 1.9 | 2.3 | 2.3 | 0.9 | 2.0 | 1.4 | |
| N of Valid | 13815 | 18647 | 20942 | 11900 | 12557 | 10213 | 7827 | 53404 | 42497 | 95901 | |
| N of Miss | 493 | 457 | 394 | 231 | 249 | 225 | 136 | 1344 | 841 | 2185 | |

Table 4.72: Within the past year how often have you used inhalants?

| RESPONSE | 6th | 7th | 8th | 9th | 10th | 11th | 12th | 6-8th | 9-12th | TOTAL |
|--------------|-------|-------|-------|-------|-------|-------|------|-------|--------|-------|
| Do not use | 94.9 | 95.2 | 93.9 | 94.0 | 93.4 | 93.3 | 93.9 | 94.6 | 93.6 | 94.2 |
| Once/year | 1.8 | 2.1 | 2.3 | 1.9 | 1.9 | 1.7 | 1.5 | 2.1 | 1.8 | 1.9 |
| 6 times/year | 0.7 | 0.6 | 1.0 | 0.8 | 1.0 | 0.8 | 0.7 | 0.8 | 0.9 | 0.8 |
| Once/month | 0.5 | 0.4 | 0.6 | 0.5 | 0.6 | 0.6 | 0.6 | 0.5 | 0.6 | 0.5 |
| Twice/month | 0.3 | 0.3 | 0.5 | 0.5 | 0.6 | 0.7 | 0.6 | 0.4 | 0.6 | 0.5 |
| Once/week | 0.3 | 0.4 | 0.4 | 0.3 | 0.6 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 |
| 3 times/week | 0.2 | 0.3 | 0.4 | 0.5 | 0.4 | 0.4 | 0.3 | 0.3 | 0.4 | 0.4 |
| Every day | 1.3 | 0.7 | 0.9 | 1.3 | 1.6 | 2.0 | 2.0 | 1.0 | 1.7 | 1.3 |
| N of Valid | 13885 | 18679 | 20949 | 11898 | 12559 | 10220 | 7829 | 53513 | 42506 | 96019 |
| N of Miss | 423 | 425 | 387 | 233 | 247 | 218 | 134 | 1235 | 832 | 2067 |

Table 4.73: Within the past year how often have you used hallucinogens?

| RESPONSE | 6th | 7th | 8th | 9th | 10th | 11th | 12th | 6-8th | 9-12th | TOTAL |
|--------------|-------|-------|-------|-------|-------|-------|------|-------|--------|-------|
| Do not use | 97.9 | 98.4 | 97.5 | 95.8 | 94.6 | 93.5 | 93.2 | 97.9 | 94.4 | 96.3 |
| Once/year | 0.3 | 0.4 | 0.6 | 1.0 | 1.1 | 1.6 | 1.8 | 0.5 | 1.3 | 0.9 |
| 6 times/year | 0.2 | 0.2 | 0.3 | 0.4 | 0.7 | 0.9 | 0.9 | 0.2 | 0.7 | 0.4 |
| Once/month | 0.2 | 0.2 | 0.3 | 0.6 | 0.7 | 0.8 | 0.8 | 0.2 | 0.7 | 0.4 |
| Twice/month | 0.1 | 0.1 | 0.3 | 0.3 | 0.5 | 0.4 | 0.7 | 0.2 | 0.5 | 0.3 |
| Once/week | 0.1 | 0.1 | 0.2 | 0.3 | 0.4 | 0.5 | 0.4 | 0.1 | 0.4 | 0.3 |
| 3 times/week | 0.1 | 0.1 | 0.1 | 0.3 | 0.4 | 0.4 | 0.3 | 0.1 | 0.3 | 0.2 |
| Every day | 1.0 | 0.6 | 0.7 | 1.3 | 1.7 | 1.8 | 2.0 | 0.7 | 1.7 | 1.2 |
| N of Valid | 13763 | 18605 | 20914 | 11898 | 12555 | 10210 | 7823 | 53282 | 42486 | 95768 |
| N of Miss | 545 | 499 | 422 | 233 | 251 | 228 | 140 | 1466 | 852 | 2318 |

Table 4.74: Within the past year how often have you used heroin?

| RESPONSE | 6th | 7th | 8th | 9th | 10th | 11th | 12th | 6-8th | 9-12th | TOTAL |
|--------------|-------|-------|-------|-------|-------|-------|------|-------|--------|-------|
| Do not use | 97.9 | 98.4 | 97.8 | 96.9 | 95.9 | 95.5 | 95.3 | 98.0 | 96.0 | 97.1 |
| Once/year | 0.3 | 0.3 | 0.5 | 0.4 | 0.7 | 0.8 | 0.8 | 0.4 | 0.6 | 0.5 |
| 6 times/year | 0.2 | 0.2 | 0.2 | 0.4 | 0.4 | 0.4 | 0.5 | 0.2 | 0.4 | 0.3 |
| Once/month | 0.2 | 0.2 | 0.2 | 0.3 | 0.4 | 0.4 | 0.6 | 0.2 | 0.4 | 0.3 |
| Twice/month | 0.1 | 0.1 | 0.2 | 0.3 | 0.4 | 0.4 | 0.4 | 0.2 | 0.3 | 0.2 |
| Once/week | 0.1 | 0.1 | 0.2 | 0.3 | 0.4 | 0.3 | 0.3 | 0.1 | 0.3 | 0.2 |
| 3 times/week | 0.1 | 0.1 | 0.2 | 0.2 | 0.2 | 0.3 | 0.2 | 0.1 | 0.2 | 0.2 |
| Every day | 1.0 | 0.5 | 0.7 | 1.2 | 1.6 | 1.9 | 2.0 | 0.7 | 1.6 | 1.1 |
| N of Valid | 13851 | 18661 | 20955 | 11911 | 12561 | 10210 | 7826 | 53467 | 42508 | 95975 |
| N of Miss | 457 | 443 | 381 | 220 | 245 | 228 | 137 | 1281 | 830 | 2111 |

Table 4.75: Within the past year how often have you used anabolic steroids?

| RESPONSE | 6th | 7th | 8th | 9th | 10th | 11th | 12th | 6-8th | 9-12th | TOTAL |
|--------------|-------|-------|-------|-------|-------|-------|------|-------|--------|-------|
| Do not use | 97.9 | 98.2 | 97.5 | 96.8 | 96.1 | 95.4 | 95.5 | 97.8 | 96.0 | 97.0 |
| Once/year | 0.5 | 0.6 | 0.6 | 0.6 | 0.6 | 1.0 | 0.8 | 0.6 | 0.7 | 0.6 |
| 6 times/year | 0.2 | 0.2 | 0.3 | 0.3 | 0.5 | 0.4 | 0.4 | 0.2 | 0.4 | 0.3 |
| Once/month | 0.1 | 0.1 | 0.2 | 0.3 | 0.3 | 0.3 | 0.4 | 0.2 | 0.3 | 0.2 |
| Twice/month | 0.1 | 0.1 | 0.2 | 0.3 | 0.3 | 0.3 | 0.4 | 0.1 | 0.3 | 0.2 |
| Once/week | 0.1 | 0.1 | 0.1 | 0.3 | 0.2 | 0.3 | 0.2 | 0.1 | 0.3 | 0.2 |
| 3 times/week | 0.1 | 0.1 | 0.2 | 0.2 | 0.3 | 0.4 | 0.3 | 0.1 | 0.3 | 0.2 |
| Every day | 1.1 | 0.6 | 0.8 | 1.3 | 1.7 | 1.9 | 2.0 | 0.8 | 1.7 | 1.2 |
| N of Valid | 13823 | 18667 | 20934 | 11896 | 12555 | 10215 | 7824 | 53424 | 42490 | 95914 |
| N of Miss | 485 | 437 | 402 | 235 | 251 | 223 | 139 | 1324 | 848 | 2172 |

Table 4.76: Within the past year how often have you used ecstasy?









| RESPONSE | 6th | 7th | 8th | 9th | 10th | 11th | 12th | 6-8th | 9-12th | TOTAL | |
|--------------|-------|-------|-------|-------|-------|-------|------|-------|--------|-------|---|
| Do not use | 98.3 | 98.1 | 97.0 | 95.3 | 94.1 | 93.6 | 92.9 | 97.7 | 94.1 | 96.1 |  |
| Once/year | 0.2 | 0.5 | 0.9 | 1.2 | 1.7 | 1.8 | 2.1 | 0.6 | 1.6 | 1.1 |  |
| 6 times/year | 0.1 | 0.2 | 0.3 | 0.7 | 0.6 | 0.7 | 1.0 | 0.2 | 0.7 | 0.4 |  |
| Once/month | 0.1 | 0.1 | 0.3 | 0.4 | 0.5 | 0.8 | 0.7 | 0.2 | 0.6 | 0.4 |  |
| Twice/month | 0.1 | 0.2 | 0.3 | 0.4 | 0.5 | 0.5 | 0.6 | 0.2 | 0.5 | 0.3 |  |
| Once/week | 0.1 | 0.1 | 0.2 | 0.5 | 0.5 | 0.4 | 0.4 | 0.2 | 0.4 | 0.3 |  |
| 3 times/week | 0.1 | 0.1 | 0.2 | 0.3 | 0.3 | 0.3 | 0.3 | 0.2 | 0.3 | 0.2 |  |
| Every day | 1.0 | 0.6 | 0.7 | 1.3 | 1.7 | 1.8 | 2.0 | 0.7 | 1.7 | 1.2 |  |
| N of Valid | 13703 | 18569 | 20900 | 11893 | 12557 | 10190 | 7829 | 53172 | 42469 | 95641 | |
| N of Miss | 605 | 535 | 436 | 238 | 249 | 248 | 134 | 1576 | 869 | 2445 | |

Table 4.77: Within the past year how often have you used OxyContin?









| RESPONSE | 6th | 7th | 8th | 9th | 10th | 11th | 12th | 6-8th | 9-12th | TOTAL | |
|--------------|-------|-------|-------|-------|-------|-------|------|-------|--------|-------|---|
| Do not use | 98.1 | 98.1 | 97.0 | 95.0 | 93.4 | 92.5 | 92.5 | 97.7 | 93.5 | 95.8 |  |
| Once/year | 0.3 | 0.4 | 0.8 | 1.3 | 1.7 | 1.9 | 2.0 | 0.6 | 1.7 | 1.1 |  |
| 6 times/year | 0.2 | 0.2 | 0.4 | 0.6 | 0.9 | 0.9 | 1.2 | 0.3 | 0.9 | 0.5 |  |
| Once/month | 0.1 | 0.2 | 0.3 | 0.5 | 0.8 | 0.9 | 0.7 | 0.2 | 0.7 | 0.4 |  |
| Twice/month | 0.1 | 0.1 | 0.3 | 0.5 | 0.5 | 0.7 | 0.7 | 0.2 | 0.6 | 0.3 |  |
| Once/week | 0.1 | 0.1 | 0.2 | 0.4 | 0.5 | 0.7 | 0.5 | 0.1 | 0.5 | 0.3 |  |
| 3 times/week | 0.1 | 0.2 | 0.2 | 0.3 | 0.4 | 0.5 | 0.3 | 0.2 | 0.4 | 0.3 |  |
| Every day | 1.0 | 0.6 | 0.7 | 1.4 | 1.7 | 1.9 | 2.1 | 0.8 | 1.7 | 1.2 |  |
| N of Valid | 13688 | 18567 | 20853 | 11872 | 12553 | 10195 | 7814 | 53108 | 42434 | 95542 | |
| N of Miss | 620 | 537 | 483 | 259 | 253 | 243 | 149 | 1640 | 904 | 2544 | |

Table 4.78: Within the past year how often have you used meth?

| RESPONSE | 6th | 7th | 8th | 9th | 10th | 11th | 12th | 6-8th | 9-12th | TOTAL |
|--------------|-------|-------|-------|-------|-------|-------|------|-------|--------|-------|
| Do not use | 97.8 | 98.1 | 97.3 | 96.3 | 95.6 | 95.2 | 94.8 | 97.7 | 95.6 | 96.8 |
| Once/year | 0.4 | 0.6 | 0.7 | 0.8 | 0.9 | 1.1 | 1.0 | 0.6 | 0.9 | 0.7 |
| 6 times/year | 0.2 | 0.1 | 0.3 | 0.3 | 0.4 | 0.4 | 0.4 | 0.2 | 0.4 | 0.3 |
| Once/month | 0.1 | 0.2 | 0.2 | 0.4 | 0.4 | 0.5 | 0.5 | 0.2 | 0.4 | 0.3 |
| Twice/month | 0.1 | 0.1 | 0.2 | 0.3 | 0.3 | 0.3 | 0.5 | 0.2 | 0.3 | 0.2 |
| Once/week | 0.1 | 0.1 | 0.2 | 0.3 | 0.3 | 0.3 | 0.4 | 0.1 | 0.3 | 0.2 |
| 3 times/week | 0.1 | 0.1 | 0.2 | 0.2 | 0.3 | 0.3 | 0.3 | 0.1 | 0.3 | 0.2 |
| Every day | 1.2 | 0.7 | 0.9 | 1.4 | 1.8 | 1.9 | 2.1 | 0.9 | 1.8 | 1.3 |
| N of Valid | 13747 | 18607 | 20878 | 11862 | 12509 | 10159 | 7805 | 53232 | 42335 | 95567 |
| N of Miss | 561 | 497 | 458 | 269 | 297 | 279 | 158 | 1516 | 1003 | 2519 |

Table 4.79: Within the past year how often have you used any tobacco?

| RESPONSE | 6th | 7th | 8th | 9th | 10th | 11th | 12th | 6-8th | 9-12th | TOTAL |
|--------------|-------|-------|-------|-------|-------|-------|------|-------|--------|-------|
| Do not use | 89.7 | 84.8 | 77.3 | 68.2 | 63.5 | 57.3 | 54.6 | 83.2 | 61.7 | 73.7 |
| Once/year | 4.5 | 6.4 | 7.5 | 8.0 | 8.3 | 8.6 | 8.2 | 6.3 | 8.3 | 7.2 |
| 6 times/year | 1.2 | 1.7 | 3.0 | 3.6 | 4.3 | 5.3 | 5.6 | 2.1 | 4.6 | 3.2 |
| Once/month | 0.9 | 1.2 | 1.7 | 2.5 | 2.8 | 3.0 | 2.8 | 1.3 | 2.8 | 1.9 |
| Twice/month | 0.5 | 0.9 | 1.4 | 2.0 | 2.3 | 2.6 | 2.8 | 1.0 | 2.4 | 1.6 |
| Once/week | 0.6 | 1.1 | 2.0 | 2.4 | 3.1 | 3.4 | 3.1 | 1.3 | 3.0 | 2.1 |
| 3 times/week | 0.8 | 1.5 | 2.3 | 3.6 | 3.6 | 3.9 | 4.6 | 1.6 | 3.9 | 2.6 |
| Every day | 1.9 | 2.4 | 4.7 | 9.5 | 12.1 | 15.9 | 18.2 | 3.2 | 13.4 | 7.7 |
| N of Valid | 14090 | 18866 | 21086 | 11975 | 12636 | 10302 | 7868 | 54042 | 42781 | 96823 |
| N of Miss | 218 | 238 | 250 | 156 | 170 | 136 | 95 | 706 | 557 | 1263 |

Table 4.80: Within the past year how often have you used any alcohol?

| RESPONSE | 6th | 7th | 8th | 9th | 10th | 11th | 12th | 6-8th | 9-12th | TOTAL |
|--------------|-------|-------|-------|-------|-------|-------|------|-------|--------|-------|
| Do not use | 80.0 | 71.7 | 59.2 | 48.2 | 40.9 | 35.9 | 31.1 | 69.0 | 39.9 | 56.1 |
| Once/year | 11.6 | 14.7 | 17.6 | 17.4 | 15.5 | 13.8 | 13.1 | 15.0 | 15.2 | 15.1 |
| 6 times/year | 2.7 | 4.5 | 7.5 | 9.7 | 10.7 | 12.0 | 11.7 | 5.2 | 10.9 | 7.7 |
| Once/month | 1.2 | 2.3 | 4.1 | 5.7 | 6.8 | 7.4 | 8.2 | 2.7 | 6.9 | 4.6 |
| Twice/month | 1.1 | 2.1 | 4.0 | 6.1 | 8.9 | 9.7 | 11.5 | 2.6 | 8.8 | 5.3 |
| Once/week | 0.9 | 1.9 | 3.4 | 6.2 | 8.9 | 11.6 | 13.2 | 2.2 | 9.6 | 5.5 |
| 3 times/week | 0.8 | 1.4 | 2.4 | 3.9 | 4.8 | 5.9 | 7.1 | 1.6 | 5.2 | 3.2 |
| Every day | 1.7 | 1.4 | 1.9 | 2.9 | 3.5 | 3.8 | 4.0 | 1.7 | 3.5 | 2.5 |
| N of Valid | 14073 | 18847 | 21075 | 11967 | 12631 | 10283 | 7859 | 53995 | 42740 | 96735 |
| N of Miss | 235 | 257 | 261 | 164 | 175 | 155 | 104 | 753 | 598 | 1351 |

Table 4.81: Within the past year how often have you used any illicit drug?

| RESPONSE | 6th | 7th | 8th | 9th | 10th | 11th | 12th | 6-8th | 9-12th | TOTAL |
|--------------|-------|-------|-------|-------|-------|-------|------|-------|--------|-------|
| Do not use | 91.7 | 88.8 | 83.0 | 77.2 | 71.0 | 66.3 | 65.7 | 87.3 | 70.6 | 79.9 |
| Once/year | 3.0 | 4.1 | 5.4 | 5.7 | 6.8 | 7.5 | 7.9 | 4.3 | 6.8 | 5.4 |
| 6 times/year | 0.9 | 1.2 | 2.0 | 2.9 | 3.6 | 4.1 | 4.5 | 1.5 | 3.7 | 2.4 |
| Once/month | 0.7 | 0.9 | 1.4 | 1.7 | 2.7 | 2.7 | 2.7 | 1.0 | 2.4 | 1.6 |
| Twice/month | 0.4 | 0.6 | 1.4 | 2.1 | 2.8 | 3.5 | 2.9 | 0.9 | 2.8 | 1.7 |
| Once/week | 0.5 | 1.0 | 1.7 | 2.5 | 2.9 | 3.7 | 3.3 | 1.1 | 3.0 | 2.0 |
| 3 times/week | 0.5 | 1.2 | 1.9 | 2.5 | 3.6 | 4.1 | 4.3 | 1.3 | 3.5 | 2.3 |
| Every day | 2.1 | 2.2 | 3.3 | 5.5 | 6.7 | 8.2 | 8.6 | 2.6 | 7.0 | 4.6 |
| N of Valid | 14072 | 18849 | 21086 | 11975 | 12636 | 10283 | 7864 | 54007 | 42758 | 96765 |
| N of Miss | 236 | 255 | 250 | 156 | 170 | 155 | 99 | 741 | 580 | 1321 |

4.5 At What Age Did You First...

Table 4.82: At what age did you first smoke cigarettes?

| RESPONSE | 6th | 7th | 8th | 9th | 10th | 11th | 12th | 6-8th | 9-12th | TOTAL | |
|-------------|-------|-------|-------|-------|-------|-------|------|-------|--------|-------|--|
| Never used | 89.6 | 84.4 | 77.0 | 68.0 | 63.3 | 57.5 | 53.5 | 82.9 | 61.4 | 73.4 | |
| 10 or under | 5.8 | 6.1 | 7.0 | 8.2 | 7.6 | 6.8 | 7.1 | 6.4 | 7.5 | 6.9 | |
| 11 | 3.0 | 3.8 | 4.0 | 4.5 | 3.9 | 4.2 | 2.7 | 3.6 | 3.9 | 3.8 | |
| 12 | 1.1 | 3.6 | 5.2 | 5.6 | 5.0 | 5.1 | 4.7 | 3.6 | 5.1 | 4.3 | |
| 13 | 0.2 | 1.6 | 4.9 | 6.2 | 5.9 | 5.7 | 5.5 | 2.5 | 5.9 | 4.0 | |
| 14 | 0.1 | 0.2 | 1.5 | 5.2 | 6.0 | 6.2 | 6.1 | 0.7 | 5.8 | 3.0 | |
| 15 | 0.0 | 0.0 | 0.2 | 1.8 | 6.1 | 7.4 | 6.7 | 0.1 | 5.3 | 2.4 | |
| 16 | 0.0 | 0.0 | 0.0 | 0.2 | 1.8 | 5.4 | 7.2 | 0.0 | 3.2 | 1.4 | |
| 17 or older | 0.2 | 0.2 | 0.2 | 0.2 | 0.4 | 1.7 | 6.5 | 0.2 | 1.8 | 0.9 | |
| N of Valid | 13852 | 18658 | 20853 | 11819 | 12506 | 10163 | 7760 | 53363 | 42248 | 95611 | |
| N of Miss | 456 | 446 | 483 | 312 | 300 | 275 | 203 | 1385 | 1090 | 2475 | |

Table 4.83: At what age did you first use smokeless tobacco?

| RESPONSE | 6th | 7th | 8th | 9th | 10th | 11th | 12th | 6-8th | 9-12th | TOTAL | |
|-------------|-------|-------|-------|-------|-------|-------|------|-------|--------|-------|--|
| Never used | 95.4 | 93.6 | 90.7 | 84.7 | 83.4 | 79.8 | 79.3 | 92.9 | 82.1 | 88.2 | |
| 10 or under | 2.5 | 2.3 | 2.5 | 3.8 | 3.3 | 3.9 | 3.4 | 2.4 | 3.6 | 2.9 | |
| 11 | 1.2 | 1.6 | 1.5 | 1.5 | 1.2 | 1.6 | 1.2 | 1.5 | 1.4 | 1.4 | |
| 12 | 0.5 | 1.4 | 1.9 | 2.4 | 1.8 | 2.1 | 1.9 | 1.4 | 2.0 | 1.7 | |
| 13 | 0.1 | 0.7 | 2.2 | 2.9 | 2.4 | 2.2 | 2.1 | 1.1 | 2.4 | 1.7 | |
| 14 | 0.1 | 0.1 | 0.9 | 3.0 | 2.9 | 2.7 | 2.4 | 0.4 | 2.8 | 1.5 | |
| 15 | 0.0 | 0.0 | 0.1 | 1.4 | 3.4 | 3.7 | 3.3 | 0.1 | 2.9 | 1.3 | |
| 16 | 0.0 | 0.0 | 0.0 | 0.2 | 1.3 | 3.1 | 3.5 | 0.0 | 1.8 | 0.8 | |
| 17 or older | 0.2 | 0.2 | 0.2 | 0.2 | 0.3 | 1.0 | 3.0 | 0.2 | 0.9 | 0.5 | |
| N of Valid | 13852 | 18652 | 20847 | 11800 | 12501 | 10150 | 7749 | 53351 | 42200 | 95551 | |
| N of Miss | 456 | 452 | 489 | 331 | 305 | 288 | 214 | 1397 | 1138 | 2535 | |

Table 4.84: At what age did you first smoke cigars?

| RESPONSE | 6th | 7th | 8th | 9th | 10th | 11th | 12th | 6-8th | 9-12th | TOTAL | |
|-------------|-------|-------|-------|-------|-------|-------|------|-------|--------|-------|--|
| Never used | 95.4 | 93.2 | 89.0 | 82.7 | 78.7 | 72.9 | 68.9 | 92.1 | 76.6 | 85.3 | |
| 10 or under | 2.3 | 2.2 | 2.3 | 3.0 | 2.9 | 2.9 | 2.7 | 2.3 | 2.9 | 2.6 | |
| 11 | 1.3 | 1.7 | 1.7 | 1.9 | 1.6 | 1.9 | 1.3 | 1.6 | 1.7 | 1.7 | |
| 12 | 0.6 | 1.6 | 2.5 | 2.8 | 2.3 | 2.1 | 2.1 | 1.7 | 2.4 | 2.0 | |
| 13 | 0.1 | 1.0 | 2.8 | 3.8 | 3.0 | 3.3 | 2.9 | 1.5 | 3.3 | 2.3 | |
| 14 | 0.1 | 0.1 | 1.2 | 4.0 | 4.0 | 4.2 | 3.6 | 0.6 | 4.0 | 2.1 | |
| 15 | 0.1 | 0.0 | 0.2 | 1.4 | 5.3 | 5.8 | 5.3 | 0.1 | 4.3 | 2.0 | |
| 16 | 0.0 | 0.0 | 0.0 | 0.2 | 1.8 | 5.3 | 6.7 | 0.0 | 3.1 | 1.4 | |
| 17 or older | 0.1 | 0.2 | 0.2 | 0.1 | 0.3 | 1.6 | 6.6 | 0.2 | 1.7 | 0.9 | |
| N of Valid | 13828 | 18603 | 20779 | 11777 | 12438 | 10098 | 7717 | 53210 | 42030 | 95240 | |
| N of Miss | 480 | 501 | 557 | 354 | 368 | 340 | 246 | 1538 | 1308 | 2846 | |

Table 4.85: At what age did you first drink beer?

| RESPONSE | 6th | 7th | 8th | 9th | 10th | 11th | 12th | 6-8th | 9-12th | TOTAL | |
|-------------|-------|-------|-------|-------|-------|-------|------|-------|--------|-------|--|
| Never used | 83.3 | 76.3 | 65.5 | 54.1 | 46.5 | 40.6 | 35.9 | 73.9 | 45.3 | 61.2 | |
| 10 or under | 9.6 | 9.6 | 9.9 | 10.1 | 8.9 | 8.2 | 7.1 | 9.7 | 8.7 | 9.3 | |
| 11 | 4.6 | 5.7 | 6.0 | 5.2 | 3.6 | 3.4 | 2.6 | 5.5 | 3.8 | 4.8 | |
| 12 | 1.8 | 5.2 | 7.3 | 7.2 | 5.9 | 5.4 | 4.5 | 5.1 | 5.9 | 5.5 | |
| 13 | 0.4 | 2.5 | 8.2 | 10.4 | 8.9 | 7.7 | 6.9 | 4.2 | 8.6 | 6.1 | |
| 14 | 0.1 | 0.3 | 2.6 | 9.1 | 11.0 | 10.7 | 9.6 | 1.2 | 10.1 | 5.1 | |
| 15 | 0.1 | 0.0 | 0.4 | 3.3 | 11.7 | 13.3 | 12.4 | 0.2 | 9.9 | 4.5 | |
| 16 | 0.0 | 0.1 | 0.0 | 0.3 | 3.0 | 8.6 | 12.8 | 0.0 | 5.4 | 2.4 | |
| 17 or older | 0.2 | 0.3 | 0.2 | 0.2 | 0.5 | 2.2 | 8.0 | 0.2 | 2.2 | 1.1 | |
| N of Valid | 13800 | 18560 | 20789 | 11792 | 12463 | 10133 | 7741 | 53149 | 42129 | 95278 | |
| N of Miss | 508 | 544 | 547 | 339 | 343 | 305 | 222 | 1599 | 1209 | 2808 | |

Table 4.86: At what age did you first drink coolers, breezers, etc.?

| RESPONSE | 6th | 7th | 8th | 9th | 10th | 11th | 12th | 6-8th | 9-12th | TOTAL |
|-------------|-------|-------|-------|-------|-------|-------|------|-------|--------|-------|
| Never used | 88.4 | 81.5 | 68.9 | 57.8 | 49.6 | 43.8 | 38.1 | 78.3 | 48.4 | 65.1 |
| 10 or under | 5.5 | 5.4 | 6.5 | 7.4 | 6.6 | 6.2 | 5.4 | 5.9 | 6.5 | 6.1 |
| 11 | 3.8 | 4.9 | 5.5 | 4.8 | 3.8 | 3.6 | 2.5 | 4.9 | 3.8 | 4.4 |
| 12 | 1.6 | 5.1 | 7.3 | 6.7 | 5.7 | 5.3 | 4.5 | 5.0 | 5.7 | 5.3 |
| 13 | 0.3 | 2.4 | 8.5 | 10.4 | 8.9 | 7.7 | 7.0 | 4.2 | 8.7 | 6.2 |
| 14 | 0.1 | 0.4 | 2.8 | 9.1 | 10.7 | 11.0 | 9.6 | 1.2 | 10.1 | 5.2 |
| 15 | 0.1 | 0.1 | 0.4 | 3.2 | 11.5 | 12.0 | 12.0 | 0.2 | 9.4 | 4.3 |
| 16 | 0.0 | 0.0 | 0.1 | 0.5 | 2.9 | 8.2 | 12.5 | 0.0 | 5.2 | 2.3 |
| 17 or older | 0.2 | 0.2 | 0.2 | 0.2 | 0.4 | 2.2 | 8.3 | 0.2 | 2.2 | 1.1 |
| N of Valid | 13766 | 18533 | 20779 | 11776 | 12466 | 10095 | 7736 | 53078 | 42073 | 95151 |
| N of Miss | 542 | 571 | 557 | 355 | 340 | 343 | 227 | 1670 | 1265 | 2935 |

Table 4.87: At what age did you first drink liquor?

| RESPONSE | 6th | 7th | 8th | 9th | 10th | 11th | 12th | 6-8th | 9-12th | TOTAL |
|-------------|-------|-------|-------|-------|-------|-------|------|-------|--------|-------|
| Never used | 91.7 | 85.4 | 74.4 | 61.3 | 51.4 | 43.5 | 37.7 | 82.7 | 49.7 | 68.1 |
| 10 or under | 3.8 | 3.7 | 4.1 | 4.9 | 4.3 | 4.2 | 3.8 | 3.9 | 4.3 | 4.1 |
| 11 | 2.7 | 3.6 | 3.4 | 3.1 | 2.5 | 2.4 | 1.5 | 3.3 | 2.5 | 2.9 |
| 12 | 1.2 | 4.2 | 5.8 | 5.4 | 4.5 | 4.1 | 3.1 | 4.1 | 4.4 | 4.2 |
| 13 | 0.3 | 2.5 | 8.4 | 9.6 | 8.0 | 6.8 | 6.1 | 4.2 | 7.8 | 5.8 |
| 14 | 0.1 | 0.4 | 3.2 | 11.0 | 11.5 | 10.7 | 9.2 | 1.4 | 10.7 | 5.5 |
| 15 | 0.1 | 0.0 | 0.5 | 4.0 | 13.7 | 14.6 | 13.0 | 0.2 | 11.0 | 5.0 |
| 16 | 0.0 | 0.0 | 0.1 | 0.5 | 3.7 | 10.8 | 14.8 | 0.0 | 6.6 | 2.9 |
| 17 or older | 0.1 | 0.2 | 0.2 | 0.2 | 0.6 | 3.0 | 10.8 | 0.2 | 2.9 | 1.4 |
| N of Valid | 13833 | 18606 | 20832 | 11789 | 12465 | 10120 | 7741 | 53271 | 42115 | 95386 |
| N of Miss | 475 | 498 | 504 | 342 | 341 | 318 | 222 | 1477 | 1223 | 2700 |

Table 4.88: At what age did you first smoke marijuana?










| RESPONSE | 6th | 7th | 8th | 9th | 10th | 11th | 12th | 6-8th | 9-12th | TOTAL | |
|-------------|-------|-------|-------|-------|-------|-------|------|-------|--------|-------|---|
| Never used | 96.6 | 93.3 | 87.2 | 79.6 | 72.0 | 65.3 | 63.3 | 91.8 | 70.9 | 82.6 |  |
| 10 or under | 1.5 | 1.5 | 1.9 | 2.9 | 2.9 | 2.6 | 2.6 | 1.7 | 2.8 | 2.2 |  |
| 11 | 0.8 | 1.3 | 1.6 | 1.8 | 1.7 | 1.8 | 1.3 | 1.3 | 1.7 | 1.5 |  |
| 12 | 0.5 | 2.0 | 2.8 | 2.8 | 3.1 | 2.9 | 2.4 | 1.9 | 2.8 | 2.3 |  |
| 13 | 0.2 | 1.4 | 4.2 | 4.6 | 4.3 | 4.3 | 4.7 | 2.2 | 4.5 | 3.2 |  |
| 14 | 0.1 | 0.3 | 1.6 | 5.2 | 6.4 | 5.9 | 5.2 | 0.8 | 5.7 | 2.9 |  |
| 15 | 0.1 | 0.1 | 0.3 | 2.5 | 7.0 | 8.7 | 7.0 | 0.2 | 6.1 | 2.8 |  |
| 16 | 0.1 | 0.0 | 0.0 | 0.3 | 2.1 | 6.7 | 7.6 | 0.0 | 3.7 | 1.7 |  |
| 17 or older | 0.1 | 0.2 | 0.2 | 0.2 | 0.5 | 1.8 | 5.9 | 0.1 | 1.7 | 0.8 |  |
| N of Valid | 13843 | 18638 | 20851 | 11803 | 12485 | 10124 | 7746 | 53332 | 42158 | 95490 | |
| N of Miss | 465 | 466 | 485 | 328 | 321 | 314 | 217 | 1416 | 1180 | 2596 | |

Table 4.89: At what age did you first use cocaine?










| RESPONSE | 6th | 7th | 8th | 9th | 10th | 11th | 12th | 6-8th | 9-12th | TOTAL | |
|-------------|-------|-------|-------|-------|-------|-------|------|-------|--------|-------|---|
| Never used | 98.3 | 98.1 | 97.1 | 95.4 | 93.7 | 92.1 | 90.7 | 97.8 | 93.2 | 95.8 |  |
| 10 or under | 1.0 | 0.6 | 0.7 | 1.2 | 1.4 | 1.4 | 1.5 | 0.7 | 1.4 | 1.0 |  |
| 11 | 0.2 | 0.3 | 0.3 | 0.4 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 |  |
| 12 | 0.2 | 0.4 | 0.4 | 0.5 | 0.6 | 0.4 | 0.4 | 0.3 | 0.5 | 0.4 |  |
| 13 | 0.1 | 0.2 | 0.8 | 0.6 | 0.6 | 0.6 | 0.5 | 0.4 | 0.6 | 0.5 |  |
| 14 | 0.0 | 0.1 | 0.4 | 1.0 | 1.0 | 0.8 | 0.8 | 0.2 | 0.9 | 0.5 |  |
| 15 | 0.1 | 0.0 | 0.1 | 0.5 | 1.5 | 1.4 | 1.1 | 0.1 | 1.1 | 0.5 |  |
| 16 | 0.0 | 0.0 | 0.0 | 0.3 | 0.7 | 2.0 | 2.3 | 0.0 | 1.2 | 0.6 |  |
| 17 or older | 0.1 | 0.2 | 0.2 | 0.2 | 0.3 | 0.9 | 2.4 | 0.2 | 0.8 | 0.4 |  |
| N of Valid | 13843 | 18653 | 20864 | 11822 | 12500 | 10150 | 7754 | 53360 | 42226 | 95586 | |
| N of Miss | 465 | 451 | 472 | 309 | 306 | 288 | 209 | 1388 | 1112 | 2500 | |

Table 4.90: At what age did you first use meth?

| RESPONSE | 6th | 7th | 8th | 9th | 10th | 11th | 12th | 6-8th | 9-12th | TOTAL |
|-------------|-------|-------|-------|-------|-------|-------|------|-------|--------|-------|
| Never used | 98.1 | 98.3 | 97.6 | 96.5 | 95.7 | 95.0 | 94.5 | 98.0 | 95.5 | 96.9 |
| 10 or under | 1.1 | 0.6 | 0.6 | 1.2 | 1.2 | 1.4 | 1.4 | 0.7 | 1.3 | 1.0 |
| 11 | 0.2 | 0.3 | 0.3 | 0.3 | 0.3 | 0.2 | 0.3 | 0.3 | 0.3 | 0.3 |
| 12 | 0.1 | 0.3 | 0.3 | 0.4 | 0.5 | 0.4 | 0.4 | 0.3 | 0.4 | 0.3 |
| 13 | 0.1 | 0.2 | 0.5 | 0.4 | 0.4 | 0.4 | 0.4 | 0.3 | 0.4 | 0.3 |
| 14 | 0.0 | 0.1 | 0.4 | 0.5 | 0.5 | 0.4 | 0.4 | 0.2 | 0.5 | 0.3 |
| 15 | 0.0 | 0.0 | 0.1 | 0.4 | 0.7 | 0.7 | 0.6 | 0.0 | 0.6 | 0.3 |
| 16 | 0.1 | 0.0 | 0.0 | 0.1 | 0.3 | 0.9 | 0.9 | 0.0 | 0.5 | 0.3 |
| 17 or older | 0.1 | 0.2 | 0.2 | 0.3 | 0.3 | 0.7 | 1.1 | 0.2 | 0.5 | 0.3 |
| N of Valid | 13773 | 18615 | 20840 | 11817 | 12496 | 10148 | 7751 | 53228 | 42212 | 95440 |
| N of Miss | 535 | 489 | 496 | 314 | 310 | 290 | 212 | 1520 | 1126 | 2646 |

Table 4.91: At what age did you first use other illegal drugs?

| RESPONSE | 6th | 7th | 8th | 9th | 10th | 11th | 12th | 6-8th | 9-12th | TOTAL |
|-------------|-------|-------|-------|-------|-------|-------|------|-------|--------|-------|
| Never used | 97.9 | 97.1 | 95.2 | 93.1 | 90.6 | 89.3 | 89.0 | 96.6 | 90.7 | 94.0 |
| 10 or under | 1.2 | 0.8 | 1.0 | 1.5 | 1.5 | 1.6 | 1.6 | 1.0 | 1.6 | 1.2 |
| 11 | 0.4 | 0.6 | 0.5 | 0.6 | 0.5 | 0.4 | 0.4 | 0.5 | 0.5 | 0.5 |
| 12 | 0.2 | 0.6 | 0.9 | 1.0 | 0.9 | 0.8 | 0.4 | 0.6 | 0.8 | 0.7 |
| 13 | 0.1 | 0.5 | 1.3 | 1.2 | 1.3 | 1.0 | 0.9 | 0.7 | 1.1 | 0.9 |
| 14 | 0.1 | 0.1 | 0.7 | 1.4 | 1.8 | 1.4 | 1.1 | 0.3 | 1.5 | 0.8 |
| 15 | 0.0 | 0.0 | 0.1 | 0.8 | 2.1 | 2.3 | 1.6 | 0.1 | 1.7 | 0.8 |
| 16 | 0.1 | 0.0 | 0.0 | 0.2 | 0.9 | 2.4 | 2.3 | 0.0 | 1.3 | 0.6 |
| 17 or older | 0.2 | 0.2 | 0.2 | 0.2 | 0.3 | 0.8 | 2.5 | 0.2 | 0.8 | 0.5 |
| N of Valid | 13803 | 18564 | 20786 | 11765 | 12423 | 10121 | 7741 | 53153 | 42050 | 95203 |
| N of Miss | 505 | 540 | 550 | 366 | 383 | 317 | 222 | 1595 | 1288 | 2883 |

4.6 Where Do You Usually Use...

Table 4.92: Where do you usually smoke cigarettes?

| RESPONSE | 6th | 7th | 8th | 9th | 10th | 11th | 12th | 6-8th | 9-12th | TOTAL | |
|----------------|-------|-------|-------|-------|-------|-------|------|-------|--------|-------|--|
| Do not use | 88.3 | 85.2 | 80.0 | 73.4 | 70.2 | 66.3 | 63.4 | 84.0 | 68.9 | 77.3 | |
| At home | 3.1 | 4.6 | 7.2 | 11.2 | 11.8 | 13.1 | 14.2 | 5.2 | 12.4 | 8.4 | |
| At school | 0.9 | 0.6 | 1.0 | 2.8 | 4.2 | 4.7 | 4.6 | 0.8 | 4.0 | 2.2 | |
| In a car | 0.9 | 1.4 | 3.2 | 6.2 | 10.9 | 15.3 | 18.7 | 2.0 | 12.1 | 6.4 | |
| Friend's house | 3.2 | 5.5 | 8.7 | 11.8 | 15.0 | 16.9 | 18.3 | 6.1 | 15.2 | 10.1 | |
| Other | 3.6 | 5.2 | 7.8 | 9.6 | 12.2 | 13.7 | 14.4 | 5.8 | 12.2 | 8.7 | |
| N of Valid | 14308 | 19104 | 21336 | 12131 | 12806 | 10438 | 7963 | 54748 | 43338 | 98086 | |
| N of Miss | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |

Table 4.93: Where do you usually use smokeless tobacco?

| RESPONSE | 6th | 7th | 8th | 9th | 10th | 11th | 12th | 6-8th | 9-12th | TOTAL | |
|----------------|-------|-------|-------|-------|-------|-------|------|-------|--------|-------|--|
| Do not use | 92.2 | 91.6 | 89.8 | 84.6 | 84.5 | 82.2 | 82.1 | 91.0 | 83.6 | 87.7 | |
| At home | 1.8 | 2.3 | 3.4 | 6.1 | 5.8 | 6.7 | 6.6 | 2.6 | 6.2 | 4.2 | |
| At school | 0.8 | 0.6 | 1.2 | 3.3 | 3.9 | 4.6 | 4.6 | 0.9 | 4.0 | 2.3 | |
| In a car | 0.6 | 0.7 | 1.3 | 2.9 | 4.1 | 5.2 | 6.2 | 0.9 | 4.4 | 2.4 | |
| Friend's house | 1.3 | 1.9 | 3.2 | 5.1 | 5.5 | 6.4 | 6.5 | 2.3 | 5.8 | 3.8 | |
| Other | 1.4 | 2.2 | 3.1 | 4.9 | 5.6 | 6.5 | 6.7 | 2.3 | 5.8 | 3.9 | |
| N of Valid | 14308 | 19104 | 21336 | 12131 | 12806 | 10438 | 7963 | 54748 | 43338 | 98086 | |
| N of Miss | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |

Table 4.94: Where do you usually smoke cigars?

| RESPONSE | 6th | 7th | 8th | 9th | 10th | 11th | 12th | 6-8th | 9-12th | TOTAL | |
|----------------|-------|-------|-------|-------|-------|-------|------|-------|--------|-------|--|
| Do not use | 92.0 | 91.3 | 88.2 | 83.2 | 80.4 | 76.2 | 73.3 | 90.3 | 78.9 | 85.2 | |
| At home | 1.8 | 2.1 | 3.4 | 5.5 | 5.7 | 6.3 | 7.0 | 2.6 | 6.0 | 4.1 | |
| At school | 0.7 | 0.4 | 0.7 | 1.4 | 2.0 | 2.1 | 2.2 | 0.6 | 1.9 | 1.2 | |
| In a car | 0.7 | 0.7 | 1.3 | 2.6 | 4.6 | 6.1 | 8.1 | 0.9 | 5.0 | 2.7 | |
| Friend's house | 1.4 | 2.1 | 3.7 | 6.0 | 7.9 | 10.4 | 11.7 | 2.5 | 8.6 | 5.2 | |
| Other | 1.6 | 2.2 | 3.7 | 5.3 | 6.8 | 8.4 | 9.1 | 2.6 | 7.2 | 4.6 | |
| N of Valid | 14308 | 19104 | 21336 | 12131 | 12806 | 10438 | 7963 | 54748 | 43338 | 98086 | |
| N of Miss | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |

Table 4.95: Where do you usually drink beer?

| RESPONSE | 6th | 7th | 8th | 9th | 10th | 11th | 12th | 6-8th | 9-12th | TOTAL | |
|----------------|-------|-------|-------|-------|-------|-------|------|-------|--------|-------|--|
| Do not use | 82.9 | 78.3 | 68.7 | 58.8 | 51.7 | 47.0 | 42.3 | 75.7 | 50.8 | 64.7 | |
| At home | 7.8 | 10.4 | 14.4 | 16.6 | 17.4 | 17.9 | 18.9 | 11.3 | 17.6 | 14.1 | |
| At school | 0.8 | 0.5 | 0.9 | 1.7 | 2.6 | 2.6 | 2.8 | 0.8 | 2.4 | 1.5 | |
| In a car | 1.0 | 1.1 | 2.2 | 3.9 | 6.4 | 7.4 | 9.4 | 1.5 | 6.5 | 3.7 | |
| Friend's house | 3.3 | 6.5 | 13.0 | 20.8 | 28.7 | 33.8 | 39.3 | 8.2 | 29.7 | 17.7 | |
| Other | 4.5 | 6.6 | 10.1 | 13.4 | 17.3 | 18.9 | 19.7 | 7.4 | 17.0 | 11.7 | |
| N of Valid | 14308 | 19104 | 21336 | 12131 | 12806 | 10438 | 7963 | 54748 | 43338 | 98086 | |
| N of Miss | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |

Table 4.96: Where do you usually drink coolers, breezers, etc.?

| RESPONSE | 6th | 7th | 8th | 9th | 10th | 11th | 12th | 6-8th | 9-12th | TOTAL | |
|----------------|-------|-------|-------|-------|-------|-------|------|-------|--------|-------|--|
| Do not use | 85.4 | 80.6 | 69.7 | 60.3 | 53.0 | 48.7 | 44.0 | 77.6 | 52.4 | 66.5 | |
| At home | 6.2 | 9.1 | 14.0 | 16.8 | 18.4 | 18.5 | 19.2 | 10.3 | 18.1 | 13.7 | |
| At school | 0.8 | 0.5 | 0.8 | 1.5 | 2.2 | 2.5 | 2.5 | 0.7 | 2.1 | 1.3 | |
| In a car | 0.8 | 1.0 | 1.8 | 3.2 | 5.1 | 6.0 | 7.4 | 1.3 | 5.2 | 3.0 | |
| Friend's house | 2.5 | 5.5 | 11.8 | 18.2 | 25.9 | 30.3 | 35.7 | 7.2 | 26.6 | 15.8 | |
| Other | 3.6 | 5.5 | 9.5 | 12.7 | 15.2 | 17.3 | 18.0 | 6.6 | 15.5 | 10.5 | |
| N of Valid | 14308 | 19104 | 21336 | 12131 | 12806 | 10438 | 7963 | 54748 | 43338 | 98086 | |
| N of Miss | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |

Table 4.97: Where do you usually drink liquor?

| RESPONSE | 6th | 7th | 8th | 9th | 10th | 11th | 12th | 6-8th | 9-12th | TOTAL |
|----------------|-------|-------|-------|-------|-------|-------|------|-------|--------|-------|
| Do not use | 88.8 | 84.3 | 74.8 | 62.9 | 53.9 | 47.6 | 42.1 | 81.8 | 52.7 | 68.9 |
| At home | 4.0 | 6.2 | 10.1 | 13.8 | 15.7 | 17.1 | 18.2 | 7.1 | 16.0 | 11.0 |
| At school | 0.8 | 0.5 | 0.8 | 1.7 | 2.6 | 2.9 | 3.1 | 0.7 | 2.5 | 1.5 |
| In a car | 0.7 | 0.8 | 1.6 | 3.3 | 5.4 | 6.5 | 8.5 | 1.1 | 5.6 | 3.1 |
| Friend's house | 1.9 | 4.5 | 10.5 | 18.3 | 27.4 | 32.6 | 39.1 | 6.2 | 28.2 | 15.9 |
| Other | 2.6 | 4.6 | 8.1 | 12.3 | 16.3 | 18.8 | 19.8 | 5.4 | 16.4 | 10.3 |
| N of Valid | 14308 | 19104 | 21336 | 12131 | 12806 | 10438 | 7963 | 54748 | 43338 | 98086 |
| N of Miss | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |

Table 4.98: Where do you usually smoke marijuana?

| RESPONSE | 6th | 7th | 8th | 9th | 10th | 11th | 12th | 6-8th | 9-12th | TOTAL |
|----------------|-------|-------|-------|-------|-------|-------|------|-------|--------|-------|
| Do not use | 92.8 | 90.7 | 85.8 | 79.1 | 73.4 | 68.1 | 68.0 | 89.3 | 72.7 | 82.0 |
| At home | 1.0 | 1.7 | 3.4 | 6.0 | 7.7 | 8.8 | 9.7 | 2.2 | 7.9 | 4.7 |
| At school | 0.8 | 0.4 | 1.0 | 2.1 | 3.1 | 3.6 | 3.5 | 0.8 | 3.0 | 1.8 |
| In a car | 0.7 | 0.9 | 2.5 | 4.5 | 8.1 | 10.4 | 12.7 | 1.5 | 8.5 | 4.6 |
| Friend's house | 1.4 | 3.2 | 6.4 | 10.3 | 15.2 | 18.6 | 19.4 | 4.0 | 15.4 | 9.0 |
| Other | 1.3 | 2.6 | 5.4 | 7.9 | 11.4 | 13.4 | 12.7 | 3.3 | 11.1 | 6.8 |
| N of Valid | 14308 | 19104 | 21336 | 12131 | 12806 | 10438 | 7963 | 54748 | 43338 | 98086 |
| N of Miss | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |

Table 4.99: Where do you usually use cocaine?

| RESPONSE | 6th | 7th | 8th | 9th | 10th | 11th | 12th | 6-8th | 9-12th | TOTAL |
|----------------|-------|-------|-------|-------|-------|-------|------|-------|--------|-------|
| Do not use | 94.3 | 94.9 | 94.4 | 92.3 | 91.3 | 89.7 | 88.7 | 94.5 | 90.7 | 92.9 |
| At home | 0.6 | 0.4 | 0.7 | 1.4 | 1.7 | 2.0 | 2.3 | 0.6 | 1.8 | 1.1 |
| At school | 0.8 | 0.3 | 0.6 | 1.1 | 1.4 | 1.7 | 1.9 | 0.5 | 1.5 | 0.9 |
| In a car | 0.5 | 0.3 | 0.5 | 1.0 | 1.5 | 2.0 | 2.4 | 0.4 | 1.6 | 1.0 |
| Friend's house | 0.6 | 0.7 | 1.1 | 1.7 | 2.5 | 3.0 | 4.1 | 0.8 | 2.7 | 1.7 |
| Other | 0.7 | 0.8 | 1.1 | 1.7 | 2.2 | 2.5 | 3.0 | 0.9 | 2.3 | 1.5 |
| N of Valid | 14308 | 19104 | 21336 | 12131 | 12806 | 10438 | 7963 | 54748 | 43338 | 98086 |
| N of Miss | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |

Table 4.100: Where do you usually use meth?

| RESPONSE | 6th | 7th | 8th | 9th | 10th | 11th | 12th | 6-8th | 9-12th | TOTAL | |
|----------------|-------|-------|-------|-------|-------|-------|------|-------|--------|-------|--|
| Do not use | 93.6 | 94.6 | 94.6 | 93.1 | 92.5 | 91.5 | 91.4 | 94.3 | 92.2 | 93.4 | |
| At home | 0.7 | 0.4 | 0.6 | 1.0 | 1.2 | 1.1 | 1.5 | 0.6 | 1.2 | 0.8 | |
| At school | 0.8 | 0.3 | 0.5 | 1.0 | 1.1 | 1.5 | 1.5 | 0.5 | 1.3 | 0.8 | |
| In a car | 0.4 | 0.3 | 0.4 | 0.7 | 0.9 | 1.0 | 1.5 | 0.4 | 1.0 | 0.6 | |
| Friend's house | 0.6 | 0.6 | 0.9 | 1.1 | 1.6 | 1.8 | 1.9 | 0.7 | 1.6 | 1.1 | |
| Other | 0.7 | 0.7 | 1.0 | 1.3 | 1.5 | 1.7 | 2.0 | 0.8 | 1.6 | 1.2 | |
| N of Valid | 14308 | 19104 | 21336 | 12131 | 12806 | 10438 | 7963 | 54748 | 43338 | 98086 | |
| N of Miss | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |

Table 4.101: Where do you usually use tobacco?

| RESPONSE | 6th | 7th | 8th | 9th | 10th | 11th | 12th | 6-8th | 9-12th | TOTAL | |
|----------------|-------|-------|-------|-------|-------|-------|------|-------|--------|-------|--|
| Do not use | 94.3 | 94.7 | 93.8 | 90.6 | 89.7 | 88.5 | 87.0 | 94.2 | 89.2 | 92.0 | |
| At home | 4.6 | 6.5 | 9.9 | 15.3 | 16.0 | 18.2 | 18.7 | 7.4 | 16.8 | 11.5 | |
| At school | 1.1 | 1.1 | 2.0 | 5.2 | 6.9 | 7.9 | 7.9 | 1.5 | 6.9 | 3.9 | |
| In a car | 1.3 | 2.0 | 4.2 | 8.5 | 13.7 | 19.1 | 23.1 | 2.7 | 15.3 | 8.2 | |
| Friend's house | 4.0 | 6.8 | 11.0 | 15.6 | 19.1 | 22.5 | 23.9 | 7.7 | 19.9 | 13.1 | |
| Other | 4.4 | 6.8 | 10.2 | 13.4 | 16.2 | 19.0 | 19.3 | 7.5 | 16.7 | 11.5 | |
| N of Valid | 14308 | 19104 | 21336 | 12131 | 12806 | 10438 | 7963 | 54748 | 43338 | 98086 | |
| N of Miss | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |

Table 4.102: Where do you usually use alcohol?

| RESPONSE | 6th | 7th | 8th | 9th | 10th | 11th | 12th | 6-8th | 9-12th | TOTAL | |
|----------------|-------|-------|-------|-------|-------|-------|------|-------|--------|-------|--|
| Do not use | 91.9 | 89.1 | 81.2 | 72.1 | 64.6 | 59.5 | 55.6 | 86.8 | 63.8 | 76.6 | |
| At home | 11.1 | 15.0 | 20.6 | 23.5 | 24.6 | 25.3 | 25.7 | 16.2 | 24.7 | 19.9 | |
| At school | 1.0 | 0.8 | 1.4 | 2.5 | 3.7 | 4.0 | 4.2 | 1.1 | 3.5 | 2.2 | |
| In a car | 1.3 | 1.7 | 2.9 | 5.1 | 7.8 | 9.2 | 11.4 | 2.1 | 8.1 | 4.7 | |
| Friend's house | 4.6 | 8.9 | 17.1 | 26.1 | 34.8 | 40.1 | 46.6 | 11.0 | 35.8 | 21.9 | |
| Other | 6.7 | 9.6 | 14.3 | 18.4 | 22.0 | 24.0 | 24.8 | 10.7 | 22.0 | 15.7 | |
| N of Valid | 14308 | 19104 | 21336 | 12131 | 12806 | 10438 | 7963 | 54748 | 43338 | 98086 | |
| N of Miss | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |

Table 4.103: Where do you usually use illicit drugs?

| RESPONSE | 6th | 7th | 8th | 9th | 10th | 11th | 12th | 6-8th | 9-12th | TOTAL | |
|----------------|-------|-------|-------|-------|-------|-------|------|-------|--------|-------|--|
| Do not use | 94.8 | 95.6 | 95.4 | 94.0 | 93.4 | 92.5 | 92.1 | 95.3 | 93.1 | 94.3 | |
| At home | 1.3 | 1.9 | 3.7 | 6.5 | 8.2 | 9.4 | 10.3 | 2.5 | 8.4 | 5.1 | |
| At school | 1.1 | 0.6 | 1.3 | 2.6 | 3.7 | 4.3 | 4.4 | 1.0 | 3.7 | 2.2 | |
| In a car | 0.8 | 1.1 | 2.8 | 5.0 | 8.8 | 11.1 | 13.3 | 1.7 | 9.1 | 5.0 | |
| Friend's house | 1.6 | 3.5 | 6.8 | 10.8 | 15.8 | 19.3 | 20.1 | 4.3 | 16.0 | 9.5 | |
| Other | 1.6 | 2.9 | 5.7 | 8.4 | 12.0 | 13.9 | 13.3 | 3.7 | 11.7 | 7.2 | |
| N of Valid | 14308 | 19104 | 21336 | 12131 | 12806 | 10438 | 7963 | 54748 | 43338 | 98086 | |
| N of Miss | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |

4.7 When Do You Usually Use...

Table 4.104: When do you usually smoke cigarettes?

| RESPONSE | 6th | 7th | 8th | 9th | 10th | 11th | 12th | 6-8th | 9-12th | TOTAL | |
|---------------|-------|-------|-------|-------|-------|-------|------|-------|--------|-------|--|
| Do not use | 88.8 | 85.6 | 80.9 | 74.8 | 71.5 | 67.6 | 64.8 | 84.6 | 70.3 | 78.3 | |
| Before school | 1.0 | 1.4 | 2.8 | 5.7 | 7.7 | 10.0 | 11.7 | 1.9 | 8.4 | 4.8 | |
| During school | 0.9 | 0.5 | 0.9 | 2.5 | 3.9 | 4.4 | 4.7 | 0.8 | 3.8 | 2.1 | |
| After school | 2.1 | 3.8 | 6.5 | 9.8 | 12.1 | 14.8 | 16.3 | 4.4 | 12.9 | 8.1 | |
| Week nights | 1.6 | 2.5 | 4.6 | 7.1 | 9.5 | 11.9 | 14.5 | 3.1 | 10.3 | 6.3 | |
| Weekends | 4.6 | 7.7 | 11.4 | 15.1 | 18.6 | 21.5 | 24.3 | 8.3 | 19.4 | 13.2 | |
| N of Valid | 14308 | 19104 | 21336 | 12131 | 12806 | 10438 | 7963 | 54748 | 43338 | 98086 | |
| N of Miss | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |

Table 4.105: When do you usually use smokeless tobacco?

| RESPONSE | 6th | 7th | 8th | 9th | 10th | 11th | 12th | 6-8th | 9-12th | TOTAL | |
|---------------|-------|-------|-------|-------|-------|-------|------|-------|--------|-------|--|
| Do not use | 91.9 | 91.4 | 89.8 | 85.1 | 85.1 | 82.7 | 82.7 | 90.9 | 84.1 | 87.9 | |
| Before school | 0.8 | 0.7 | 1.2 | 3.0 | 3.2 | 3.8 | 4.2 | 0.9 | 3.5 | 2.0 | |
| During school | 0.9 | 0.6 | 1.1 | 3.2 | 3.7 | 4.6 | 4.7 | 0.9 | 4.0 | 2.3 | |
| After school | 1.1 | 1.8 | 2.9 | 5.3 | 5.1 | 6.4 | 6.5 | 2.0 | 5.7 | 3.7 | |
| Week nights | 0.8 | 1.1 | 1.9 | 3.6 | 4.0 | 4.8 | 5.5 | 1.3 | 4.4 | 2.7 | |
| Weekends | 1.9 | 3.0 | 4.2 | 6.3 | 6.8 | 7.7 | 8.4 | 3.2 | 7.2 | 4.9 | |
| N of Valid | 14308 | 19104 | 21336 | 12131 | 12806 | 10438 | 7963 | 54748 | 43338 | 98086 | |
| N of Miss | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |

Table 4.106: When do you usually smoke cigars?

| RESPONSE | 6th | 7th | 8th | 9th | 10th | 11th | 12th | 6-8th | 9-12th | TOTAL |
|---------------|-------|-------|-------|-------|-------|-------|------|-------|--------|-------|
| Do not use | 91.9 | 91.3 | 88.6 | 84.4 | 81.9 | 77.6 | 75.3 | 90.4 | 80.4 | 86.0 |
| Before school | 0.7 | 0.6 | 0.8 | 1.7 | 1.9 | 1.9 | 2.6 | 0.7 | 2.0 | 1.3 |
| During school | 0.8 | 0.4 | 0.7 | 1.3 | 1.9 | 2.0 | 2.1 | 0.6 | 1.8 | 1.1 |
| After school | 1.0 | 1.4 | 2.3 | 3.5 | 4.1 | 4.4 | 5.4 | 1.6 | 4.2 | 2.8 |
| Week nights | 0.9 | 1.0 | 1.8 | 2.5 | 3.3 | 3.8 | 4.9 | 1.3 | 3.5 | 2.3 |
| Weekends | 2.1 | 3.4 | 5.7 | 8.5 | 11.0 | 14.1 | 16.1 | 4.0 | 12.0 | 7.5 |
| N of Valid | 14308 | 19104 | 21336 | 12131 | 12806 | 10438 | 7963 | 54748 | 43338 | 98086 |
| N of Miss | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |

Table 4.107: When do you usually drink beer?

| RESPONSE | 6th | 7th | 8th | 9th | 10th | 11th | 12th | 6-8th | 9-12th | TOTAL |
|---------------|-------|-------|-------|-------|-------|-------|------|-------|--------|-------|
| Do not use | 84.3 | 79.6 | 70.7 | 61.4 | 53.9 | 49.4 | 44.1 | 77.4 | 53.1 | 66.6 |
| Before school | 0.8 | 0.7 | 1.0 | 1.7 | 2.1 | 2.0 | 2.4 | 0.9 | 2.0 | 1.4 |
| During school | 0.8 | 0.5 | 0.8 | 1.4 | 2.0 | 2.2 | 2.3 | 0.7 | 2.0 | 1.2 |
| After school | 1.8 | 2.6 | 4.0 | 5.2 | 5.7 | 5.6 | 6.5 | 2.9 | 5.7 | 4.1 |
| Week nights | 2.0 | 2.9 | 4.5 | 5.7 | 7.1 | 7.8 | 9.4 | 3.3 | 7.3 | 5.1 |
| Weekends | 8.4 | 13.5 | 22.3 | 30.5 | 38.4 | 42.5 | 48.0 | 15.6 | 38.9 | 25.9 |
| N of Valid | 14308 | 19104 | 21336 | 12131 | 12806 | 10438 | 7963 | 54748 | 43338 | 98086 |
| N of Miss | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |

Table 4.108: When do you usually drink coolers, breezers, etc.?

| RESPONSE | 6th | 7th | 8th | 9th | 10th | 11th | 12th | 6-8th | 9-12th | TOTAL |
|---------------|-------|-------|-------|-------|-------|-------|------|-------|--------|-------|
| Do not use | 86.0 | 81.4 | 71.2 | 62.0 | 55.0 | 50.7 | 45.6 | 78.6 | 54.2 | 67.8 |
| Before school | 0.8 | 0.6 | 1.0 | 1.5 | 1.8 | 1.7 | 2.0 | 0.8 | 1.8 | 1.2 |
| During school | 0.9 | 0.4 | 0.7 | 1.4 | 1.8 | 2.0 | 2.1 | 0.6 | 1.8 | 1.1 |
| After school | 1.5 | 2.2 | 3.5 | 4.4 | 5.1 | 4.9 | 5.3 | 2.5 | 4.9 | 3.6 |
| Week nights | 1.7 | 2.4 | 4.0 | 5.5 | 6.5 | 7.3 | 7.6 | 2.9 | 6.6 | 4.5 |
| Weekends | 6.8 | 12.1 | 21.7 | 29.8 | 37.1 | 40.5 | 46.3 | 14.5 | 37.6 | 24.7 |
| N of Valid | 14308 | 19104 | 21336 | 12131 | 12806 | 10438 | 7963 | 54748 | 43338 | 98086 |
| N of Miss | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |

Table 4.109: When do you usually drink liquor?

| RESPONSE | 6th | 7th | 8th | 9th | 10th | 11th | 12th | 6-8th | 9-12th | TOTAL |
|---------------|-------|-------|-------|-------|-------|-------|------|-------|--------|-------|
| Do not use | 88.8 | 84.5 | 75.6 | 64.2 | 55.5 | 49.7 | 43.5 | 82.2 | 54.3 | 69.9 |
| Before school | 0.6 | 0.5 | 0.9 | 1.6 | 2.1 | 1.9 | 2.4 | 0.7 | 2.0 | 1.3 |
| During school | 0.9 | 0.4 | 0.7 | 1.4 | 2.0 | 2.2 | 2.4 | 0.6 | 2.0 | 1.2 |
| After school | 1.1 | 1.8 | 2.9 | 4.1 | 5.3 | 5.4 | 5.9 | 2.1 | 5.1 | 3.4 |
| Week nights | 1.2 | 1.9 | 3.6 | 5.1 | 6.3 | 7.2 | 8.0 | 2.4 | 6.5 | 4.2 |
| Weekends | 4.7 | 9.4 | 18.0 | 28.0 | 36.9 | 42.3 | 48.7 | 11.5 | 37.9 | 23.2 |
| N of Valid | 14308 | 19104 | 21336 | 12131 | 12806 | 10438 | 7963 | 54748 | 43338 | 98086 |
| N of Miss | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |

Table 4.110: When do you usually smoke marijuana?

| RESPONSE | 6th | 7th | 8th | 9th | 10th | 11th | 12th | 6-8th | 9-12th | TOTAL |
|---------------|-------|-------|-------|-------|-------|-------|------|-------|--------|-------|
| Do not use | 92.3 | 90.2 | 85.9 | 79.8 | 74.6 | 69.7 | 69.9 | 89.1 | 74.0 | 82.4 |
| Before school | 0.6 | 0.9 | 1.7 | 3.1 | 4.6 | 5.2 | 6.2 | 1.1 | 4.6 | 2.7 |
| During school | 0.8 | 0.4 | 0.9 | 1.9 | 3.0 | 3.1 | 3.8 | 0.7 | 2.9 | 1.7 |
| After school | 0.8 | 1.7 | 3.3 | 5.2 | 7.2 | 8.7 | 9.8 | 2.1 | 7.5 | 4.5 |
| Week nights | 0.8 | 1.5 | 3.2 | 4.8 | 7.4 | 9.3 | 10.8 | 2.0 | 7.8 | 4.5 |
| Weekends | 1.8 | 4.3 | 8.4 | 12.7 | 17.6 | 21.6 | 21.7 | 5.2 | 18.0 | 10.8 |
| N of Valid | 14308 | 19104 | 21336 | 12131 | 12806 | 10438 | 7963 | 54748 | 43338 | 98086 |
| N of Miss | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |

Table 4.111: When do you usually use cocaine?

| RESPONSE | 6th | 7th | 8th | 9th | 10th | 11th | 12th | 6-8th | 9-12th | TOTAL |
|---------------|-------|-------|-------|-------|-------|-------|------|-------|--------|-------|
| Do not use | 93.5 | 94.2 | 93.9 | 92.1 | 91.4 | 89.5 | 89.3 | 93.9 | 90.7 | 92.5 |
| Before school | 0.5 | 0.4 | 0.5 | 0.9 | 1.1 | 1.3 | 1.7 | 0.4 | 1.2 | 0.8 |
| During school | 0.8 | 0.3 | 0.5 | 1.1 | 1.4 | 1.9 | 1.9 | 0.5 | 1.5 | 1.0 |
| After school | 0.5 | 0.5 | 0.7 | 1.0 | 1.6 | 1.7 | 2.1 | 0.6 | 1.6 | 1.0 |
| Week nights | 0.5 | 0.4 | 0.7 | 0.9 | 1.3 | 1.6 | 2.1 | 0.5 | 1.4 | 0.9 |
| Weekends | 0.7 | 0.9 | 1.6 | 2.1 | 3.0 | 3.7 | 4.3 | 1.1 | 3.2 | 2.0 |
| N of Valid | 14308 | 19104 | 21336 | 12131 | 12806 | 10438 | 7963 | 54748 | 43338 | 98086 |
| N of Miss | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |

Table 4.112: When do you usually use meth?

| RESPONSE | 6th | 7th | 8th | 9th | 10th | 11th | 12th | 6-8th | 9-12th | TOTAL | |
|---------------|-------|-------|-------|-------|-------|-------|------|-------|--------|-------|--|
| Do not use | 92.7 | 93.9 | 94.1 | 92.6 | 92.3 | 91.2 | 91.2 | 93.7 | 91.9 | 92.9 | |
| Before school | 0.5 | 0.3 | 0.4 | 0.6 | 0.9 | 0.8 | 1.3 | 0.4 | 0.9 | 0.6 | |
| During school | 0.8 | 0.3 | 0.5 | 1.0 | 1.1 | 1.4 | 1.7 | 0.5 | 1.3 | 0.8 | |
| After school | 0.6 | 0.5 | 0.6 | 0.8 | 1.1 | 1.2 | 1.5 | 0.5 | 1.1 | 0.8 | |
| Week nights | 0.5 | 0.3 | 0.5 | 0.7 | 1.1 | 1.0 | 1.3 | 0.5 | 1.0 | 0.7 | |
| Weekends | 0.8 | 0.9 | 1.3 | 1.6 | 1.9 | 2.0 | 2.5 | 1.1 | 2.0 | 1.5 | |
| N of Valid | 14308 | 19104 | 21336 | 12131 | 12806 | 10438 | 7963 | 54748 | 43338 | 98086 | |
| N of Miss | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |

Table 4.113: When do you usually use tobacco?

| RESPONSE | 6th | 7th | 8th | 9th | 10th | 11th | 12th | 6-8th | 9-12th | TOTAL | |
|---------------|-------|-------|-------|-------|-------|-------|------|-------|--------|-------|--|
| Do not use | 93.9 | 94.2 | 93.5 | 90.9 | 90.1 | 88.5 | 87.7 | 93.8 | 89.5 | 91.9 | |
| Before school | 1.4 | 1.9 | 3.7 | 7.6 | 9.6 | 12.5 | 14.3 | 2.5 | 10.6 | 6.1 | |
| During school | 1.2 | 1.0 | 1.8 | 4.9 | 6.6 | 7.8 | 8.0 | 1.3 | 6.7 | 3.7 | |
| After school | 2.6 | 4.9 | 8.4 | 13.3 | 15.4 | 19.1 | 20.5 | 5.6 | 16.7 | 10.5 | |
| Week nights | 2.1 | 3.3 | 6.1 | 9.7 | 12.2 | 15.6 | 18.2 | 4.1 | 13.4 | 8.2 | |
| Weekends | 5.8 | 9.7 | 14.3 | 19.8 | 23.7 | 28.0 | 30.6 | 10.5 | 24.9 | 16.9 | |
| N of Valid | 14308 | 19104 | 21336 | 12131 | 12806 | 10438 | 7963 | 54748 | 43338 | 98086 | |
| N of Miss | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |

Table 4.114: When do you usually use alcohol?

| RESPONSE | 6th | 7th | 8th | 9th | 10th | 11th | 12th | 6-8th | 9-12th | TOTAL | |
|---------------|-------|-------|-------|-------|-------|-------|------|-------|--------|-------|--|
| Do not use | 91.4 | 88.7 | 81.7 | 72.9 | 65.7 | 60.8 | 56.6 | 86.7 | 64.9 | 77.0 | |
| Before school | 1.2 | 1.1 | 1.6 | 2.5 | 3.0 | 2.9 | 3.2 | 1.3 | 2.9 | 2.0 | |
| During school | 1.0 | 0.7 | 1.1 | 2.1 | 2.9 | 3.1 | 3.2 | 1.0 | 2.8 | 1.8 | |
| After school | 2.5 | 3.6 | 5.4 | 6.8 | 7.5 | 7.5 | 8.1 | 4.0 | 7.4 | 5.5 | |
| Week nights | 2.8 | 4.1 | 6.3 | 8.0 | 9.3 | 10.4 | 11.6 | 4.6 | 9.6 | 6.8 | |
| Weekends | 11.4 | 18.3 | 29.2 | 38.7 | 46.7 | 51.1 | 57.5 | 20.7 | 47.5 | 32.6 | |
| N of Valid | 14308 | 19104 | 21336 | 12131 | 12806 | 10438 | 7963 | 54748 | 43338 | 98086 | |
| N of Miss | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |

Table 4.115: When do you usually use illicit drugs?

| RESPONSE | 6th | 7th | 8th | 9th | 10th | 11th | 12th | 6-8th | 9-12th | TOTAL | |
|---------------|-------|-------|-------|-------|-------|-------|------|-------|--------|-------|--|
| Do not use | 94.0 | 94.9 | 94.9 | 93.5 | 93.2 | 92.1 | 92.0 | 94.7 | 92.8 | 93.8 | |
| Before school | 0.8 | 1.0 | 2.0 | 3.5 | 5.1 | 5.8 | 6.9 | 1.3 | 5.1 | 3.0 | |
| During school | 1.0 | 0.6 | 1.2 | 2.3 | 3.5 | 3.9 | 4.6 | 0.9 | 3.5 | 2.1 | |
| After school | 1.1 | 1.9 | 3.6 | 5.7 | 7.7 | 9.2 | 10.5 | 2.4 | 8.0 | 4.9 | |
| Week nights | 1.0 | 1.7 | 3.6 | 5.2 | 7.8 | 9.8 | 11.4 | 2.2 | 8.2 | 4.9 | |
| Weekends | 2.1 | 4.6 | 8.8 | 13.1 | 18.3 | 22.3 | 22.5 | 5.6 | 18.6 | 11.3 | |
| N of Valid | 14308 | 19104 | 21336 | 12131 | 12806 | 10438 | 7963 | 54748 | 43338 | 98086 | |
| N of Miss | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |

4.8 How Easy Is It To Get...

Table 4.116: How easy is it to get cigarettes, smokeless tobacco, cigars, etc.?

| RESPONSE | 6th | 7th | 8th | 9th | 10th | 11th | 12th | 6-8th | 9-12th | TOTAL | |
|----------------------|-------|-------|-------|-------|-------|-------|------|-------|--------|-------|--|
| Don't Know/Can't Get | 74.2 | 65.6 | 56.1 | 45.0 | 37.2 | 29.8 | 23.7 | 64.1 | 35.1 | 51.2 | |
| Very Difficult | 3.6 | 3.6 | 3.0 | 2.1 | 1.5 | 1.2 | 0.9 | 3.4 | 1.5 | 2.5 | |
| Fairly Difficult | 3.2 | 4.4 | 4.8 | 5.2 | 3.7 | 3.0 | 2.0 | 4.3 | 3.6 | 4.0 | |
| Fairly Easy | 7.4 | 10.8 | 14.1 | 17.3 | 18.8 | 17.5 | 14.0 | 11.2 | 17.2 | 13.9 | |
| Very Easy | 11.5 | 15.6 | 22.0 | 30.4 | 38.7 | 48.5 | 59.5 | 17.1 | 42.6 | 28.4 | |
| N of Valid | 13488 | 18236 | 20619 | 11642 | 12360 | 10003 | 7652 | 52343 | 41657 | 94000 | |
| N of Miss | 820 | 868 | 717 | 489 | 446 | 435 | 311 | 2405 | 1681 | 4086 | |

Table 4.117: How easy is it to get beer?

| RESPONSE | 6th | 7th | 8th | 9th | 10th | 11th | 12th | 6-8th | 9-12th | TOTAL | |
|----------------------|-------|-------|-------|-------|-------|-------|------|-------|--------|-------|--|
| Don't Know/Can't Get | 69.2 | 60.2 | 48.8 | 38.8 | 29.7 | 24.9 | 20.6 | 58.0 | 29.4 | 45.4 | |
| Very Difficult | 4.5 | 4.5 | 3.9 | 3.3 | 2.8 | 2.1 | 1.6 | 4.2 | 2.6 | 3.5 | |
| Fairly Difficult | 4.2 | 5.8 | 6.9 | 7.4 | 7.2 | 6.1 | 5.4 | 5.8 | 6.7 | 6.2 | |
| Fairly Easy | 8.6 | 12.2 | 16.6 | 21.3 | 24.6 | 25.3 | 27.2 | 13.0 | 24.3 | 18.0 | |
| Very Easy | 13.5 | 17.3 | 23.8 | 29.2 | 35.8 | 41.5 | 45.1 | 18.9 | 37.0 | 26.9 | |
| N of Valid | 13459 | 18239 | 20580 | 11632 | 12364 | 10001 | 7652 | 52278 | 41649 | 93927 | |
| N of Miss | 849 | 865 | 756 | 499 | 442 | 437 | 311 | 2470 | 1689 | 4159 | |

Table 4.118: How easy is it to get coolers, breezers, etc.?

| RESPONSE | 6th | 7th | 8th | 9th | 10th | 11th | 12th | 6-8th | 9-12th | TOTAL | |
|----------------------|-------|-------|-------|-------|-------|------|------|-------|--------|-------|--|
| Don't Know/Can't Get | 77.4 | 68.7 | 55.1 | 43.5 | 33.8 | 27.8 | 22.8 | 65.6 | 33.1 | 51.1 | |
| Very Difficult | 4.1 | 4.3 | 4.1 | 3.4 | 2.9 | 2.2 | 1.9 | 4.2 | 2.7 | 3.5 | |
| Fairly Difficult | 3.6 | 5.5 | 6.7 | 7.7 | 7.5 | 6.5 | 5.8 | 5.5 | 7.0 | 6.2 | |
| Fairly Easy | 5.9 | 8.9 | 14.2 | 19.2 | 22.7 | 23.9 | 26.2 | 10.2 | 22.6 | 15.7 | |
| Very Easy | 9.0 | 12.6 | 19.8 | 26.2 | 33.1 | 39.6 | 43.4 | 14.5 | 34.6 | 23.4 | |
| N of Valid | 13398 | 18188 | 20533 | 11620 | 12341 | 9980 | 7642 | 52119 | 41583 | 93702 | |
| N of Miss | 910 | 916 | 803 | 511 | 465 | 458 | 321 | 2629 | 1755 | 4384 | |

Table 4.119: How easy is it to get liquor?






| RESPONSE | 6th | 7th | 8th | 9th | 10th | 11th | 12th | 6-8th | 9-12th | TOTAL | |
|----------------------|-------|-------|-------|-------|-------|------|------|-------|--------|-------|---|
| Don't Know/Can't Get | 78.4 | 69.4 | 57.2 | 44.8 | 33.9 | 27.4 | 22.8 | 66.9 | 33.4 | 52.0 |  |
| Very Difficult | 4.4 | 4.9 | 5.2 | 4.5 | 3.5 | 3.1 | 2.7 | 4.9 | 3.5 | 4.3 |  |
| Fairly Difficult | 3.5 | 5.4 | 7.3 | 8.4 | 9.1 | 7.8 | 7.3 | 5.6 | 8.3 | 6.8 |  |
| Fairly Easy | 5.4 | 8.4 | 12.5 | 17.5 | 21.8 | 23.9 | 25.5 | 9.2 | 21.8 | 14.8 |  |
| Very Easy | 8.2 | 11.8 | 18.0 | 24.8 | 31.7 | 37.8 | 41.6 | 13.3 | 33.1 | 22.1 |  |
| N of Valid | 13445 | 18203 | 20571 | 11614 | 12333 | 9974 | 7637 | 52219 | 41558 | 93777 | |
| N of Miss | 863 | 901 | 765 | 517 | 473 | 464 | 326 | 2529 | 1780 | 4309 | |

Table 4.120: How easy is it to get marijuana?






| RESPONSE | 6th | 7th | 8th | 9th | 10th | 11th | 12th | 6-8th | 9-12th | TOTAL | |
|----------------------|-------|-------|-------|-------|-------|------|------|-------|--------|-------|---|
| Don't Know/Can't Get | 85.9 | 79.3 | 69.9 | 58.3 | 47.6 | 39.0 | 37.3 | 77.3 | 46.6 | 63.7 |  |
| Very Difficult | 4.4 | 4.7 | 4.4 | 3.7 | 3.1 | 2.6 | 2.5 | 4.5 | 3.0 | 3.9 |  |
| Fairly Difficult | 2.3 | 3.9 | 5.1 | 6.3 | 6.9 | 5.8 | 6.2 | 4.0 | 6.3 | 5.0 |  |
| Fairly Easy | 2.4 | 4.4 | 7.4 | 11.3 | 14.9 | 17.7 | 17.7 | 5.1 | 15.1 | 9.5 |  |
| Very Easy | 5.1 | 7.7 | 13.1 | 20.4 | 27.5 | 34.9 | 36.2 | 9.1 | 28.9 | 17.9 |  |
| N of Valid | 13452 | 18201 | 20571 | 11611 | 12323 | 9975 | 7644 | 52224 | 41553 | 93777 | |
| N of Miss | 856 | 903 | 765 | 520 | 483 | 463 | 319 | 2524 | 1785 | 4309 | |

Table 4.121: How easy is it to get cocaine?






| RESPONSE | 6th | 7th | 8th | 9th | 10th | 11th | 12th | 6-8th | 9-12th | TOTAL | |
|----------------------|-------|-------|-------|-------|-------|------|------|-------|--------|-------|---|
| Don't Know/Can't Get | 88.0 | 85.3 | 80.0 | 74.7 | 67.9 | 61.4 | 59.8 | 83.9 | 66.7 | 76.3 |  |
| Very Difficult | 4.4 | 4.7 | 5.2 | 5.2 | 5.5 | 5.2 | 5.0 | 4.8 | 5.3 | 5.0 |  |
| Fairly Difficult | 2.0 | 3.1 | 4.4 | 5.6 | 8.2 | 9.4 | 9.0 | 3.3 | 7.9 | 5.4 |  |
| Fairly Easy | 1.7 | 2.6 | 3.8 | 5.3 | 7.7 | 9.6 | 10.0 | 2.8 | 7.9 | 5.1 |  |
| Very Easy | 3.9 | 4.3 | 6.5 | 9.2 | 10.7 | 14.5 | 16.3 | 5.1 | 12.2 | 8.2 |  |
| N of Valid | 13459 | 18208 | 20546 | 11619 | 12315 | 9971 | 7634 | 52213 | 41539 | 93752 | |
| N of Miss | 849 | 896 | 790 | 512 | 491 | 467 | 329 | 2535 | 1799 | 4334 | |

Table 4.122: How easy is it to get meth?

| RESPONSE | 6th | 7th | 8th | 9th | 10th | 11th | 12th | 6-8th | 9-12th | TOTAL | |
|----------------------|-------|-------|-------|-------|-------|------|------|-------|--------|-------|--|
| Don't Know/Can't Get | 88.7 | 86.5 | 82.0 | 77.2 | 71.7 | 66.0 | 65.2 | 85.3 | 70.7 | 78.8 | |
| Very Difficult | 4.1 | 4.7 | 5.4 | 5.5 | 6.4 | 6.5 | 6.0 | 4.8 | 6.1 | 5.4 | |
| Fairly Difficult | 1.8 | 2.6 | 3.9 | 5.1 | 7.2 | 7.9 | 8.4 | 2.9 | 7.0 | 4.7 | |
| Fairly Easy | 1.6 | 2.0 | 3.1 | 4.3 | 5.7 | 7.3 | 7.2 | 2.3 | 6.0 | 3.9 | |
| Very Easy | 3.8 | 4.1 | 5.7 | 7.9 | 9.0 | 12.2 | 13.2 | 4.7 | 10.2 | 7.1 | |
| N of Valid | 13393 | 18168 | 20538 | 11625 | 12330 | 9965 | 7626 | 52099 | 41546 | 93645 | |
| N of Miss | 915 | 936 | 798 | 506 | 476 | 473 | 337 | 2649 | 1792 | 4441 | |

Table 4.123: How easy is it to get a handgun?

| RESPONSE | 6th | 7th | 8th | 9th | 10th | 11th | 12th | 6-8th | 9-12th | TOTAL | |
|----------------------|-------|-------|-------|-------|-------|------|------|-------|--------|-------|--|
| Don't Know/Can't Get | 77.2 | 73.0 | 68.3 | 63.1 | 60.0 | 56.0 | 55.1 | 72.2 | 59.0 | 66.4 | |
| Very Difficult | 6.1 | 6.5 | 6.6 | 5.8 | 6.2 | 5.7 | 5.3 | 6.5 | 5.8 | 6.2 | |
| Fairly Difficult | 3.9 | 5.1 | 6.2 | 7.0 | 7.9 | 8.8 | 8.3 | 5.2 | 7.9 | 6.4 | |
| Fairly Easy | 4.3 | 5.9 | 7.1 | 8.4 | 9.7 | 10.1 | 10.5 | 5.9 | 9.6 | 7.6 | |
| Very Easy | 8.5 | 9.5 | 11.8 | 15.6 | 16.3 | 19.3 | 20.9 | 10.1 | 17.7 | 13.5 | |
| N of Valid | 13426 | 18142 | 20526 | 11611 | 12314 | 9958 | 7628 | 52094 | 41511 | 93605 | |
| N of Miss | 882 | 962 | 810 | 520 | 492 | 480 | 335 | 2654 | 1827 | 4481 | |

4.9 What Effect Do You Most Often Get When You Use

Table 4.124: What effect do you most often get when you drink beer?

| RESPONSE | 6th | 7th | 8th | 9th | 10th | 11th | 12th | 6-8th | 9-12th | TOTAL | |
|---------------|-------|-------|-------|-------|-------|------|------|-------|--------|-------|--|
| Do Not Use | 86.3 | 80.5 | 70.5 | 60.7 | 53.5 | 48.6 | 43.4 | 78.1 | 52.5 | 66.8 | |
| No High | 9.2 | 12.2 | 16.3 | 16.4 | 14.8 | 12.8 | 12.0 | 13.0 | 14.3 | 13.6 | |
| A Little High | 2.7 | 4.9 | 8.8 | 14.5 | 18.3 | 20.7 | 24.9 | 5.9 | 19.0 | 11.7 | |
| Very High | 0.6 | 1.0 | 2.1 | 4.4 | 6.7 | 9.4 | 10.4 | 1.3 | 7.4 | 4.0 | |
| Bombed/Stoned | 1.2 | 1.4 | 2.3 | 4.0 | 6.8 | 8.5 | 9.3 | 1.7 | 6.9 | 4.0 | |
| N of Valid | 13590 | 18275 | 20530 | 11544 | 12260 | 9914 | 7610 | 52395 | 41328 | 93723 | |
| N of Miss | 718 | 829 | 806 | 587 | 546 | 524 | 353 | 2353 | 2010 | 4363 | |

Table 4.125: What effect do you most often get when you drink wine coolers?

| RESPONSE | 6th | 7th | 8th | 9th | 10th | 11th | 12th | 6-8th | 9-12th | TOTAL | |
|---------------|-------|-------|-------|-------|-------|------|------|-------|--------|-------|--|
| Do Not Use | 89.0 | 83.1 | 71.3 | 61.6 | 54.2 | 49.8 | 44.2 | 80.0 | 53.4 | 68.3 | |
| No High | 7.4 | 10.9 | 17.5 | 19.8 | 19.8 | 18.9 | 18.6 | 12.6 | 19.4 | 15.6 | |
| A Little High | 1.9 | 4.1 | 7.6 | 12.4 | 17.0 | 20.0 | 24.5 | 4.9 | 17.8 | 10.6 | |
| Very High | 0.6 | 1.0 | 1.8 | 3.3 | 4.8 | 5.7 | 7.0 | 1.2 | 5.0 | 2.9 | |
| Bombed/Stoned | 1.0 | 1.0 | 1.7 | 3.0 | 4.2 | 5.5 | 5.7 | 1.3 | 4.4 | 2.7 | |
| N of Valid | 13541 | 18235 | 20494 | 11531 | 12250 | 9904 | 7595 | 52270 | 41280 | 93550 | |
| N of Miss | 767 | 869 | 842 | 600 | 556 | 534 | 368 | 2478 | 2058 | 4536 | |

Table 4.126: What effect do you most often get when you drink liquor?

| RESPONSE | 6th | 7th | 8th | 9th | 10th | 11th | 12th | 6-8th | 9-12th | TOTAL | |
|---------------|-------|-------|-------|-------|-------|------|------|-------|--------|-------|--|
| Do Not Use | 92.1 | 86.6 | 76.3 | 64.4 | 54.8 | 48.4 | 42.3 | 84.0 | 53.7 | 70.6 | |
| No High | 3.7 | 6.0 | 8.7 | 9.7 | 8.8 | 7.7 | 7.5 | 6.4 | 8.6 | 7.4 | |
| A Little High | 1.9 | 3.8 | 6.9 | 10.4 | 13.2 | 14.6 | 16.1 | 4.5 | 13.3 | 8.4 | |
| Very High | 0.9 | 2.0 | 4.6 | 8.5 | 11.8 | 14.8 | 17.9 | 2.7 | 12.7 | 7.1 | |
| Bombed/Stoned | 1.4 | 1.6 | 3.6 | 7.0 | 11.4 | 14.5 | 16.0 | 2.3 | 11.8 | 6.5 | |
| N of Valid | 13591 | 18240 | 20486 | 11519 | 12262 | 9909 | 7590 | 52317 | 41280 | 93597 | |
| N of Miss | 717 | 864 | 850 | 612 | 544 | 529 | 373 | 2431 | 2058 | 4489 | |

Table 4.127: What effect do you most often get when you smoke marijuana?

| RESPONSE | 6th | 7th | 8th | 9th | 10th | 11th | 12th | 6-8th | 9-12th | TOTAL | |
|---------------|-------|-------|-------|-------|-------|------|------|-------|--------|-------|--|
| Do Not Use | 96.0 | 92.9 | 87.5 | 80.9 | 74.3 | 69.3 | 69.1 | 91.6 | 74.0 | 83.8 | |
| No High | 0.4 | 0.7 | 0.8 | 1.3 | 1.4 | 1.6 | 1.8 | 0.7 | 1.5 | 1.0 | |
| A Little High | 0.8 | 1.5 | 2.6 | 3.6 | 5.2 | 6.0 | 6.5 | 1.7 | 5.2 | 3.3 | |
| Very High | 1.2 | 2.3 | 3.9 | 5.8 | 7.6 | 9.3 | 9.6 | 2.6 | 7.9 | 5.0 | |
| Bombed/Stoned | 1.6 | 2.6 | 5.1 | 8.3 | 11.6 | 13.6 | 13.1 | 3.3 | 11.4 | 6.9 | |
| N of Valid | 13593 | 18246 | 20488 | 11518 | 12252 | 9913 | 7592 | 52327 | 41275 | 93602 | |
| N of Miss | 715 | 858 | 848 | 613 | 554 | 525 | 371 | 2421 | 2063 | 4484 | |

Table 4.128: What effect do you most often get when you use cocaine?

| RESPONSE | 6th | 7th | 8th | 9th | 10th | 11th | 12th | 6-8th | 9-12th | TOTAL | |
|---------------|-------|-------|-------|-------|-------|------|------|-------|--------|-------|--|
| Do Not Use | 97.6 | 97.5 | 96.6 | 95.0 | 93.8 | 92.5 | 91.4 | 97.2 | 93.4 | 95.5 | |
| No High | 0.2 | 0.4 | 0.5 | 0.6 | 0.8 | 0.7 | 0.8 | 0.4 | 0.7 | 0.5 | |
| A Little High | 0.2 | 0.4 | 0.6 | 0.9 | 0.9 | 1.1 | 1.4 | 0.4 | 1.0 | 0.7 | |
| Very High | 0.7 | 0.7 | 0.8 | 1.0 | 1.2 | 2.0 | 2.1 | 0.7 | 1.5 | 1.0 | |
| Bombed/Stoned | 1.2 | 1.0 | 1.6 | 2.6 | 3.3 | 3.7 | 4.3 | 1.3 | 3.4 | 2.2 | |
| N of Valid | 13594 | 18274 | 20516 | 11541 | 12264 | 9922 | 7616 | 52384 | 41343 | 93727 | |
| N of Miss | 714 | 830 | 820 | 590 | 542 | 516 | 347 | 2364 | 1995 | 4359 | |

Table 4.129: What effect do you most often get when you use meth?

| RESPONSE | 6th | 7th | 8th | 9th | 10th | 11th | 12th | 6-8th | 9-12th | TOTAL | |
|---------------|-------|-------|-------|-------|-------|------|------|-------|--------|-------|--|
| Do Not Use | 97.5 | 97.7 | 97.1 | 95.9 | 95.3 | 94.8 | 94.3 | 97.4 | 95.2 | 96.4 | |
| No High | 0.5 | 0.4 | 0.4 | 0.6 | 0.7 | 0.6 | 0.9 | 0.4 | 0.7 | 0.6 | |
| A Little High | 0.2 | 0.3 | 0.4 | 0.4 | 0.6 | 0.6 | 0.7 | 0.3 | 0.5 | 0.4 | |
| Very High | 0.4 | 0.6 | 0.6 | 0.8 | 0.9 | 1.0 | 1.1 | 0.6 | 0.9 | 0.7 | |
| Bombed/Stoned | 1.3 | 1.0 | 1.5 | 2.2 | 2.5 | 3.0 | 3.1 | 1.2 | 2.7 | 1.9 | |
| N of Valid | 13527 | 18228 | 20513 | 11553 | 12268 | 9906 | 7616 | 52268 | 41343 | 93611 | |
| N of Miss | 781 | 876 | 823 | 578 | 538 | 532 | 347 | 2480 | 1995 | 4475 | |

Table 4.130: What effect do you most often get when you use other illegal drugs?

| RESPONSE | 6th | 7th | 8th | 9th | 10th | 11th | 12th | 6-8th | 9-12th | TOTAL | |
|---------------|-------|-------|-------|-------|-------|------|------|-------|--------|-------|--|
| Do Not Use | 97.2 | 96.6 | 95.0 | 93.0 | 91.0 | 90.2 | 89.9 | 96.1 | 91.2 | 93.9 | |
| No High | 0.4 | 0.5 | 0.6 | 0.6 | 0.8 | 0.6 | 0.8 | 0.5 | 0.7 | 0.6 | |
| A Little High | 0.4 | 0.7 | 1.1 | 1.4 | 1.7 | 1.9 | 1.8 | 0.8 | 1.7 | 1.2 | |
| Very High | 0.6 | 0.8 | 1.3 | 1.6 | 2.1 | 2.3 | 2.1 | 1.0 | 2.0 | 1.4 | |
| Bombed/Stoned | 1.4 | 1.4 | 2.0 | 3.4 | 4.4 | 5.0 | 5.3 | 1.6 | 4.4 | 2.9 | |
| N of Valid | 13558 | 18212 | 20479 | 11542 | 12245 | 9895 | 7611 | 52249 | 41293 | 93542 | |
| N of Miss | 750 | 892 | 857 | 589 | 561 | 543 | 352 | 2499 | 2045 | 4544 | |

4.10 While At School Have You...

Table 4.131: Carried a handgun?

| RESPONSE | 6th | 7th | 8th | 9th | 10th | 11th | 12th | 6-8th | 9-12th | TOTAL | |
|-----------------|-------|-------|-------|-------|-------|------|------|-------|--------|-------|--|
| Never | 96.7 | 97.1 | 96.5 | 95.5 | 95.7 | 95.6 | 95.8 | 96.8 | 95.7 | 96.3 | |
| One time | 1.2 | 1.2 | 1.5 | 1.5 | 1.3 | 1.2 | 1.3 | 1.3 | 1.3 | 1.3 | |
| 2-5 times | 0.6 | 0.6 | 0.7 | 0.9 | 0.7 | 0.8 | 0.8 | 0.6 | 0.8 | 0.7 | |
| 6 or more times | 1.5 | 1.1 | 1.3 | 2.1 | 2.3 | 2.4 | 2.1 | 1.3 | 2.2 | 1.7 | |
| N of Valid | 13605 | 18387 | 20659 | 11640 | 12343 | 9988 | 7644 | 52651 | 41615 | 94266 | |
| N of Miss | 703 | 717 | 677 | 491 | 463 | 450 | 319 | 2097 | 1723 | 3820 | |

Table 4.132: Carried a knife, club or other weapon?

| RESPONSE | 6th | 7th | 8th | 9th | 10th | 11th | 12th | 6-8th | 9-12th | TOTAL | |
|-----------------|-------|-------|-------|-------|-------|------|------|-------|--------|-------|--|
| Never | 91.1 | 89.3 | 86.4 | 83.3 | 83.3 | 82.9 | 84.5 | 88.6 | 83.4 | 86.3 | |
| One time | 4.6 | 5.8 | 6.4 | 6.6 | 5.8 | 5.8 | 4.9 | 5.7 | 5.8 | 5.8 | |
| 2-5 times | 1.6 | 2.3 | 3.3 | 4.1 | 4.0 | 3.9 | 3.6 | 2.5 | 3.9 | 3.1 | |
| 6 or more times | 2.7 | 2.6 | 3.9 | 6.0 | 7.0 | 7.4 | 7.0 | 3.2 | 6.8 | 4.8 | |
| N of Valid | 13604 | 18398 | 20662 | 11638 | 12351 | 9990 | 7648 | 52664 | 41627 | 94291 | |
| N of Miss | 704 | 706 | 674 | 493 | 455 | 448 | 315 | 2084 | 1711 | 3795 | |

Table 4.133: Threatened a student with a handgun, knife or club?

| RESPONSE | 6th | 7th | 8th | 9th | 10th | 11th | 12th | 6-8th | 9-12th | TOTAL | |
|-----------------|-------|-------|-------|-------|-------|------|------|-------|--------|-------|--|
| Never | 97.0 | 96.6 | 95.3 | 93.9 | 93.7 | 93.8 | 94.8 | 96.2 | 94.0 | 95.2 | |
| One time | 1.2 | 1.6 | 2.1 | 2.4 | 2.1 | 2.1 | 1.7 | 1.7 | 2.1 | 1.9 | |
| 2-5 times | 0.5 | 0.8 | 1.1 | 1.5 | 1.7 | 1.6 | 1.2 | 0.9 | 1.5 | 1.2 | |
| 6 or more times | 1.2 | 1.0 | 1.5 | 2.2 | 2.5 | 2.5 | 2.3 | 1.3 | 2.4 | 1.8 | |
| N of Valid | 13575 | 18355 | 20631 | 11638 | 12328 | 9980 | 7637 | 52561 | 41583 | 94144 | |
| N of Miss | 733 | 749 | 705 | 493 | 478 | 458 | 326 | 2187 | 1755 | 3942 | |

Table 4.134: Threatened to hurt a student by hitting, slapping or kicking?

| RESPONSE | 6th | 7th | 8th | 9th | 10th | 11th | 12th | 6-8th | 9-12th | TOTAL | |
|-----------------|-------|-------|-------|-------|-------|------|------|-------|--------|-------|--|
| Never | 71.2 | 65.1 | 60.0 | 61.2 | 63.6 | 67.4 | 72.7 | 64.7 | 65.5 | 65.1 | |
| One time | 12.0 | 12.4 | 12.4 | 10.8 | 10.3 | 9.4 | 8.4 | 12.3 | 9.9 | 11.2 | |
| 2-5 times | 8.2 | 10.7 | 12.9 | 13.3 | 12.4 | 11.7 | 9.6 | 10.9 | 12.0 | 11.4 | |
| 6 or more times | 8.6 | 11.8 | 14.6 | 14.8 | 13.7 | 11.4 | 9.3 | 12.1 | 12.6 | 12.3 | |
| N of Valid | 13565 | 18327 | 20613 | 11605 | 12325 | 9978 | 7642 | 52505 | 41550 | 94055 | |
| N of Miss | 743 | 777 | 723 | 526 | 481 | 460 | 321 | 2243 | 1788 | 4031 | |

Table 4.135: Hurt a student by using a handgun, knife or club?

| RESPONSE | 6th | 7th | 8th | 9th | 10th | 11th | 12th | 6-8th | 9-12th | TOTAL | |
|-----------------|-------|-------|-------|-------|-------|------|------|-------|--------|-------|--|
| Never | 97.8 | 97.8 | 97.1 | 96.0 | 95.9 | 95.8 | 95.9 | 97.6 | 95.9 | 96.8 | |
| One time | 0.7 | 0.9 | 1.2 | 1.4 | 1.2 | 1.3 | 1.3 | 1.0 | 1.3 | 1.1 | |
| 2-5 times | 0.4 | 0.5 | 0.6 | 0.8 | 1.0 | 0.9 | 0.8 | 0.5 | 0.9 | 0.7 | |
| 6 or more times | 1.1 | 0.7 | 1.1 | 1.8 | 1.9 | 1.9 | 2.0 | 1.0 | 1.9 | 1.4 | |
| N of Valid | 13576 | 18314 | 20615 | 11621 | 12324 | 9959 | 7647 | 52505 | 41551 | 94056 | |
| N of Miss | 732 | 790 | 721 | 510 | 482 | 479 | 316 | 2243 | 1787 | 4030 | |

Table 4.136: Hurt a student by hitting, slapping or kicking?

| RESPONSE | 6th | 7th | 8th | 9th | 10th | 11th | 12th | 6-8th | 9-12th | TOTAL | |
|-----------------|-------|-------|-------|-------|-------|------|------|-------|--------|-------|--|
| Never | 73.5 | 69.2 | 65.0 | 67.7 | 71.5 | 75.3 | 80.4 | 68.7 | 73.0 | 70.6 | |
| One time | 12.6 | 13.2 | 13.4 | 11.9 | 10.5 | 9.0 | 7.5 | 13.1 | 10.0 | 11.7 | |
| 2-5 times | 7.2 | 9.6 | 11.5 | 10.7 | 9.5 | 8.7 | 6.3 | 9.7 | 9.0 | 9.4 | |
| 6 or more times | 6.7 | 8.1 | 10.1 | 9.7 | 8.5 | 6.9 | 5.8 | 8.5 | 8.0 | 8.3 | |
| N of Valid | 13528 | 18307 | 20584 | 11619 | 12315 | 9957 | 7630 | 52419 | 41521 | 93940 | |
| N of Miss | 780 | 797 | 752 | 512 | 491 | 481 | 333 | 2329 | 1817 | 4146 | |

Table 4.137: Been threatened with a handgun, knife or club by a student?

| RESPONSE | 6th | 7th | 8th | 9th | 10th | 11th | 12th | 6-8th | 9-12th | TOTAL | |
|-----------------|-------|-------|-------|-------|-------|------|------|-------|--------|-------|--|
| Never | 91.6 | 91.1 | 89.8 | 89.3 | 89.9 | 91.1 | 91.9 | 90.7 | 90.4 | 90.6 | |
| One time | 4.6 | 4.9 | 5.3 | 5.1 | 4.5 | 3.8 | 3.4 | 5.0 | 4.3 | 4.7 | |
| 2-5 times | 1.7 | 2.4 | 2.7 | 2.9 | 2.9 | 2.4 | 2.0 | 2.3 | 2.6 | 2.4 | |
| 6 or more times | 2.1 | 1.6 | 2.3 | 2.8 | 2.6 | 2.8 | 2.6 | 2.0 | 2.7 | 2.3 | |
| N of Valid | 13534 | 18307 | 20579 | 11607 | 12306 | 9944 | 7633 | 52420 | 41490 | 93910 | |
| N of Miss | 774 | 797 | 757 | 524 | 500 | 494 | 330 | 2328 | 1848 | 4176 | |

Table 4.138: Had a student threaten to hit, slap or kick you?

| RESPONSE | 6th | 7th | 8th | 9th | 10th | 11th | 12th | 6-8th | 9-12th | TOTAL | |
|-----------------|-------|-------|-------|-------|-------|------|------|-------|--------|-------|--|
| Never | 61.5 | 59.7 | 59.0 | 62.2 | 65.0 | 70.5 | 76.4 | 59.9 | 67.6 | 63.3 | |
| One time | 15.7 | 15.4 | 15.4 | 14.3 | 13.2 | 11.4 | 9.0 | 15.5 | 12.3 | 14.1 | |
| 2-5 times | 11.8 | 13.6 | 13.8 | 12.7 | 12.2 | 10.0 | 8.0 | 13.2 | 11.1 | 12.3 | |
| 6 or more times | 11.0 | 11.3 | 11.8 | 10.8 | 9.5 | 8.0 | 6.7 | 11.4 | 9.0 | 10.4 | |
| N of Valid | 13532 | 18320 | 20602 | 11623 | 12301 | 9971 | 7638 | 52454 | 41533 | 93987 | |
| N of Miss | 776 | 784 | 734 | 508 | 505 | 467 | 325 | 2294 | 1805 | 4099 | |

Table 4.139: Been afraid a student may hurt you?

| RESPONSE | 6th | 7th | 8th | 9th | 10th | 11th | 12th | 6-8th | 9-12th | TOTAL | |
|-----------------|-------|-------|-------|-------|-------|------|------|-------|--------|-------|--|
| Never | 72.6 | 73.9 | 76.3 | 78.5 | 80.3 | 83.9 | 87.5 | 74.5 | 82.0 | 77.8 | |
| One time | 13.7 | 13.6 | 12.5 | 11.2 | 10.5 | 8.6 | 6.4 | 13.2 | 9.5 | 11.5 | |
| 2-5 times | 6.9 | 6.7 | 6.4 | 6.0 | 5.3 | 4.0 | 3.1 | 6.6 | 4.8 | 5.8 | |
| 6 or more times | 6.9 | 5.8 | 4.9 | 4.3 | 3.9 | 3.4 | 3.0 | 5.7 | 3.7 | 4.8 | |
| N of Valid | 13518 | 18288 | 20602 | 11599 | 12312 | 9964 | 7634 | 52408 | 41509 | 93917 | |
| N of Miss | 790 | 816 | 734 | 532 | 494 | 474 | 329 | 2340 | 1829 | 4169 | |

Table 4.140: Been hurt by a student using a handgun, knife or club?

| RESPONSE | 6th | 7th | 8th | 9th | 10th | 11th | 12th | 6-8th | 9-12th | TOTAL | |
|-----------------|-------|-------|-------|-------|-------|------|------|-------|--------|-------|--|
| Never | 97.2 | 97.4 | 96.9 | 96.1 | 95.9 | 96.1 | 96.2 | 97.1 | 96.1 | 96.7 | |
| One time | 1.1 | 1.3 | 1.4 | 1.6 | 1.5 | 1.2 | 1.2 | 1.3 | 1.4 | 1.3 | |
| 2-5 times | 0.5 | 0.6 | 0.6 | 0.7 | 0.7 | 0.8 | 0.6 | 0.6 | 0.7 | 0.6 | |
| 6 or more times | 1.3 | 0.7 | 1.1 | 1.6 | 1.8 | 1.9 | 1.9 | 1.0 | 1.8 | 1.4 | |
| N of Valid | 13531 | 18289 | 20594 | 11615 | 12310 | 9957 | 7634 | 52414 | 41516 | 93930 | |
| N of Miss | 777 | 815 | 742 | 516 | 496 | 481 | 329 | 2334 | 1822 | 4156 | |

Table 4.141: Been hurt by a student who hit, slapped or kicked you?

| RESPONSE | 6th | 7th | 8th | 9th | 10th | 11th | 12th | 6-8th | 9-12th | TOTAL | |
|-----------------|-------|-------|-------|-------|-------|------|------|-------|--------|-------|--|
| Never | 74.9 | 76.3 | 78.1 | 81.6 | 84.2 | 87.5 | 90.0 | 76.6 | 85.3 | 80.5 | |
| One time | 13.0 | 11.9 | 10.5 | 8.8 | 7.6 | 5.6 | 4.5 | 11.6 | 6.9 | 9.5 | |
| 2-5 times | 6.6 | 6.9 | 6.7 | 5.3 | 4.3 | 3.4 | 2.7 | 6.8 | 4.0 | 5.6 | |
| 6 or more times | 5.5 | 4.9 | 4.7 | 4.3 | 4.0 | 3.6 | 2.9 | 5.0 | 3.8 | 4.4 | |
| N of Valid | 13530 | 18299 | 20594 | 11604 | 12298 | 9957 | 7634 | 52423 | 41493 | 93916 | |
| N of Miss | 778 | 805 | 742 | 527 | 508 | 481 | 329 | 2325 | 1845 | 4170 | |

Table 4.142: Been helped by a school security (police) officer?

| RESPONSE | 6th | 7th | 8th | 9th | 10th | 11th | 12th | 6-8th | 9-12th | TOTAL | |
|-----------------|-------|-------|-------|-------|-------|------|------|-------|--------|-------|--|
| Never | 92.5 | 92.5 | 92.8 | 91.2 | 92.2 | 91.6 | 92.3 | 92.6 | 91.8 | 92.3 | |
| One time | 4.6 | 4.8 | 4.4 | 5.2 | 4.4 | 4.5 | 4.1 | 4.6 | 4.6 | 4.6 | |
| 2-5 times | 1.3 | 1.6 | 1.5 | 1.9 | 1.8 | 2.1 | 1.6 | 1.5 | 1.9 | 1.7 | |
| 6 or more times | 1.6 | 1.1 | 1.3 | 1.6 | 1.6 | 1.8 | 2.0 | 1.3 | 1.7 | 1.5 | |
| N of Valid | 13440 | 18239 | 20552 | 11599 | 12285 | 9961 | 7624 | 52231 | 41469 | 93700 | |
| N of Miss | 868 | 865 | 784 | 532 | 521 | 477 | 339 | 2517 | 1869 | 4386 | |

Table 4.143: Been in trouble with a school security (police) officer?

| RESPONSE | 6th | 7th | 8th | 9th | 10th | 11th | 12th | 6-8th | 9-12th | TOTAL | |
|-----------------|-------|-------|-------|-------|-------|------|------|-------|--------|-------|--|
| Never | 93.6 | 92.0 | 90.1 | 88.7 | 89.2 | 89.3 | 91.9 | 91.7 | 89.6 | 90.7 | |
| One time | 3.3 | 4.5 | 5.2 | 5.7 | 4.9 | 5.2 | 3.8 | 4.4 | 5.0 | 4.7 | |
| 2-5 times | 1.4 | 2.0 | 2.7 | 3.1 | 3.3 | 3.0 | 1.9 | 2.2 | 2.9 | 2.5 | |
| 6 or more times | 1.6 | 1.4 | 2.1 | 2.5 | 2.6 | 2.6 | 2.3 | 1.7 | 2.5 | 2.1 | |
| N of Valid | 13471 | 18251 | 20538 | 11583 | 12269 | 9932 | 7610 | 52260 | 41394 | 93654 | |
| N of Miss | 837 | 853 | 798 | 548 | 537 | 506 | 353 | 2488 | 1944 | 4432 | |

4.11 In My School, I Feel Safe...

Table 4.144: In my school, I feel safe in the classroom.

| RESPONSE | 6th | 7th | 8th | 9th | 10th | 11th | 12th | 6-8th | 9-12th | TOTAL | |
|------------|-------|-------|-------|-------|-------|------|------|-------|--------|-------|--|
| Never | 8.9 | 9.4 | 10.5 | 12.8 | 12.2 | 12.2 | 10.8 | 9.7 | 12.1 | 10.8 | |
| Seldom | 4.2 | 4.7 | 5.4 | 5.3 | 5.3 | 4.6 | 4.1 | 4.9 | 4.9 | 4.9 | |
| Sometimes | 11.9 | 13.0 | 14.2 | 15.0 | 13.9 | 13.7 | 10.8 | 13.2 | 13.6 | 13.4 | |
| Often | 15.6 | 19.0 | 20.4 | 22.7 | 23.8 | 23.7 | 23.6 | 18.7 | 23.4 | 20.8 | |
| A Lot | 59.4 | 53.8 | 49.4 | 44.2 | 44.9 | 45.8 | 50.7 | 53.5 | 46.0 | 50.2 | |
| N of Valid | 13518 | 18259 | 20583 | 11577 | 12260 | 9934 | 7604 | 52360 | 41375 | 93735 | |
| N of Miss | 790 | 845 | 753 | 554 | 546 | 504 | 359 | 2388 | 1963 | 4351 | |

Table 4.145: In my school, I feel safe in the cafeteria.

| RESPONSE | 6th | 7th | 8th | 9th | 10th | 11th | 12th | 6-8th | 9-12th | TOTAL | |
|------------|-------|-------|-------|-------|-------|------|------|-------|--------|-------|--|
| Never | 13.5 | 12.9 | 13.0 | 15.0 | 14.0 | 14.3 | 12.2 | 13.1 | 14.0 | 13.5 | |
| Seldom | 6.8 | 7.1 | 7.6 | 8.0 | 7.8 | 6.6 | 5.6 | 7.2 | 7.2 | 7.2 | |
| Sometimes | 14.3 | 15.0 | 16.0 | 17.5 | 16.5 | 15.3 | 14.0 | 15.2 | 16.0 | 15.6 | |
| Often | 17.8 | 20.2 | 20.4 | 23.0 | 23.3 | 24.3 | 22.6 | 19.7 | 23.3 | 21.3 | |
| A Lot | 47.6 | 44.8 | 42.9 | 36.5 | 38.5 | 39.5 | 45.5 | 44.8 | 39.5 | 42.4 | |
| N of Valid | 13489 | 18238 | 20579 | 11575 | 12251 | 9916 | 7591 | 52306 | 41333 | 93639 | |
| N of Miss | 819 | 866 | 757 | 556 | 555 | 522 | 372 | 2442 | 2005 | 4447 | |

Table 4.146: In my school, I feel safe in the halls.

| RESPONSE | 6th | 7th | 8th | 9th | 10th | 11th | 12th | 6-8th | 9-12th | TOTAL | |
|------------|-------|-------|-------|-------|-------|------|------|-------|--------|-------|--|
| Never | 18.9 | 16.3 | 15.7 | 16.8 | 14.8 | 14.4 | 12.2 | 16.8 | 14.8 | 15.9 | |
| Seldom | 10.3 | 10.5 | 9.4 | 8.9 | 8.5 | 7.3 | 6.0 | 10.0 | 7.9 | 9.1 | |
| Sometimes | 16.6 | 17.2 | 17.9 | 19.0 | 18.2 | 17.4 | 15.5 | 17.3 | 17.7 | 17.5 | |
| Often | 16.9 | 19.4 | 19.8 | 22.0 | 22.5 | 23.3 | 21.7 | 18.9 | 22.4 | 20.5 | |
| A Lot | 37.3 | 36.6 | 37.1 | 33.4 | 36.0 | 37.6 | 44.5 | 37.0 | 37.2 | 37.1 | |
| N of Valid | 13487 | 18222 | 20558 | 11576 | 12262 | 9928 | 7607 | 52267 | 41373 | 93640 | |
| N of Miss | 821 | 882 | 778 | 555 | 544 | 510 | 356 | 2481 | 1965 | 4446 | |

Table 4.147: In my school, I feel safe in the bathroom.






| RESPONSE | 6th | 7th | 8th | 9th | 10th | 11th | 12th | 6-8th | 9-12th | TOTAL | |
|------------|-------|-------|-------|-------|-------|------|------|-------|--------|-------|---|
| Never | 21.4 | 19.1 | 17.9 | 18.5 | 16.0 | 15.4 | 12.9 | 19.2 | 16.0 | 17.8 |  |
| Seldom | 10.4 | 10.4 | 9.7 | 9.5 | 9.0 | 7.5 | 6.3 | 10.1 | 8.3 | 9.3 |  |
| Sometimes | 15.4 | 15.9 | 16.4 | 17.2 | 16.7 | 16.1 | 13.7 | 15.9 | 16.1 | 16.0 |  |
| Often | 15.6 | 17.7 | 18.9 | 20.9 | 21.8 | 22.7 | 21.9 | 17.6 | 21.8 | 19.5 |  |
| A Lot | 37.2 | 36.9 | 37.2 | 34.0 | 36.6 | 38.3 | 45.1 | 37.1 | 37.8 | 37.4 |  |
| N of Valid | 13450 | 18191 | 20537 | 11556 | 12247 | 9928 | 7591 | 52178 | 41322 | 93500 | |
| N of Miss | 858 | 913 | 799 | 575 | 559 | 510 | 372 | 2570 | 2016 | 4586 | |

Table 4.148: In my school, I feel safe in the gym.






| RESPONSE | 6th | 7th | 8th | 9th | 10th | 11th | 12th | 6-8th | 9-12th | TOTAL | |
|------------|-------|-------|-------|-------|-------|------|------|-------|--------|-------|---|
| Never | 14.0 | 12.8 | 13.5 | 14.7 | 13.6 | 13.8 | 11.9 | 13.4 | 13.7 | 13.5 |  |
| Seldom | 6.6 | 7.0 | 6.5 | 6.6 | 6.4 | 5.5 | 4.8 | 6.7 | 6.0 | 6.4 |  |
| Sometimes | 13.0 | 13.3 | 14.0 | 15.4 | 15.1 | 14.4 | 12.6 | 13.5 | 14.6 | 14.0 |  |
| Often | 15.8 | 18.7 | 20.5 | 22.7 | 23.5 | 23.8 | 22.5 | 18.7 | 23.1 | 20.7 |  |
| A Lot | 50.6 | 48.3 | 45.4 | 40.6 | 41.3 | 42.4 | 48.2 | 47.7 | 42.7 | 45.5 |  |
| N of Valid | 13419 | 18172 | 20525 | 11563 | 12245 | 9926 | 7585 | 52116 | 41319 | 93435 | |
| N of Miss | 889 | 932 | 811 | 568 | 561 | 512 | 378 | 2632 | 2019 | 4651 | |

Table 4.149: In my school, I feel safe on the school bus.






| RESPONSE | 6th | 7th | 8th | 9th | 10th | 11th | 12th | 6-8th | 9-12th | TOTAL | |
|------------|-------|-------|-------|-------|-------|------|------|-------|--------|-------|---|
| Never | 24.1 | 20.4 | 19.2 | 19.1 | 17.5 | 17.2 | 15.7 | 20.8 | 17.6 | 19.4 |  |
| Seldom | 8.9 | 9.3 | 8.3 | 8.5 | 7.9 | 7.2 | 5.7 | 8.8 | 7.5 | 8.2 |  |
| Sometimes | 14.8 | 15.1 | 15.7 | 15.6 | 15.9 | 15.3 | 13.5 | 15.3 | 15.2 | 15.3 |  |
| Often | 14.7 | 17.8 | 18.4 | 20.7 | 20.9 | 21.1 | 20.6 | 17.2 | 20.8 | 18.8 |  |
| A Lot | 37.5 | 37.3 | 38.3 | 36.1 | 37.8 | 39.1 | 44.4 | 37.8 | 38.8 | 38.2 |  |
| N of Valid | 13076 | 17825 | 20234 | 11385 | 12098 | 9813 | 7481 | 51135 | 40777 | 91912 | |
| N of Miss | 1232 | 1279 | 1102 | 746 | 708 | 625 | 482 | 3613 | 2561 | 6174 | |

Table 4.150: In my school, I feel safe at school events.






| RESPONSE | 6th | 7th | 8th | 9th | 10th | 11th | 12th | 6-8th | 9-12th | TOTAL | |
|------------|-------|-------|-------|-------|-------|------|------|-------|--------|-------|---|
| Never | 18.6 | 15.6 | 15.2 | 16.4 | 14.6 | 14.6 | 12.5 | 16.2 | 14.7 | 15.6 |  |
| Seldom | 7.6 | 7.3 | 7.0 | 6.9 | 7.1 | 6.1 | 5.1 | 7.3 | 6.5 | 6.9 |  |
| Sometimes | 13.5 | 14.1 | 15.3 | 16.1 | 15.7 | 15.6 | 13.5 | 14.4 | 15.4 | 14.8 |  |
| Often | 16.1 | 19.3 | 19.8 | 22.6 | 23.0 | 23.0 | 22.8 | 18.7 | 22.9 | 20.5 |  |
| A Lot | 44.2 | 43.7 | 42.6 | 38.0 | 39.6 | 40.6 | 46.1 | 43.4 | 40.6 | 42.2 |  |
| N of Valid | 13308 | 18106 | 20462 | 11541 | 12227 | 9893 | 7586 | 51876 | 41247 | 93123 | |
| N of Miss | 1000 | 998 | 874 | 590 | 579 | 545 | 377 | 2872 | 2091 | 4963 | |

Table 4.151: In my school, I feel safe on the playground.











| RESPONSE | 6th | 7th | 8th | 9th | 10th | 11th | 12th | 6-8th | 9-12th | TOTAL | |
|------------|-------|-------|-------|-------|-------|------|------|-------|--------|-------|---|
| Never | 22.5 | 20.7 | 19.7 | 20.7 | 18.4 | 17.7 | 15.2 | 20.7 | 18.3 | 19.6 |  |
| Seldom | 8.2 | 7.7 | 7.4 | 7.1 | 6.9 | 6.0 | 5.0 | 7.7 | 6.4 | 7.1 |  |
| Sometimes | 13.4 | 13.6 | 14.5 | 14.7 | 14.6 | 13.9 | 12.5 | 13.9 | 14.1 | 14.0 |  |
| Often | 15.1 | 16.6 | 18.2 | 19.8 | 20.4 | 21.1 | 20.8 | 16.8 | 20.5 | 18.5 |  |
| A Lot | 40.8 | 41.5 | 40.3 | 37.7 | 39.7 | 41.4 | 46.6 | 40.8 | 40.8 | 40.8 |  |
| N of Valid | 13126 | 17713 | 20136 | 11302 | 12043 | 9694 | 7452 | 50975 | 40491 | 91466 | |
| N of Miss | 1182 | 1391 | 1200 | 829 | 763 | 744 | 511 | 3773 | 2847 | 6620 | |

Table 4.152: In my school, I feel safe in the parking lot.

| RESPONSE | 6th | 7th | 8th | 9th | 10th | 11th | 12th | 6-8th | 9-12th | TOTAL | |
|------------|-------|-------|-------|-------|-------|------|------|-------|--------|-------|---|
| Never | 31.8 | 25.1 | 22.5 | 20.8 | 17.6 | 16.5 | 14.0 | 25.8 | 17.6 | 22.1 |  |
| Seldom | 10.4 | 10.3 | 9.5 | 9.0 | 8.8 | 7.4 | 6.1 | 10.0 | 8.0 | 9.1 |  |
| Sometimes | 14.6 | 15.5 | 15.9 | 17.1 | 16.7 | 16.0 | 14.4 | 15.4 | 16.3 | 15.8 |  |
| Often | 13.6 | 16.7 | 17.6 | 19.9 | 21.5 | 22.2 | 22.0 | 16.3 | 21.3 | 18.5 |  |
| A Lot | 29.6 | 32.3 | 34.5 | 33.1 | 35.4 | 37.9 | 43.5 | 32.5 | 36.8 | 34.4 |  |
| N of Valid | 13346 | 18068 | 20440 | 11513 | 12209 | 9880 | 7589 | 51854 | 41191 | 93045 | |
| N of Miss | 962 | 1036 | 896 | 618 | 597 | 558 | 374 | 2894 | 2147 | 5041 | |

4.12 How Wrong Would Your Parents Feel It Would Be For You To...

Table 4.153: How wrong would your parents feel it would be for you to use tobacco?





| RESPONSE | 6th | 7th | 8th | 9th | 10th | 11th | 12th | 6-8th | 9-12th | TOTAL | |
|--------------------|-------|-------|-------|-------|-------|------|------|-------|--------|-------|---|
| Not wrong at all | 4.8 | 3.8 | 4.4 | 7.0 | 7.0 | 8.2 | 10.0 | 4.3 | 7.8 | 5.9 |  |
| A little bit wrong | 2.0 | 2.5 | 3.7 | 6.2 | 7.2 | 9.7 | 12.5 | 2.8 | 8.5 | 5.3 |  |
| Wrong | 5.4 | 7.2 | 9.6 | 13.3 | 15.7 | 18.1 | 20.6 | 7.7 | 16.5 | 11.6 |  |
| Very wrong | 87.9 | 86.5 | 82.3 | 73.5 | 70.1 | 64.0 | 56.8 | 85.2 | 67.2 | 77.2 |  |
| N of Valid | 13371 | 18118 | 20464 | 11517 | 12228 | 9861 | 7550 | 51953 | 41156 | 93109 | |
| N of Miss | 937 | 986 | 872 | 614 | 578 | 577 | 413 | 2795 | 2182 | 4977 | |

Table 4.154: How wrong would your parents feel it would be for you to use alcohol?





| RESPONSE | 6th | 7th | 8th | 9th | 10th | 11th | 12th | 6-8th | 9-12th | TOTAL | |
|--------------------|-------|-------|-------|-------|-------|------|------|-------|--------|-------|---|
| Not wrong at all | 5.2 | 4.4 | 5.4 | 7.8 | 7.8 | 9.1 | 10.9 | 5.0 | 8.7 | 6.6 |  |
| A little bit wrong | 4.3 | 6.1 | 8.5 | 11.4 | 13.9 | 16.1 | 20.7 | 6.6 | 15.0 | 10.3 |  |
| Wrong | 8.0 | 10.5 | 13.8 | 17.6 | 19.9 | 21.4 | 23.4 | 11.1 | 20.2 | 15.1 |  |
| Very wrong | 82.6 | 79.0 | 72.3 | 63.2 | 58.4 | 53.4 | 45.0 | 77.3 | 56.1 | 67.9 |  |
| N of Valid | 13325 | 18088 | 20428 | 11482 | 12224 | 9856 | 7545 | 51841 | 41107 | 92948 | |
| N of Miss | 983 | 1016 | 908 | 649 | 582 | 582 | 418 | 2907 | 2231 | 5138 | |

Table 4.155: How wrong would your parents feel it would be for you to use marijuana?





| RESPONSE | 6th | 7th | 8th | 9th | 10th | 11th | 12th | 6-8th | 9-12th | TOTAL | |
|--------------------|-------|-------|-------|-------|-------|------|------|-------|--------|-------|---|
| Not wrong at all | 4.6 | 3.5 | 3.8 | 5.8 | 5.4 | 6.1 | 6.2 | 3.9 | 5.8 | 4.8 |  |
| A little bit wrong | 0.6 | 1.1 | 1.8 | 2.6 | 3.6 | 4.7 | 5.3 | 1.3 | 3.9 | 2.4 |  |
| Wrong | 2.2 | 3.2 | 4.4 | 6.7 | 7.9 | 10.3 | 11.7 | 3.4 | 8.8 | 5.8 |  |
| Very wrong | 92.6 | 92.2 | 90.0 | 84.9 | 83.1 | 78.8 | 76.8 | 91.4 | 81.4 | 87.0 |  |
| N of Valid | 13310 | 18100 | 20419 | 11499 | 12209 | 9860 | 7530 | 51829 | 41098 | 92927 | |
| N of Miss | 998 | 1004 | 917 | 632 | 597 | 578 | 433 | 2919 | 2240 | 5159 | |

Table 4.156: How wrong would your parents feel it would be for you to use other illicit drugs?





| RESPONSE | 6th | 7th | 8th | 9th | 10th | 11th | 12th | 6-8th | 9-12th | TOTAL | |
|--------------------|-------|-------|-------|-------|-------|------|------|-------|--------|-------|---|
| Not wrong at all | 4.5 | 3.4 | 3.3 | 4.8 | 4.0 | 4.7 | 4.6 | 3.6 | 4.5 | 4.0 |  |
| A little bit wrong | 0.7 | 0.6 | 1.0 | 1.5 | 1.7 | 1.7 | 1.8 | 0.8 | 1.7 | 1.2 |  |
| Wrong | 2.2 | 2.9 | 3.6 | 4.6 | 5.3 | 6.1 | 6.2 | 3.0 | 5.5 | 4.1 |  |
| Very wrong | 92.5 | 93.1 | 92.1 | 89.1 | 89.1 | 87.4 | 87.3 | 92.6 | 88.4 | 90.7 |  |
| N of Valid | 13300 | 18062 | 20372 | 11474 | 12208 | 9849 | 7524 | 51734 | 41055 | 92789 | |
| N of Miss | 1008 | 1042 | 964 | 657 | 598 | 589 | 438 | 3014 | 2282 | 5296 | |

Table 4.157: How wrong would your parents feel it would be for you to fight with a student?





| RESPONSE | 6th | 7th | 8th | 9th | 10th | 11th | 12th | 6-8th | 9-12th | TOTAL | |
|--------------------|-------|-------|-------|-------|-------|------|------|-------|--------|-------|---|
| Not wrong at all | 8.4 | 7.9 | 9.2 | 11.1 | 10.3 | 10.8 | 9.2 | 8.5 | 10.5 | 9.4 |  |
| A little bit wrong | 10.9 | 13.3 | 17.7 | 19.5 | 19.7 | 20.3 | 18.9 | 14.4 | 19.6 | 16.7 |  |
| Wrong | 17.8 | 20.1 | 21.1 | 21.7 | 23.3 | 22.4 | 23.9 | 19.9 | 22.8 | 21.2 |  |
| Very wrong | 62.8 | 58.7 | 52.0 | 47.6 | 46.7 | 46.5 | 47.9 | 57.1 | 47.2 | 52.7 |  |
| N of Valid | 13304 | 18038 | 20369 | 11475 | 12208 | 9843 | 7537 | 51711 | 41063 | 92774 | |
| N of Miss | 1004 | 1066 | 967 | 656 | 598 | 595 | 426 | 3037 | 2275 | 5312 | |

Table 4.158: How wrong would your parents feel it would be for you to carry a weapon to school?





| RESPONSE | 6th | 7th | 8th | 9th | 10th | 11th | 12th | 6-8th | 9-12th | TOTAL | |
|--------------------|-------|-------|-------|-------|-------|------|------|-------|--------|-------|---|
| Not wrong at all | 4.5 | 3.4 | 3.3 | 4.9 | 4.3 | 4.7 | 4.6 | 3.7 | 4.6 | 4.1 |  |
| A little bit wrong | 0.9 | 1.1 | 1.6 | 2.2 | 2.2 | 2.3 | 2.3 | 1.2 | 2.2 | 1.7 |  |
| Wrong | 3.1 | 4.1 | 5.1 | 6.3 | 6.1 | 7.4 | 7.0 | 4.2 | 6.6 | 5.3 |  |
| Very wrong | 91.5 | 91.4 | 89.9 | 86.7 | 87.4 | 85.6 | 86.1 | 90.8 | 86.5 | 88.9 |  |
| N of Valid | 13316 | 18083 | 20402 | 11486 | 12224 | 9859 | 7544 | 51801 | 41113 | 92914 | |
| N of Miss | 992 | 1021 | 934 | 645 | 582 | 579 | 419 | 2947 | 2225 | 5172 | |

Table 4.159: How wrong would your parents feel it would be for you to threaten a student?

| RESPONSE | 6th | 7th | 8th | 9th | 10th | 11th | 12th | 6-8th | 9-12th | TOTAL |
|--------------------|-------|-------|-------|-------|-------|------|------|-------|--------|-------|
| Not wrong at all | 5.4 | 4.9 | 5.4 | 7.0 | 6.4 | 6.9 | 6.5 | 5.2 | 6.7 | 5.9 |
| A little bit wrong | 3.5 | 5.1 | 7.2 | 8.0 | 8.5 | 8.9 | 8.5 | 5.5 | 8.5 | 6.8 |
| Wrong | 11.5 | 13.5 | 15.9 | 17.6 | 18.7 | 18.6 | 18.7 | 13.9 | 18.4 | 15.9 |
| Very wrong | 79.6 | 76.6 | 71.6 | 67.4 | 66.3 | 65.7 | 66.4 | 75.4 | 66.5 | 71.4 |
| N of Valid | 13317 | 18081 | 20395 | 11486 | 12214 | 9854 | 7537 | 51793 | 41091 | 92884 |
| N of Miss | 991 | 1023 | 941 | 645 | 592 | 584 | 426 | 2955 | 2247 | 5202 |

Table 4.160: How wrong would your parents feel it would be for you to join a gang?

| RESPONSE | 6th | 7th | 8th | 9th | 10th | 11th | 12th | 6-8th | 9-12th | TOTAL |
|--------------------|-------|-------|-------|-------|-------|------|------|-------|--------|-------|
| Not wrong at all | 5.3 | 4.1 | 4.0 | 5.4 | 4.6 | 5.1 | 4.7 | 4.4 | 5.0 | 4.6 |
| A little bit wrong | 1.9 | 1.8 | 2.2 | 2.1 | 2.2 | 2.3 | 2.0 | 2.0 | 2.1 | 2.1 |
| Wrong | 5.4 | 6.0 | 6.7 | 7.2 | 6.7 | 7.4 | 6.6 | 6.1 | 7.0 | 6.5 |
| Very wrong | 87.4 | 88.1 | 87.1 | 85.4 | 86.5 | 85.2 | 86.7 | 87.5 | 85.9 | 86.8 |
| N of Valid | 13296 | 18055 | 20384 | 11475 | 12207 | 9845 | 7535 | 51735 | 41062 | 92797 |
| N of Miss | 1012 | 1049 | 952 | 656 | 599 | 593 | 428 | 3013 | 2276 | 5289 |

Table 4.161: How wrong would your parents feel it would be for you to make bad grades?

| RESPONSE | 6th | 7th | 8th | 9th | 10th | 11th | 12th | 6-8th | 9-12th | TOTAL |
|--------------------|-------|-------|-------|-------|-------|------|------|-------|--------|-------|
| Not wrong at all | 5.5 | 4.9 | 4.8 | 6.0 | 5.6 | 5.7 | 5.5 | 5.0 | 5.7 | 5.3 |
| A little bit wrong | 9.6 | 10.6 | 11.6 | 11.5 | 11.1 | 11.1 | 11.2 | 10.7 | 11.2 | 10.9 |
| Wrong | 23.2 | 24.5 | 24.2 | 24.8 | 26.3 | 26.7 | 26.1 | 24.0 | 26.0 | 24.9 |
| Very wrong | 61.8 | 60.0 | 59.4 | 57.7 | 57.0 | 56.5 | 57.1 | 60.2 | 57.1 | 58.8 |
| N of Valid | 13262 | 17999 | 20351 | 11437 | 12163 | 9811 | 7522 | 51612 | 40933 | 92545 |
| N of Miss | 1046 | 1105 | 985 | 694 | 643 | 627 | 441 | 3136 | 2405 | 5541 |

4.13 How Wrong Would Your Friends Feel It Would Be For You To...

Table 4.162: How wrong would your friends feel it would be for you to use tobacco?





| RESPONSE | 6th | 7th | 8th | 9th | 10th | 11th | 12th | 6-8th | 9-12th | TOTAL | |
|--------------------|-------|-------|-------|-------|-------|------|------|-------|--------|-------|---|
| Not wrong at all | 8.3 | 10.5 | 16.1 | 24.8 | 29.2 | 33.2 | 37.3 | 12.1 | 30.4 | 20.3 |  |
| A little bit wrong | 6.2 | 10.3 | 14.3 | 18.9 | 20.5 | 23.5 | 23.1 | 10.8 | 21.3 | 15.5 |  |
| Wrong | 14.6 | 16.8 | 19.0 | 19.3 | 19.5 | 17.1 | 16.2 | 17.1 | 18.3 | 17.6 |  |
| Very wrong | 71.0 | 62.3 | 50.7 | 37.1 | 30.7 | 26.2 | 23.4 | 59.9 | 30.1 | 46.7 |  |
| N of Valid | 13073 | 17790 | 20143 | 11384 | 12082 | 9756 | 7483 | 51006 | 40705 | 91711 | |
| N of Miss | 1235 | 1314 | 1193 | 747 | 724 | 682 | 480 | 3742 | 2633 | 6375 | |

Table 4.163: How wrong would your friends feel it would be for you to use alcohol?





| RESPONSE | 6th | 7th | 8th | 9th | 10th | 11th | 12th | 6-8th | 9-12th | TOTAL | |
|--------------------|-------|-------|-------|-------|-------|------|------|-------|--------|-------|---|
| Not wrong at all | 9.6 | 13.3 | 21.6 | 33.1 | 41.4 | 46.7 | 51.7 | 15.6 | 42.2 | 27.4 |  |
| A little bit wrong | 7.2 | 12.3 | 17.8 | 21.2 | 22.2 | 22.4 | 21.7 | 13.2 | 21.9 | 17.0 |  |
| Wrong | 14.7 | 16.8 | 17.6 | 16.3 | 14.5 | 11.7 | 10.1 | 16.6 | 13.5 | 15.2 |  |
| Very wrong | 68.4 | 57.6 | 42.9 | 29.3 | 21.9 | 19.2 | 16.5 | 54.6 | 22.4 | 40.3 |  |
| N of Valid | 13058 | 17762 | 20119 | 11362 | 12067 | 9740 | 7482 | 50939 | 40651 | 91590 | |
| N of Miss | 1250 | 1342 | 1217 | 769 | 739 | 698 | 481 | 3809 | 2687 | 6496 | |

Table 4.164: How wrong would your friends feel it would be for you to use marijuana?





| RESPONSE | 6th | 7th | 8th | 9th | 10th | 11th | 12th | 6-8th | 9-12th | TOTAL | |
|--------------------|-------|-------|-------|-------|-------|------|------|-------|--------|-------|---|
| Not wrong at all | 7.2 | 8.9 | 14.2 | 21.3 | 25.5 | 28.9 | 28.8 | 10.6 | 25.7 | 17.3 |  |
| A little bit wrong | 3.6 | 6.1 | 9.6 | 13.1 | 16.0 | 18.5 | 19.2 | 6.8 | 16.4 | 11.1 |  |
| Wrong | 9.7 | 12.4 | 14.6 | 16.6 | 16.6 | 16.7 | 16.8 | 12.6 | 16.7 | 14.4 |  |
| Very wrong | 79.4 | 72.6 | 61.6 | 49.0 | 41.9 | 35.8 | 35.1 | 70.0 | 41.2 | 57.2 |  |
| N of Valid | 13057 | 17754 | 20111 | 11367 | 12060 | 9741 | 7468 | 50922 | 40636 | 91558 | |
| N of Miss | 1251 | 1350 | 1225 | 764 | 746 | 697 | 494 | 3826 | 2701 | 6527 | |

Table 4.165: How wrong would your friends feel it would be for you to use other illicit drugs?





| RESPONSE | 6th | 7th | 8th | 9th | 10th | 11th | 12th | 6-8th | 9-12th | TOTAL | |
|--------------------|-------|-------|-------|-------|-------|------|------|-------|--------|-------|---|
| Not wrong at all | 7.0 | 7.7 | 10.9 | 15.2 | 16.1 | 16.3 | 16.3 | 8.8 | 15.9 | 12.0 |  |
| A little bit wrong | 3.1 | 5.4 | 7.8 | 9.9 | 11.9 | 13.6 | 12.2 | 5.8 | 11.8 | 8.5 |  |
| Wrong | 9.9 | 12.2 | 14.9 | 17.2 | 18.5 | 18.9 | 19.2 | 12.7 | 18.4 | 15.2 |  |
| Very wrong | 80.0 | 74.7 | 66.4 | 57.7 | 53.4 | 51.3 | 52.3 | 72.8 | 53.9 | 64.4 |  |
| N of Valid | 13039 | 17720 | 20067 | 11345 | 12057 | 9718 | 7471 | 50826 | 40591 | 91417 | |
| N of Miss | 1269 | 1384 | 1269 | 786 | 749 | 720 | 492 | 3922 | 2747 | 6669 | |

Table 4.166: How wrong would your friends feel it would be for you to fight with a student?





| RESPONSE | 6th | 7th | 8th | 9th | 10th | 11th | 12th | 6-8th | 9-12th | TOTAL | |
|--------------------|-------|-------|-------|-------|-------|------|------|-------|--------|-------|---|
| Not wrong at all | 19.6 | 24.9 | 33.3 | 38.5 | 38.9 | 38.8 | 35.8 | 26.9 | 38.2 | 31.9 |  |
| A little bit wrong | 14.9 | 17.9 | 19.9 | 20.7 | 22.7 | 23.2 | 23.0 | 17.9 | 22.3 | 19.9 |  |
| Wrong | 18.0 | 17.0 | 15.8 | 15.5 | 15.7 | 15.5 | 17.0 | 16.8 | 15.8 | 16.4 |  |
| Very wrong | 47.5 | 40.2 | 31.0 | 25.3 | 22.7 | 22.6 | 24.2 | 38.5 | 23.7 | 31.9 |  |
| N of Valid | 13006 | 17704 | 20071 | 11331 | 12060 | 9732 | 7481 | 50781 | 40604 | 91385 | |
| N of Miss | 1302 | 1400 | 1265 | 800 | 746 | 706 | 482 | 3967 | 2734 | 6701 | |

Table 4.167: How wrong would your friends feel it would be for you to carry a weapon to school?





| RESPONSE | 6th | 7th | 8th | 9th | 10th | 11th | 12th | 6-8th | 9-12th | TOTAL | |
|--------------------|-------|-------|-------|-------|-------|------|------|-------|--------|-------|---|
| Not wrong at all | 7.6 | 8.4 | 11.3 | 14.4 | 14.1 | 13.8 | 13.0 | 9.3 | 13.9 | 11.4 |  |
| A little bit wrong | 3.7 | 6.2 | 7.9 | 9.9 | 10.3 | 10.3 | 9.0 | 6.2 | 10.0 | 7.9 |  |
| Wrong | 11.4 | 13.2 | 15.6 | 17.5 | 17.6 | 17.8 | 17.3 | 13.7 | 17.6 | 15.4 |  |
| Very wrong | 77.4 | 72.2 | 65.2 | 58.2 | 58.1 | 58.0 | 60.7 | 70.8 | 58.6 | 65.4 |  |
| N of Valid | 13045 | 17759 | 20111 | 11354 | 12075 | 9741 | 7477 | 50915 | 40647 | 91562 | |
| N of Miss | 1263 | 1345 | 1225 | 777 | 731 | 697 | 486 | 3833 | 2691 | 6524 | |

Table 4.168: How wrong would your friends feel it would be for you to threaten a student?





| RESPONSE | 6th | 7th | 8th | 9th | 10th | 11th | 12th | 6-8th | 9-12th | TOTAL | |
|--------------------|-------|-------|-------|-------|-------|------|------|-------|--------|-------|---|
| Not wrong at all | 12.4 | 16.1 | 22.0 | 25.5 | 26.3 | 25.6 | 24.1 | 17.5 | 25.5 | 21.0 |  |
| A little bit wrong | 9.3 | 12.5 | 15.3 | 17.5 | 18.8 | 19.4 | 19.3 | 12.8 | 18.7 | 15.4 |  |
| Wrong | 17.1 | 18.6 | 18.8 | 19.3 | 20.3 | 20.4 | 19.4 | 18.3 | 19.9 | 19.0 |  |
| Very wrong | 61.2 | 52.8 | 43.9 | 37.7 | 34.6 | 34.6 | 37.2 | 51.4 | 35.9 | 44.6 |  |
| N of Valid | 13052 | 17756 | 20110 | 11351 | 12073 | 9733 | 7475 | 50918 | 40632 | 91550 | |
| N of Miss | 1256 | 1348 | 1226 | 780 | 733 | 705 | 488 | 3830 | 2706 | 6536 | |

Table 4.169: How wrong would your friends feel it would be for you to join a gang?









| RESPONSE | 6th | 7th | 8th | 9th | 10th | 11th | 12th | 6-8th | 9-12th | TOTAL | |
|--------------------|-------|-------|-------|-------|-------|------|------|-------|--------|-------|---|
| Not wrong at all | 10.3 | 11.5 | 14.6 | 16.0 | 15.5 | 14.9 | 13.3 | 12.4 | 15.1 | 13.6 |  |
| A little bit wrong | 5.5 | 8.0 | 9.3 | 10.7 | 10.4 | 10.5 | 8.9 | 7.9 | 10.2 | 8.9 |  |
| Wrong | 13.4 | 14.8 | 16.3 | 16.9 | 17.8 | 17.4 | 17.2 | 15.0 | 17.3 | 16.1 |  |
| Very wrong | 70.8 | 65.6 | 59.9 | 56.5 | 56.2 | 57.3 | 60.6 | 64.7 | 57.4 | 61.4 |  |
| N of Valid | 13008 | 17736 | 20078 | 11338 | 12085 | 9746 | 7477 | 50822 | 40646 | 91468 | |
| N of Miss | 1300 | 1368 | 1258 | 793 | 721 | 692 | 486 | 3926 | 2692 | 6618 | |

Table 4.170: How wrong would your friends feel it would be for you to make bad grades?

| RESPONSE | 6th | 7th | 8th | 9th | 10th | 11th | 12th | 6-8th | 9-12th | TOTAL | |
|--------------------|-------|-------|-------|-------|-------|------|------|-------|--------|-------|---|
| Not wrong at all | 19.7 | 24.6 | 29.3 | 32.1 | 34.3 | 32.9 | 30.6 | 25.2 | 32.7 | 28.5 |  |
| A little bit wrong | 19.2 | 22.0 | 22.6 | 24.6 | 25.7 | 26.5 | 26.3 | 21.5 | 25.7 | 23.4 |  |
| Wrong | 19.8 | 19.2 | 18.5 | 18.2 | 18.1 | 18.1 | 18.8 | 19.1 | 18.2 | 18.7 |  |
| Very wrong | 41.2 | 34.2 | 29.6 | 25.1 | 21.9 | 22.5 | 24.3 | 34.2 | 23.4 | 29.4 |  |
| N of Valid | 12958 | 17628 | 20005 | 11300 | 12039 | 9688 | 7460 | 50591 | 40487 | 91078 | |
| N of Miss | 1350 | 1476 | 1331 | 831 | 767 | 750 | 503 | 4157 | 2851 | 7008 | |

4.14 Frequency of Use

Table 4.171: Frequency of use of cigarettes?





| RESPONSE | 6th | 7th | 8th | 9th | 10th | 11th | 12th | 6-8th | 9-12th | TOTAL | |
|------------|-------|-------|-------|-------|-------|-------|------|-------|--------|-------|---|
| Daily | 1.6 | 1.8 | 3.7 | 7.2 | 9.7 | 12.4 | 15.0 | 2.5 | 10.6 | 6.1 |  |
| Weekly | 2.7 | 4.1 | 7.3 | 12.2 | 15.4 | 19.1 | 22.3 | 5.0 | 16.7 | 10.1 |  |
| Monthly | 3.8 | 5.7 | 9.8 | 15.8 | 19.7 | 23.7 | 26.9 | 6.8 | 20.9 | 13.0 |  |
| Annual | 8.3 | 12.2 | 18.5 | 25.8 | 30.3 | 35.2 | 38.4 | 13.6 | 31.7 | 21.6 |  |
| N of Valid | 14048 | 18792 | 21016 | 11934 | 12600 | 10252 | 7847 | 53856 | 42633 | 96489 | |
| N of Miss | 260 | 312 | 320 | 197 | 206 | 186 | 116 | 892 | 705 | 1597 | |

Table 4.172: Frequency of use of smokeless tobacco?





| RESPONSE | 6th | 7th | 8th | 9th | 10th | 11th | 12th | 6-8th | 9-12th | TOTAL | |
|------------|-------|-------|-------|-------|-------|-------|------|-------|--------|-------|---|
| Daily | 1.3 | 1.1 | 1.9 | 4.1 | 4.4 | 5.8 | 6.1 | 1.5 | 4.9 | 3.0 |  |
| Weekly | 1.8 | 1.9 | 3.3 | 6.4 | 6.9 | 8.7 | 8.7 | 2.4 | 7.5 | 4.7 |  |
| Monthly | 2.4 | 2.7 | 4.4 | 8.4 | 8.7 | 10.7 | 10.8 | 3.3 | 9.5 | 6.0 |  |
| Annual | 4.3 | 5.5 | 8.1 | 13.2 | 14.1 | 16.4 | 16.5 | 6.2 | 14.8 | 10.0 |  |
| N of Valid | 14031 | 18792 | 21013 | 11930 | 12606 | 10250 | 7841 | 53836 | 42627 | 96463 | |
| N of Miss | 277 | 312 | 323 | 201 | 200 | 188 | 122 | 912 | 711 | 1623 | |

Table 4.173: Frequency of use of cigars?





| RESPONSE | 6th | 7th | 8th | 9th | 10th | 11th | 12th | 6-8th | 9-12th | TOTAL | |
|------------|-------|-------|-------|-------|-------|-------|------|-------|--------|-------|---|
| Daily | 1.2 | 0.7 | 1.0 | 1.8 | 2.2 | 2.8 | 3.2 | 1.0 | 2.4 | 1.6 |  |
| Weekly | 1.7 | 1.5 | 2.5 | 4.1 | 5.1 | 6.4 | 7.3 | 2.0 | 5.5 | 3.5 |  |
| Monthly | 2.4 | 2.4 | 4.4 | 7.5 | 9.3 | 11.7 | 13.6 | 3.2 | 10.2 | 6.3 |  |
| Annual | 4.5 | 6.0 | 9.8 | 15.0 | 18.8 | 23.8 | 27.2 | 7.1 | 20.5 | 13.0 |  |
| N of Valid | 14015 | 18757 | 20955 | 11890 | 12549 | 10205 | 7813 | 53727 | 42457 | 96184 | |
| N of Miss | 293 | 347 | 381 | 241 | 257 | 233 | 150 | 1021 | 881 | 1902 | |

Table 4.174: Frequency of use of beer?





| RESPONSE | 6th | 7th | 8th | 9th | 10th | 11th | 12th | 6-8th | 9-12th | TOTAL | |
|------------|-------|-------|-------|-------|-------|-------|------|-------|--------|-------|---|
| Daily | 1.3 | 1.1 | 1.4 | 2.2 | 2.8 | 3.1 | 3.5 | 1.2 | 2.8 | 2.0 |  |
| Weekly | 2.4 | 3.5 | 5.8 | 10.3 | 14.2 | 17.8 | 20.9 | 4.1 | 15.2 | 9.0 |  |
| Monthly | 4.1 | 6.9 | 12.1 | 20.1 | 27.4 | 32.7 | 37.7 | 8.2 | 28.5 | 17.2 |  |
| Annual | 14.5 | 21.0 | 30.8 | 40.7 | 47.5 | 52.7 | 56.7 | 23.1 | 48.5 | 34.4 |  |
| N of Valid | 13972 | 18717 | 20937 | 11886 | 12552 | 10210 | 7801 | 53626 | 42449 | 96075 | |
| N of Miss | 336 | 387 | 399 | 245 | 254 | 228 | 162 | 1122 | 889 | 2011 | |

Table 4.175: Frequency of use of coolers, breezers, etc.?





| RESPONSE | 6th | 7th | 8th | 9th | 10th | 11th | 12th | 6-8th | 9-12th | TOTAL | |
|------------|-------|-------|-------|-------|-------|-------|------|-------|--------|-------|---|
| Daily | 1.4 | 1.0 | 1.4 | 2.2 | 2.4 | 2.7 | 2.7 | 1.3 | 2.5 | 1.8 |  |
| Weekly | 2.4 | 3.1 | 5.5 | 8.5 | 11.0 | 12.9 | 13.6 | 3.9 | 11.3 | 7.1 |  |
| Monthly | 3.9 | 6.3 | 11.7 | 17.9 | 24.0 | 27.3 | 30.5 | 7.8 | 24.3 | 15.1 |  |
| Annual | 12.4 | 18.3 | 30.2 | 39.6 | 46.5 | 50.1 | 54.8 | 21.4 | 47.0 | 32.7 |  |
| N of Valid | 13942 | 18703 | 20941 | 11893 | 12551 | 10205 | 7818 | 53586 | 42467 | 96053 | |
| N of Miss | 366 | 401 | 395 | 238 | 255 | 233 | 145 | 1162 | 871 | 2033 | |

Table 4.176: Frequency of use of liquor?





| RESPONSE | 6th | 7th | 8th | 9th | 10th | 11th | 12th | 6-8th | 9-12th | TOTAL | |
|------------|-------|-------|-------|-------|-------|-------|------|-------|--------|-------|---|
| Daily | 1.1 | 0.9 | 1.3 | 2.2 | 2.9 | 2.9 | 3.0 | 1.1 | 2.7 | 1.8 |  |
| Weekly | 1.9 | 2.7 | 4.8 | 8.7 | 12.3 | 15.5 | 16.9 | 3.3 | 12.9 | 7.5 |  |
| Monthly | 3.0 | 5.0 | 9.9 | 17.8 | 25.7 | 31.1 | 35.6 | 6.4 | 26.6 | 15.3 |  |
| Annual | 8.8 | 14.5 | 24.9 | 36.8 | 46.3 | 52.5 | 57.7 | 17.1 | 47.2 | 30.4 |  |
| N of Valid | 14005 | 18764 | 20960 | 11901 | 12558 | 10206 | 7826 | 53729 | 42491 | 96220 | |
| N of Miss | 303 | 340 | 376 | 230 | 248 | 232 | 137 | 1019 | 847 | 1866 | |

Table 4.177: Frequency of use of marijuana?

| RESPONSE | 6th | 7th | 8th | 9th | 10th | 11th | 12th | 6-8th | 9-12th | TOTAL |
|------------|-------|-------|-------|-------|-------|-------|------|-------|--------|-------|
| Daily | 1.3 | 1.2 | 2.2 | 4.1 | 5.2 | 6.4 | 7.0 | 1.6 | 5.5 | 3.4 |
| Weekly | 1.9 | 2.8 | 5.2 | 8.6 | 11.2 | 13.6 | 13.9 | 3.5 | 11.5 | 7.0 |
| Monthly | 2.3 | 3.8 | 7.5 | 12.0 | 16.4 | 19.7 | 19.5 | 4.9 | 16.5 | 10.0 |
| Annual | 3.8 | 6.6 | 12.5 | 19.3 | 26.0 | 31.0 | 31.8 | 8.2 | 26.4 | 16.2 |
| N of Valid | 14013 | 18752 | 20980 | 11887 | 12566 | 10216 | 7825 | 53745 | 42494 | 96239 |
| N of Miss | 295 | 352 | 356 | 244 | 240 | 222 | 138 | 1003 | 844 | 1847 |

Table 4.178: Frequency of use of cocaine?

| RESPONSE | 6th | 7th | 8th | 9th | 10th | 11th | 12th | 6-8th | 9-12th | TOTAL |
|------------|-------|-------|-------|-------|-------|-------|------|-------|--------|-------|
| Daily | 1.1 | 0.6 | 0.8 | 1.4 | 1.9 | 2.2 | 2.3 | 0.8 | 1.9 | 1.3 |
| Weekly | 1.3 | 0.9 | 1.4 | 2.1 | 2.8 | 3.4 | 3.6 | 1.2 | 2.9 | 1.9 |
| Monthly | 1.5 | 1.2 | 1.9 | 2.9 | 3.8 | 4.7 | 5.4 | 1.6 | 4.1 | 2.7 |
| Annual | 2.2 | 2.0 | 3.2 | 4.6 | 6.3 | 7.7 | 8.7 | 2.5 | 6.6 | 4.3 |
| N of Valid | 14005 | 18756 | 20988 | 11917 | 12583 | 10228 | 7831 | 53749 | 42559 | 96308 |
| N of Miss | 303 | 348 | 348 | 214 | 223 | 210 | 132 | 999 | 779 | 1778 |

Table 4.179: Frequency of use of uppers?

| RESPONSE | 6th | 7th | 8th | 9th | 10th | 11th | 12th | 6-8th | 9-12th | TOTAL |
|------------|-------|-------|-------|-------|-------|-------|------|-------|--------|-------|
| Daily | 1.1 | 0.6 | 0.9 | 1.5 | 2.0 | 2.4 | 2.4 | 0.8 | 2.0 | 1.3 |
| Weekly | 1.3 | 1.0 | 1.6 | 2.7 | 3.6 | 4.4 | 4.2 | 1.3 | 3.6 | 2.3 |
| Monthly | 1.6 | 1.4 | 2.4 | 4.1 | 5.5 | 6.4 | 6.4 | 1.8 | 5.5 | 3.5 |
| Annual | 2.4 | 2.2 | 3.8 | 6.2 | 8.4 | 9.8 | 9.5 | 2.9 | 8.3 | 5.3 |
| N of Valid | 13822 | 18663 | 20937 | 11905 | 12560 | 10208 | 7831 | 53422 | 42504 | 95926 |
| N of Miss | 486 | 441 | 399 | 226 | 246 | 230 | 132 | 1326 | 834 | 2160 |

Table 4.180: Frequency of use of downers?

| RESPONSE | 6th | 7th | 8th | 9th | 10th | 11th | 12th | 6-8th | 9-12th | TOTAL | |
|------------|-------|-------|-------|-------|-------|-------|------|-------|--------|-------|---|
| Daily | 1.1 | 0.7 | 1.0 | 1.7 | 1.9 | 2.3 | 2.3 | 0.9 | 2.0 | 1.4 | ■ |
| Weekly | 1.4 | 1.0 | 1.7 | 2.8 | 3.6 | 4.2 | 4.1 | 1.4 | 3.6 | 2.4 | ■ |
| Monthly | 1.7 | 1.4 | 2.4 | 4.1 | 5.6 | 6.6 | 6.2 | 1.9 | 5.5 | 3.5 | ■ |
| Annual | 2.6 | 2.5 | 3.9 | 6.5 | 8.3 | 9.6 | 9.5 | 3.1 | 8.4 | 5.4 | ■ |
| N of Valid | 13815 | 18647 | 20942 | 11900 | 12557 | 10213 | 7827 | 53404 | 42497 | 95901 | |
| N of Miss | 493 | 457 | 394 | 231 | 249 | 225 | 136 | 1344 | 841 | 2185 | |

Table 4.181: Frequency of use of inhalants?

| RESPONSE | 6th | 7th | 8th | 9th | 10th | 11th | 12th | 6-8th | 9-12th | TOTAL | |
|------------|-------|-------|-------|-------|-------|-------|------|-------|--------|-------|---|
| Daily | 1.3 | 0.7 | 0.9 | 1.3 | 1.6 | 2.0 | 2.0 | 1.0 | 1.7 | 1.3 | ■ |
| Weekly | 1.8 | 1.5 | 1.7 | 2.2 | 2.6 | 2.7 | 2.8 | 1.7 | 2.5 | 2.1 | ■ |
| Monthly | 2.6 | 2.2 | 2.8 | 3.2 | 3.8 | 4.1 | 3.9 | 2.5 | 3.7 | 3.1 | ■ |
| Annual | 5.1 | 4.8 | 6.1 | 6.0 | 6.6 | 6.7 | 6.1 | 5.4 | 6.4 | 5.8 | ■ |
| N of Valid | 13885 | 18679 | 20949 | 11898 | 12559 | 10220 | 7829 | 53513 | 42506 | 96019 | |
| N of Miss | 423 | 425 | 387 | 233 | 247 | 218 | 134 | 1235 | 832 | 2067 | |

Table 4.182: Frequency of use of hallucinogens?

| RESPONSE | 6th | 7th | 8th | 9th | 10th | 11th | 12th | 6-8th | 9-12th | TOTAL | |
|------------|-------|-------|-------|-------|-------|-------|------|-------|--------|-------|---|
| Daily | 1.0 | 0.6 | 0.7 | 1.3 | 1.7 | 1.8 | 2.0 | 0.7 | 1.7 | 1.2 | ■ |
| Weekly | 1.2 | 0.8 | 1.1 | 1.9 | 2.5 | 2.7 | 2.7 | 1.0 | 2.4 | 1.6 | ■ |
| Monthly | 1.5 | 1.1 | 1.6 | 2.8 | 3.7 | 4.0 | 4.1 | 1.4 | 3.6 | 2.4 | ■ |
| Annual | 2.1 | 1.6 | 2.5 | 4.2 | 5.4 | 6.5 | 6.8 | 2.1 | 5.6 | 3.7 | ■ |
| N of Valid | 13763 | 18605 | 20914 | 11898 | 12555 | 10210 | 7823 | 53282 | 42486 | 95768 | |
| N of Miss | 545 | 499 | 422 | 233 | 251 | 228 | 140 | 1466 | 852 | 2318 | |

Table 4.183: Frequency of use of heroin?

| RESPONSE | 6th | 7th | 8th | 9th | 10th | 11th | 12th | 6-8th | 9-12th | TOTAL |
|------------|-------|-------|-------|-------|-------|-------|------|-------|--------|-------|
| Daily | 1.0 | 0.5 | 0.7 | 1.2 | 1.6 | 1.9 | 2.0 | 0.7 | 1.6 | 1.1 |
| Weekly | 1.2 | 0.8 | 1.1 | 1.7 | 2.2 | 2.5 | 2.4 | 1.0 | 2.2 | 1.5 |
| Monthly | 1.5 | 1.1 | 1.4 | 2.3 | 3.0 | 3.3 | 3.4 | 1.3 | 2.9 | 2.0 |
| Annual | 2.1 | 1.6 | 2.2 | 3.1 | 4.1 | 4.5 | 4.7 | 2.0 | 4.0 | 2.9 |
| N of Valid | 13851 | 18661 | 20955 | 11911 | 12561 | 10210 | 7826 | 53467 | 42508 | 95975 |
| N of Miss | 457 | 443 | 381 | 220 | 245 | 228 | 137 | 1281 | 830 | 2111 |

Table 4.184: Frequency of use of anabolic steroids?

| RESPONSE | 6th | 7th | 8th | 9th | 10th | 11th | 12th | 6-8th | 9-12th | TOTAL |
|------------|-------|-------|-------|-------|-------|-------|------|-------|--------|-------|
| Daily | 1.1 | 0.6 | 0.8 | 1.3 | 1.7 | 1.9 | 2.0 | 0.8 | 1.7 | 1.2 |
| Weekly | 1.3 | 0.8 | 1.1 | 1.7 | 2.2 | 2.5 | 2.6 | 1.1 | 2.2 | 1.6 |
| Monthly | 1.4 | 1.1 | 1.5 | 2.2 | 2.8 | 3.2 | 3.3 | 1.3 | 2.8 | 2.0 |
| Annual | 2.1 | 1.8 | 2.5 | 3.2 | 3.9 | 4.6 | 4.5 | 2.2 | 4.0 | 3.0 |
| N of Valid | 13823 | 18667 | 20934 | 11896 | 12555 | 10215 | 7824 | 53424 | 42490 | 95914 |
| N of Miss | 485 | 437 | 402 | 235 | 251 | 223 | 139 | 1324 | 848 | 2172 |

Table 4.185: Frequency of use of ecstasy?

| RESPONSE | 6th | 7th | 8th | 9th | 10th | 11th | 12th | 6-8th | 9-12th | TOTAL |
|------------|-------|-------|-------|-------|-------|-------|------|-------|--------|-------|
| Daily | 1.0 | 0.6 | 0.7 | 1.3 | 1.7 | 1.8 | 2.0 | 0.7 | 1.7 | 1.2 |
| Weekly | 1.2 | 0.8 | 1.2 | 2.0 | 2.5 | 2.6 | 2.7 | 1.0 | 2.4 | 1.7 |
| Monthly | 1.4 | 1.1 | 1.7 | 2.8 | 3.6 | 3.9 | 4.0 | 1.4 | 3.5 | 2.4 |
| Annual | 1.7 | 1.9 | 3.0 | 4.7 | 5.9 | 6.4 | 7.1 | 2.3 | 5.9 | 3.9 |
| N of Valid | 13703 | 18569 | 20900 | 11893 | 12557 | 10190 | 7829 | 53172 | 42469 | 95641 |
| N of Miss | 605 | 535 | 436 | 238 | 249 | 248 | 134 | 1576 | 869 | 2445 |

Table 4.186: Frequency of use of OxyContin?

| RESPONSE | 6th | 7th | 8th | 9th | 10th | 11th | 12th | 6-8th | 9-12th | TOTAL |
|------------|-------|-------|-------|-------|-------|-------|------|-------|--------|-------|
| Daily | 1.0 | 0.6 | 0.7 | 1.4 | 1.7 | 1.9 | 2.1 | 0.8 | 1.7 | 1.2 |
| Weekly | 1.2 | 0.9 | 1.2 | 2.1 | 2.7 | 3.1 | 2.9 | 1.1 | 2.7 | 1.8 |
| Monthly | 1.4 | 1.2 | 1.8 | 3.1 | 4.0 | 4.6 | 4.4 | 1.5 | 4.0 | 2.6 |
| Annual | 1.9 | 1.9 | 3.0 | 5.0 | 6.6 | 7.5 | 7.5 | 2.3 | 6.5 | 4.2 |
| N of Valid | 13688 | 18567 | 20853 | 11872 | 12553 | 10195 | 7814 | 53108 | 42434 | 95542 |
| N of Miss | 620 | 537 | 483 | 259 | 253 | 243 | 149 | 1640 | 904 | 2544 |

Table 4.187: Frequency of use of meth?

| RESPONSE | 6th | 7th | 8th | 9th | 10th | 11th | 12th | 6-8th | 9-12th | TOTAL |
|------------|-------|-------|-------|-------|-------|-------|------|-------|--------|-------|
| Daily | 1.2 | 0.7 | 0.9 | 1.4 | 1.8 | 1.9 | 2.1 | 0.9 | 1.8 | 1.3 |
| Weekly | 1.4 | 0.9 | 1.2 | 1.8 | 2.4 | 2.5 | 2.8 | 1.1 | 2.3 | 1.7 |
| Monthly | 1.6 | 1.2 | 1.7 | 2.5 | 3.1 | 3.3 | 3.8 | 1.5 | 3.1 | 2.2 |
| Annual | 2.2 | 1.9 | 2.7 | 3.7 | 4.4 | 4.8 | 5.2 | 2.3 | 4.4 | 3.2 |
| N of Valid | 13747 | 18607 | 20878 | 11862 | 12509 | 10159 | 7805 | 53232 | 42335 | 95567 |
| N of Miss | 561 | 497 | 458 | 269 | 297 | 279 | 158 | 1516 | 1003 | 2519 |

Table 4.188: Frequency of use of any tobacco?

| RESPONSE | 6th | 7th | 8th | 9th | 10th | 11th | 12th | 6-8th | 9-12th | TOTAL |
|------------|-------|-------|-------|-------|-------|-------|------|-------|--------|-------|
| Daily | 1.9 | 2.4 | 4.7 | 9.5 | 12.1 | 15.9 | 18.2 | 3.2 | 13.4 | 7.7 |
| Weekly | 3.3 | 5.0 | 9.1 | 15.6 | 18.8 | 23.2 | 25.9 | 6.2 | 20.3 | 12.4 |
| Monthly | 4.6 | 7.1 | 12.1 | 20.1 | 23.9 | 28.8 | 31.6 | 8.4 | 25.4 | 15.9 |
| Annual | 10.3 | 15.2 | 22.7 | 31.8 | 36.5 | 42.7 | 45.4 | 16.8 | 38.3 | 26.3 |
| N of Valid | 14090 | 18866 | 21086 | 11975 | 12636 | 10302 | 7868 | 54042 | 42781 | 96823 |
| N of Miss | 218 | 238 | 250 | 156 | 170 | 136 | 95 | 706 | 557 | 1263 |

Table 4.189: Frequency of use of any alcohol?









| RESPONSE | 6th | 7th | 8th | 9th | 10th | 11th | 12th | 6-8th | 9-12th | TOTAL | |
|------------|-------|-------|-------|-------|-------|-------|------|-------|--------|-------|---|
| Daily | 1.7 | 1.4 | 1.9 | 2.9 | 3.5 | 3.8 | 4.0 | 1.7 | 3.5 | 2.5 |  |
| Weekly | 3.3 | 4.7 | 7.7 | 13.0 | 17.2 | 21.2 | 24.3 | 5.5 | 18.3 | 11.2 |  |
| Monthly | 5.6 | 9.2 | 15.7 | 24.8 | 32.9 | 38.4 | 44.1 | 10.8 | 34.0 | 21.1 |  |
| Annual | 20.0 | 28.3 | 40.8 | 51.8 | 59.1 | 64.1 | 68.9 | 31.0 | 60.1 | 43.9 |  |
| N of Valid | 14073 | 18847 | 21075 | 11967 | 12631 | 10283 | 7859 | 53995 | 42740 | 96735 | |
| N of Miss | 235 | 257 | 261 | 164 | 175 | 155 | 104 | 753 | 598 | 1351 | |

Table 4.190: Frequency of use of any illicit drug?

| RESPONSE | 6th | 7th | 8th | 9th | 10th | 11th | 12th | 6-8th | 9-12th | TOTAL | |
|------------|-------|-------|-------|-------|-------|-------|------|-------|--------|-------|---|
| Daily | 2.1 | 2.2 | 3.3 | 5.5 | 6.7 | 8.2 | 8.6 | 2.6 | 7.0 | 4.6 |  |
| Weekly | 3.2 | 4.4 | 6.9 | 10.4 | 13.2 | 15.9 | 16.2 | 5.0 | 13.6 | 8.8 |  |
| Monthly | 4.3 | 5.9 | 9.7 | 14.2 | 18.7 | 22.1 | 21.9 | 6.9 | 18.8 | 12.2 |  |
| Annual | 8.3 | 11.2 | 17.0 | 22.8 | 29.0 | 33.7 | 34.3 | 12.7 | 29.4 | 20.1 |  |
| N of Valid | 14072 | 18849 | 21086 | 11975 | 12636 | 10283 | 7864 | 54007 | 42758 | 96765 | |
| N of Miss | 236 | 255 | 250 | 156 | 170 | 155 | 99 | 741 | 580 | 1321 | |

Chapter 5

Narrative Report

5.1 Introduction

Tobacco, alcohol, drug use and violence continues to be a persistent problem facing the youth of America. The use of mind-altering chemicals has proven to be especially harmful to the adolescent growth and development process. Psychoactive drugs interfere with physical, social, and emotional growth during the critical years of adolescent development.

An adolescent who uses intoxicants is not only at high risk of becoming drug dependent but is also at an increased risk of dropping out of school, getting involved in crime, attempting suicide, or becoming involved in an assortment of unacceptable behaviors.

The prevention of adolescent drug and alcohol use, bullying and related behaviors is most likely to occur when parents, teachers, faith leaders, other individuals and community organizations, who are part of the child's friendship circle...

- are well informed of the harmful effects of drugs,
- understand potential danger from threatening behaviors,
- recognize behavioral changes that accompany drug use,

- and understand how drug use and violence is encouraged and accepted in the social world of the child.

Another key to successful prevention programming is the direct involvement of youth in planning and implementing programs.

This report will help parents, school personnel, students, and other "youth care givers" understand the extent of drug use and threatening (bullying) behaviors in your community.

Your questions concerning this report or information on other reports and services of **Pride Surveys** may be obtained by calling the **Pride Surveys** office at 1-800-279-6361.

5.1.1 The Pride Surveys Questionnaire

As with any type of meaningful survey, it is important that the data collected are of high quality and utility. The **Pride Surveys Questionnaire** was developed to provide accurate, reliable and useful information about students through their reported behaviors, perceptions and living environments. Questionnaire forms and administration procedures have undergone extensive reviews by independent evaluators over the years. The survey provides users

with data of high quality and practical application. For more technical information about the development of the questionnaire, see the *Pride Technical Report: The Pride Questionnaire for Grades 6-12 Developmental Study*. These studies are available on the Pride Surveys website at www.pridesurveys.com.

5.1.2 The Report

This report was prepared to be used as part of a community-wide prevention program. For maximum use of your school drug and violence survey, we suggest that you review each section carefully, share the information with school officials, teachers, students and parents, and prepare a press release to inform your community of the results.

This narrative report contains five sections, including the introductory Section 5.1. Section 5.2 contains information on *Gateway Drugs* (tobacco, alcohol, and marijuana). Section 5.3 contains information on *Other Illicit Drugs* (cocaine, uppers, downers, inhalants, hallucinogens, heroin and steroids). The following information on each drug category has been selected for analysis in this report:

- perceived risk of drug use,
- frequency of drug use reported by students,
- when students reported using drugs,
- where students reported using drugs,
- friends' use of drugs,
- age of onset of use of drugs,
- availability of drugs as reported by students.

Section 5.4 contains suggestions for community awareness activities utilizing the media and presentations of survey findings to various audiences.

Note that all statistics compiled from your survey results are highlighted in **bold**.

The 2005-2006 Pride National Summary for Grades 6-12 is provided separately on the **Pride Surveys** website. This national data can be compared to local data contained in your tabular report.

It is important that your school survey be viewed as part of an ongoing process that provides needed information about the prevalence and patterns of tobacco, alcohol and other drug use by students in your community. By using the **Pride Surveys** in your assessment process, you can be confident of high quality, consistent, and reliable information to assist you in your drug prevention efforts. For additional assistance with questionnaire data, call the Pride Surveys Office at 1-800-279-6361. For additional information about the health impact of drugs visit the Pride Surveys website at www.pridesurveys.com.

5.2 Gateway Drugs

The *gateway drugs* are defined in this report as tobacco, alcohol, and marijuana. In most states, alcohol and tobacco products are illegal when used by minors, but are legal when used by adults. Nevertheless, they are generally easy to obtain and are widely used by students. Use of alcohol and cigarettes at early ages has been linked to later use of illicit drugs, thus the term *gateway drugs*. Marijuana is the illicit drug most widely used by the adolescent population. Although marijuana is itself a dangerous illicit drug, it is also a strong predictor for use of other addictive drugs. In this section, harmful effects, prevalence, and patterns of tobacco products (cigarettes, smokeless tobacco, and cigars), alcohol (beer, wine coolers, and liquor), and marijuana use are reported.

5.2.1 Tobacco

Harmful Effects of Tobacco Products

The use of tobacco products was not always considered to be drug use. However, cigarette smoke contains more than 1,200 chemicals, none of which are beneficial to man. When cigarette smoke is absorbed into the body, it decreases the oxygen-carrying capacity of the blood and increases the clotting rate. This reaction, combined with hardening of the arteries associated with smoking, can cause a heart attack. Using tobacco products is a major cause of emphysema, chronic bronchitis, lung cancer, heart disease and cancer of the mouth.

Research indicates that mothers who smoke during pregnancy may damage the unborn child. Women who take birth control pills should not smoke because of increased risk of blood clots, stroke, heart attack and liver tumors.

It is important that students know the health consequences of tobacco use, but they may be influenced more by the social stigma and the unattractive appearance using tobacco can cause. For example, young people may choose not to smoke because cigarette smoke makes their hair smell bad, turns their teeth and fingers yellow, and causes bad breath. These are important considerations for adolescents who are usually concerned about their appearance.

Frequency and Effects of Tobacco Use

While millions of people in this country have quit smoking cigarettes, there are still millions that continue to smoke despite warnings of detrimental health effects. It is important to examine the use of cigarettes by students, for they are engaging in an unhealthy practice. Also, students who start smoking tobacco early are more prone to try other drugs, particularly marijuana, than students who do not use tobacco products.

Table 5.1: 30-Day Use of Tobacco

| DRUG | 6th | 7th | 8th | 9th | 10th | 11th | 12th |
|-------------------|-----|-----|------|------|------|------|------|
| Any Tobacco | 4.6 | 7.1 | 12.1 | 20.1 | 23.9 | 28.8 | 31.6 |
| Cigarettes | 3.8 | 5.7 | 9.8 | 15.8 | 19.7 | 23.7 | 26.9 |
| Smokeless Tobacco | 2.4 | 2.7 | 4.4 | 8.4 | 8.7 | 10.7 | 10.8 |
| Cigars | 2.4 | 2.4 | 4.4 | 7.5 | 9.3 | 11.7 | 13.6 |

Additional information about frequency of cigarette smoking by your students may be found in the Percentage Tables chapter of your Pride report.

Locations and Times of Tobacco Use

A knowledge of the patterns of adolescent tobacco use is important when planning and implementing prevention programs. Two of the most important questions that were asked on the *Pride Surveys* were *Where* and *When* various drugs are used. Students were asked to respond to various locations and times they used tobacco products. Responses to *Where* students used gateway drugs included *At Home, At School, In a Car, Friend's House and Other* places in the community. Time of use responses consisted of *Before School, During School, After School, Week Nights and Weekends*. This information is important in providing insight into the use patterns of tobacco products by your students.

Although there was some variation, students who smoked cigarettes reported smoking at most locations and times. This finding may be explained by the highly addictive nature of the nicotine in tobacco, the non-intoxicating effects of smoking tobacco (as opposed to the intoxicating effects of alcohol), and adult tolerance for possession and use of tobacco products by minors. However, as explained earlier, cigarette smoking does present health hazards for the users and for those who share a common environment.

Table 5.2: Reported Location of Any Tobacco Use For Your Students

| LOCATION | 6th | 7th | 8th | 9th | 10th | 11th | 12th |
|----------------|-----|-----|------|------|------|------|------|
| At Home | 4.6 | 6.5 | 9.9 | 15.3 | 16.0 | 18.2 | 18.7 |
| At School | 1.1 | 1.1 | 2.0 | 5.2 | 6.9 | 7.9 | 7.9 |
| In a Car | 1.3 | 2.0 | 4.2 | 8.5 | 13.7 | 19.1 | 23.1 |
| Friend's House | 4.0 | 6.8 | 11.0 | 15.6 | 19.1 | 22.5 | 23.9 |
| Other | 4.4 | 6.8 | 10.2 | 13.4 | 16.2 | 19.0 | 19.3 |

Table 5.3: Reported Times of Any Tobacco Use For Your Students

| TIME | 6th | 7th | 8th | 9th | 10th | 11th | 12th |
|---------------|-----|-----|------|------|------|------|------|
| Before School | 1.4 | 1.9 | 3.7 | 7.6 | 9.6 | 12.5 | 14.3 |
| During School | 1.2 | 1.0 | 1.8 | 4.9 | 6.6 | 7.8 | 8.0 |
| After School | 2.6 | 4.9 | 8.4 | 13.3 | 15.4 | 19.1 | 20.5 |
| Week Night | 2.1 | 3.3 | 6.1 | 9.7 | 12.2 | 15.6 | 18.2 |
| Weekend | 5.8 | 9.7 | 14.3 | 19.8 | 23.7 | 28.0 | 30.6 |

5.2.2 Alcohol

Harmful Effects of Alcohol

Alcohol is a central nervous system depressant, which relaxes the inhibiting and controlling mechanisms of the brain. The effects of drinking alcohol depend on the amount consumed, body size, food intake, age, genetic susceptibility, and tolerance. Alcohol is metabolized at the rate of about 1/2 ounce per hour, and coffee, tea, or cold showers will not speed up this process. The effects of drinking alcohol can range from mild intoxication, to mental confusion, to aggression, to respiratory depression and death. Repeated or chronic use of alcohol may cause damage to the liver, brain, stomach, skin, and other systems of the body.

The sources of alcohol most available to youth for consumption are beer, wine or wine coolers, and various forms of liquor. It is important for youth and

adults to understand that sources with lower percentages of alcohol, such as beer and wine coolers, are equally as capable of causing intoxication and dependency as liquor. However, there appears to be a progression of alcohol use that begins with beer or wine coolers and on to liquor. Drinking liquor produces higher levels of intoxication, probably due to its higher concentration of alcohol.

Since the human body builds a tolerance to alcohol, there is a potential for addiction for those who drink. This risk of addiction is greater for the developing adolescent than for mature adults. Junior and senior high students who use alcohol run the risk of delaying or retarding their normal physical, mental and social development. Drinking and driving is a popular practice among teenagers, and alcohol-related accidents are a major cause of death among 15- to 19-year-olds.

Frequency and Effects of Alcohol Use


Although drinking alcoholic beverages is illegal for minors, beer, wine coolers, and liquor are popular intoxicants for students. It should be kept in mind that these data are from 12- to 18-year-old students. Not only are they minors under the law, and therefore violating the law when using alcohol, but they are also young adolescents who are abusing alcohol at least once a month or more often.

Table 5.4: 30-Day Use of Alcohol


| DRUG | 6th | 7th | 8th | 9th | 10th | 11th | 12th |
|-------------------------|-----|-----|------|------|------|------|------|
| Any Alcohol | 5.6 | 9.2 | 15.7 | 24.8 | 32.9 | 38.4 | 44.1 |
| Beer | 4.1 | 6.9 | 12.1 | 20.1 | 27.4 | 32.7 | 37.7 |
| Coolers, Breezers, etc. | 3.9 | 6.3 | 11.7 | 17.9 | 24.0 | 27.3 | 30.5 |
| Liquor | 3.0 | 5.0 | 9.9 | 17.8 | 25.7 | 31.1 | 35.6 |

YOUR NOTES:

30-Day Use of Any Alcohol, Beer, Coolers and Liquor



Location of Any Alcohol Use




Locations and Times of Alcohol Use

Drinking alcoholic beverages can produce a mind-altered or intoxicated state. Given the impairment in thinking and judgement produced by alcohol intoxication, time of use is an important consideration for targeting prevention activities. Figures 5-3 through 5-4 contain percentage data for the times of alcohol use as reported by junior and senior high students in your community.

It is important to note that past research indicates that *At School* is the least popular location for use and *During School* is the least popular time of use. *Weekends* tends to be the most popular time of use and *At Home* tends to be the most popular with younger students while *Friend's House* and *Other* tends to be the most popular with older students. These data strongly support the concept of parent and community involvement in reducing alcohol use by youth.

Time of Any Alcohol Use



Availability of Tobacco Products & Alcohol

The question of availability of tobacco products has been included on the **Pride Surveys**. In many communities, cigarettes are purchased by minors from vending machines in public places without fear of reprisal.

Students were asked to report how easy it was for them to get alcohol, specifically in the forms of beer, coolers, breezers, etc. and liquor. Students could respond that they *Cannot Get* alcohol, or that alcohol was *Very Difficult*, *Fairly Difficult*, *Fairly Easy*, or *Very Easy* to get. The following table provides the percentages of students who responded to the *Fairly Easy* or *Very Easy* categories for obtaining tobacco products as well as beer, wine coolers, liquor, and marijuana.

Use of tobacco products and alcohol by minors is illegal, yet they are readily available to students. Popular culture condones and often encourages the use of tobacco and alcohol. While it is important to discourage the illegal use of tobacco and alcohol through formal education and community prevention programs, it is also important to reduce the ease by which students may obtain tobacco and alcohol products, whether from home or a neighbor's home, or from merchants that sell alcoholic beverages to minors. Cooperation of parents, students, and educators with local, state, and federal law enforcement agencies should play an important role in reducing the availability of gateway drugs to students.

Table 5.5: Pct of Students Reporting *Fairly Easy* or *Very Easy* to Get Tobacco and Alcohol

| DRUG | 6th | 7th | 8th | 9th | 10th | 11th | 12th |
|-------------------------|------|------|------|------|------|------|------|
| Any Tobacco | 19.0 | 26.4 | 36.1 | 47.7 | 57.5 | 66.0 | 73.5 |
| Any Alcohol | 24.8 | 33.5 | 45.4 | 55.6 | 64.9 | 70.9 | 75.3 |
| Beer | 22.1 | 29.5 | 40.4 | 50.5 | 60.4 | 66.9 | 72.3 |
| Coolers, Breezers, etc. | 14.9 | 21.5 | 34.0 | 45.4 | 55.8 | 63.5 | 69.5 |
| Liquor | 13.6 | 20.3 | 30.4 | 42.3 | 53.5 | 61.7 | 67.1 |

YOUR NOTES:

5.2.3 Marijuana

Harmful Effects of Marijuana

Marijuana is a crude drug made from the *cannabis sativa* plant, and it contains more than 400 known chemicals. Seventy or more of these chemicals, called "cannabinoids," are found only in the cannabis plant, and in recent years we have learned much about their effect on the human body. One of the cannabinoids, THC (delta-9-tetrahydrocannabinol), is the major mind-altering chemical in marijuana.

Street names for marijuana include *pot*, *grass*, and *weed*. Smoking pot became popular with college age students during the late 60's and early 70's. By the middle 70's the age of users had dropped to junior high and even elementary school levels.


The marijuana used in the 1960's was often quite low in THC content, ranging from .25 to 1 percent, and few health hazards were documented during that period. In the early 1970's, the Mexican marijuana coming into the country averaged 1 to 2 percent THC content. After 1975, Colombian marijuana became more prominent, and it ranged from 3 to 6 percent in THC content. Presently, we have marijuana (a variety called *Sinsemilla*) being grown in the U.S. with THC levels of more than 24 percent. Because of the stronger, more potent varieties now available, the intoxicating and health effects of smoking marijuana have increased dramatically. More students are receiving treatment for marijuana addiction than for alcohol addiction.

The THC and other cannabinoids are fat-soluble chemicals and accumulate in the fatty linings of cells. They are metabolized very slowly, and may stay in the body four to six weeks. Thus, the students who smoke pot *only on weekends* will gradually accumulate THC content in their body cells. This build-up of THC is unlike the effect of alcohol, which is water-soluble and metabolized out of the body much more quickly (usually within 24 hours).

Accumulation of THC in the body affects those areas where there is an

accumulation of fatty cells, such as the brain, heart, lungs and reproductive systems. The effect of this drug is even more severe on developing adolescents in junior and senior high school. Not surprisingly, recent research indicates that regular marijuana use reduces the mental efficiency of students and may increase their susceptibility to infection and disease, by interfering with their immune system.


Production and use of marijuana is illegal in the United States and most other countries around the world. The following table contains data on your students' use of marijuana at least once a month or more often.



Location and Time of Marijuana Use


Location and time of marijuana use followed a similar pattern to that of alcohol use, although the percentage of students who reported smoking marijuana was considerably less than the percentage who reported drinking alcohol.

Location of Marijuana Use



Source: Pride Surveys

Time of Any Marijuana Use



Source: Pride Surveys


Friends' Use & Age of Onset of Use of Marijuana

Often, marijuana and other illicit drug use will occur within a friendship circle and those who report use among friends are more likely to use. Past analysis shows that marijuana is by far the most commonly used of illicit drugs. The following graphs presents percentage data on friends' use of your students.

It is important to remember that early use is an indicator of increased risk for addiction. Figure 5-8 presents data on age of onset of use of marijuana for your students.

YOUR NOTES:

Friends' Use of Marijuana



Source: Pride Surveys

5.3 Other Illicit Drugs

As stated in the previous section, marijuana is the illicit drug most used by junior and senior high students. However, many marijuana users become multiple drug users. Knowledge of the nature and extent of such illicit drug use is very important in gaining a perspective on the overall adolescent drug problem in your community. It will also provide you with information on the percentages of your students who are drug dependent or who are at high risk of becoming drug dependent and in need of professional help.

The other illicit drug categories included in *The Pride Surveys Questionnaire for Grades 6-12* are as follows:

| | |
|---------------|--------------------------|
| Cocaine | including crack, |
| Uppers | stimulants, |
| Downers | depressants, |
| Inhalants | such as glue or solvents |
| Hallucinogens | including LSD and PCP |
| Heroin | opiates |
| Steroids | |
| Ecstasy | MDMA |
| OxyContin | |
| Meth | ice, crank, etc. |

Additional information on all categories of drugs obtained from your survey may be found in the tabular report.

5.3.1 Cocaine, Uppers, and Downers

Harmful Effects of Cocaine, Uppers, and Downers

Use of illicit drugs by adolescents is extremely dangerous. The illicit drugs discussed in this section are highly toxic, addictive, and often cause dramatic and unpredictable changes in behavior. Where gateway drugs may require a period of months or years to cause physical or psychological damage, these more toxic drugs may cause addiction, permanent damage, or even death with their early use. Since most of these drugs are produced and distributed illegally, their purity and chemical content are unknown. They are often contaminated with dangerous chemicals.

Much evidence suggests that drug abuse and addiction is a progressive process that begins with gateway drugs (for example: tobacco products, beer, wine coolers, liquor, and marijuana) and continues into the more unpredictable forms of illicit drugs such as cocaine (including crack) and hallucinogens, such as PCP and LSD. Adolescents frequently use an assortment of drugs such as alcohol, marijuana and cocaine, creating an even more dangerous and unpredictable effect. Students who use these illicit drugs or combinations of drugs are at very high risk of dependency and are in need of professional help. If left untreated, they are likely to suffer permanent physical damage to body systems and cause continued stress on the family unit.

In addition to the detrimental health and social effects, use of illicit drugs is related to local criminal activity and is a major contributor to organized crime and terrorism in the U.S. and abroad. Illicit drug use should not be tolerated. One example of social movement against a drug is the growing intolerance of cigarette and tobacco use. We should adopt this attitude and apply it to illicit drugs as well.

Harmful Effects of Cocaine

Cocaine is an alkaloid extracted from the leaf of the coca bush, which is cultivated at high altitudes in the Andes Mountains of South America. The alkaloid is a powerful stimulant to the central nervous system with mind-altering and energy-producing characteristics. Coca leaves contain only a small amount of the mind-altering chemical, but the extraction and purification of cocaine produces a new and immensely more powerful drug.

Cocaine, sometimes called *coke* or *snow*, is usually snorted or inhaled through a special pipe. An inexpensive form of cocaine called *crack* has become very popular. Crack cocaine can be smoked and produces a more immediate and powerful *high* than snorting. Cocaine acts directly on the limbic system or *old brain* where the chemical centers for instinctive pleasure are located. Use of cocaine produces a surge of energy, pleasure and sense of confidence. After about a twenty-minute high, the drug withdraws rapidly from the brain, making the user feel depressed, irritable and fatigued – a condition called the *coke crash*.

Cocaine is both psychologically and physically addictive. In the early 70's, the small supply and low purity of cocaine available in the U.S. led many so-called experts to claim that cocaine was non-addictive. Today, cocaine has proven to be one of the most addictive drugs, if not **the** most addictive. The *crack* form of the drug speeds up the process of addiction or dependence.

Harmful Effects of Uppers

The term "uppers" refers to a category of drugs broadly defined as central nervous system stimulants. The stronger stimulants are drugs such as amphetamines with street names like *speed*, *bennies*, *dexies*, *white crosses* and *crystal*. They are usually taken in capsule form, but may be sniffed or injected. Milder forms of stimulants are caffeine, ephedrine and phenylpropanolamine. Common over-the-counter and prescription forms of stimulants are diet pills and stay-awake pills.

Uppers increase heart rate, breathing rate and blood pressure; dilate pupils; and decrease appetite. The user can also experience headache, sweating, blurred vision, dizziness, sleeplessness, and anxiety. People who use large amounts of amphetamines over a long period of time also develop hallucinations, delusions, and paranoia. They exhibit bizarre and sometimes violent behavior. Withdrawal produces fatigue, irritability, paranoia, and depression. Use of uppers, particularly amphetamines, can lead to physical and psychological dependency.

Harmful Effects of Downers

Downers refer to a category of drugs commonly known as depressants. These drugs depress or slow down the body's functions and when abused (i.e., their non-medical use) can cause slurred speech, staggering, poor judgement, and slow or uncertain reflexes (reactions similar to alcohol intoxication). Downers include barbiturates, such as secobarbital or phenobarbital; benzodiazepines, such as Valium, Librium and other drugs that have similar properties. Sleeping pills, tranquilizers, and muscle relaxants are examples of downers.

Mixing alcohol and downers poses a particularly dangerous drug use combination. For example, the use of barbiturates and other depressants, such as alcohol, multiplies the effects and increases the chance of alcoholism and drug dependency. Moreover, combined use greatly increases the risk of death by overdose, whether accidental or deliberate.


Frequency and Effects of Cocaine, Uppers and Downers

The illicit drugs in this section have been grouped for convenience and efficiency of discussion. Cocaine, uppers and downers will be discussed together, and inhalants, hallucinogens, heroin and steroids will be discussed together. Although these drugs have differing effects (see preceding discussion), they are often similar in their patterns of use.

Although there is much media coverage about the use of cocaine (especially "crack" cocaine), the percentage of students who reported using cocaine is low in comparison to the gateway drugs.

The percentage data for students who reported using cocaine, uppers and downers within the past year is contained in Figure 5.9. The expected pattern of higher drug use by senior high students than by junior high students is evident from the tables in the tabular report. For more detailed data on frequency of use of cocaine, uppers, and downers by your students, refer to the Percentage Tables chapter of your Pride Report.

Monthly Use of Cocaine, Uppers and Downers



Source: Pride Surveys

YOUR NOTES:

Availability of Cocaine and Meth

Students were asked to respond to the question, *How easy is it to get* illicit drugs. Students could respond that they *Cannot Get* illicit drugs, or that illicit drugs were *Very Difficult*, *Fairly Difficult*, *Fairly Easy*, or *Very Easy* to get. Student responses to the two categories of *Fairly Easy* and *Very Easy* were combined to provide a measure of the availability of illicit drugs in your community.

Cocaine, uppers, and downers are dangerous illicit drugs, subject to criminal charges for possession, use, distribution, and sales. Under such conditions, one would assume these drugs to be virtually unavailable to students.

Percentages of your students reporting cocaine and meth as *Fairly Easy* or *Very Easy* to get are contained in Table 5.8. It should be remembered that availability is a major factor in drug use - students are more likely to use drugs if they are readily available. The fact that tobacco and alcohol are the most available and the most widely used drugs is evidence of this point.

Table 5.6: Pct. of Students Reporting *Fairly Easy* or *Very Easy* to Get Cocaine and Meth

| DRUG | 6th | 7th | 8th | 9th | 10th | 11th | 12th |
|---------|-----|-----|------|------|------|------|------|
| Cocaine | 5.6 | 6.8 | 10.3 | 14.5 | 18.4 | 24.0 | 26.3 |
| Meth | 5.4 | 6.1 | 8.8 | 12.2 | 14.7 | 19.6 | 20.4 |

YOUR NOTES:

5.4 The Media and Data Presentation

Your school-based survey results can be utilized in many ways to promote and support drug and alcohol abuse prevention in your community. The results of this survey should be made available to the public in a timely fashion.

Therefore, Section 4 of this chapter is devoted to assisting you in utilizing your survey findings to make the community more aware of the extent and nature of adolescent alcohol and other drug use.

5.4.1 Community Awareness

Community awareness that a drug problem exists is important when mobilizing the various components of a community in a planned, systematic process to reduce alcohol and other drug use by youth. Unless the community is convinced that the problem is serious, real, and local – i.e., a threat to their children, families and friends – it is less likely that meaningful community involvement or support will occur. Community awareness involves informing as many people as possible of the extent and nature of the adolescent drug problem. Information collected by your survey of student drug use is very important in community awareness. It is also important for members of the community to understand the harmful nature of drug use. Both information about the harmful affects of drug use and the extent of local drug use is contained in Sections 2 and 3 of this chapter.

Two of the most effective means of conducting community awareness is through electronic and print media and through presentations to community groups such as parent and school groups, civic and business organizations, community coalitions and church groups. Section 4 is designed to assist you in these activities. Section 4.2. contains information about how you can work with the media in releasing your survey data and Section 4.3. contains information to assist you with presentations to various groups in your community. Of course, these are suggestions and you may want to change or modify the suggestions. For example, as you monitor the drug problem through multiple annual surveys, these data can be added to your press releases and presentations.

5.4.2 The Media

What is generally referred to as *The Media* includes the traditional print media (such as, newspapers, magazines, and newsletters), and electronic media (such as, television, radio, wire services, and web sites). Non-traditional sources may include billboards, t-shirts, posters, pay-roll stuffers, grocery bags, hand bills, etc. The most common of these media used to communicate survey results have been local newspaper news articles and editorials, local television and radio news casts, talk-shows, and interviews.

HOW TO GET STARTED!

You can set a date for the announcement of your school data. Choose a *slow news day* when nothing major is scheduled in the community. Mid-morning on Tuesday may be a good time, giving the reporters time to prepare their stories for an afternoon or early morning edition of the newspaper, or an early evening broadcast or telecast.

Develop a local news media profile, showing the names, addresses, phone numbers and contact persons for each newspaper, station and type of program. Keep up with times you contact each one, news releases or other materials you provide them, and what the next steps will be toward giving your topic coverage. Good sources for help in developing your news media profile are the yellow pages, locally-published media directories, or media profiles already available from communications/public relations professionals.

HOW TO WRITE A NEWS RELEASE

Your next step is to prepare a news release on the survey results. A sample news release is included in Appendix B. The following guidelines may assist you in preparing a news release:

1. Use standard-size 8 1/2 by 11 white paper, and type the release double spaced on one side only. The first page should contain the name and address of your school/organization (letterhead is fine). If special News

Release paper is available, use it.

2. Name a contact person and his/her office and home phone numbers in the upper right hand corner of the first page. Ideally, this is the person who prepared the news release. Make sure the contact person has agreed to handle possible follow-up calls from the media.
3. Write FOR IMMEDIATE RELEASE in the upper left hand corner of the first page unless you have planned a certain day and time to announce the survey results, perhaps at a news conference or some other event. If that is the case, write FOR RELEASE (DATE and TIME). The media are accustomed to respecting your release time.
4. Give the news release a brief two or three line title, centered in all caps and bold for emphasis.
5. Be brief with what you write – one to three pages, double spaced. Most releases do not exceed two pages, but questionnaire data are hard to summarize and may take an additional page.
6. Write in the active voice and use short sentences and paragraphs.
7. Write MORE at the bottom of each page except the last one to let the reporter know there is more than one page to the release. Type -30- or ## in the center of the last page below the last paragraph.
8. Proofread carefully. Reporters are wary of releases that contain typographical errors, misspellings, or crossouts.

TIPS FOR WRITING YOUR NEWS RELEASE

1. Traditionally, news releases are written in the "inverted pyramid style." This means that the more important information comes first in case the reporter doesn't have space or time for the entire release and wants to "cut" it from the bottom.

2. Include at least two of the five W's (Who, What, Where, When, and Why) in the lead (first) paragraph. Your lead paragraph should grab the reporter's attention and make him/her want to read and report the news the release contains.
3. The second paragraph should answer the other W's.
4. Identify your spokesperson no later than the third paragraph.
5. Use quotes to make an emotional point or state an opinion. A good news release contains two to four quotes. Remember to obtain the quoted person's permission, and let him/her know when the news will be released so that he/she can be prepared to respond to any media calls for additional details.
6. The last paragraph should include background information on your school or organization – a "commercial" for the work you are doing. Include purpose, size, non-profit status or other pertinent information.
7. Double-check names, dates, places, numbers, and quotes for accuracy. Your credibility as a source of information is jeopardized when details of a news release are inaccurate.

Send an original copy of the news release to all appropriate names on your media list. Follow-up by phone is important to make sure the release arrived, answer any questions, provide more information, and offer spokespeople to be interviewed by phone or in person.

End your conversation by thanking the reporter or editor for his/her time and interest. And, when the story appears in print or on the air, phone or write the reporter/editor a brief but sincere "thank you." Remember, a well written news release containing valid and interesting data should receive wide distribution in the news media.

SPECIALIZED PUBLICATIONS AND NEWS CONFERENCES

In addition to the news media in your community, there will be a number of specialized publications that will be interested in your survey data. They

include school and school system newsletters and other publications, community magazines, club and organization newsletters, and church bulletins. Don't forget to send them an original copy of your news release.

A News Conference gives your group the opportunity to release important information to all the news media at once. Here are some tips for setting up a news conference:

- Schedule the news conference for a *slow news time*. You will be more likely to get a good turnout of reporters.
- Select a location appropriate for your announcement. In the case of a student drug use report that has implications for the entire community, you may want to consider the school, City Hall, or some youth oriented site in the community.
- Develop a good presentation. Include your key spokespeople, but also include parents and young people who represent the populations affected by the survey announcement.
- Develop a Media Alert to let reporters/editors know about the conference, and notify them 5 to 7 days in advance.
- Phone the media to remind them to schedule the news conference on their calendars.
- Develop an information packet to distribute to the media at the conference and to others who are unable to attend. Include your news release, fact sheets and brochures, and recent news clippings on the drug problem. You may want to provide biographies of your leaders and/or spokespeople.

EDITORIALS, LETTERS TO THE EDITOR, AND PUBLIC SERVICE ANNOUNCEMENTS

Editorials in newspapers and on radio and television express definite opinions on important issues that face the community. Editorials may be produced

by the media from materials you provide to them, or you may be asked to read your own editorial on radio or television as a "community comment." Opinion pages in newspapers and letters to the editor are other good ways to express your viewpoint on the problem of early adolescent alcohol and drug use in the community.

Radio and television make time available to local nonprofit groups for free announcements that benefit the community by providing needed information or linking individuals with services. Your student drug use report will be of interest to Public Service Directors of radio and television who may decide to air public service announcements (PSA's) to heighten the community awareness about prevalence and patterns of elementary school students' use of gateway drugs.

5.4.3 Presentations to School/Community Groups

An excellent means of reaching the community leadership is through presentations to school, parent, civic, business, and religious groups. These groups are concerned with community issues, particularly those related to the safety and welfare of youth. Often these organizations will invite prevention leaders to speak at their meetings. While media coverage will help to make known your prevention efforts, you will want to contact appropriate groups and organizations in your community to offer a program on student drug and alcohol abuse and strategies for combating it.

The interests, needs, and abilities of your audience should be kept in mind when preparing your presentation. For example, parents are concerned about drug use that may affect their children and their children's friends; business leaders are mindful of the need for a drug-free work force that includes workers' children and future workers.

Select a poised, articulate spokesperson who is thoroughly familiar with the student data. The graphs, tables, and narrative discussion of the data in this report should assist the speaker in presenting pertinent and meaningful information. Such presentations are easy to prepare and deliver, and

will make the presentation more interesting and informative to the audience. Necessary arrangements should be made with the organization's program chairman. Background information (perhaps a news release) could help the group to promote your presentation among its membership.

GUIDELINES FOR PRESENTATION OF STUDENT DRUG USE RESULTS

Length of Presentation

An important consideration in preparing a presentation is the length of time you are expected to address the group. Usually civic and business groups have a limited time available for a program – as little as 5 or 10 minutes in some cases. This means only a fraction of the information may be presented. Once again, concentrate on the type of audience and what you think they will be interested in and need to hear. It is more important to leave the audience wanting to know more than having them feeling uncomfortable by exceeding your allotted time. If possible, leave a few minutes for questions at the end of your presentation, and always promise to provide additional information through print materials or a return appearance.

Matching Survey Results to the Audience

In structuring your presentation, keep in mind your audience. If the presentation is to teachers and administrators, you may want to emphasize students' perceptions of the harmful effects of gateway drug use. Teachers and administrators will be interested in how often students say they talk to teachers about the harmful effects of drug use. Elementary students' perceptions of where and how they get gateway drugs are important to determine if such perceptions are realistic.

If the presentation is targeted to parents, frequency of use and availability of drugs are important data to share. Help parents to realize their responsibility for their child's actions regarding gateway drug use and the importance of becoming involved in community drug prevention programs. Civic and business groups, law enforcement officers, and court officials will be particularly interested in the current use and availability of gateway drugs to minors.

Organizing Survey Results

Graphs are very effective in communicating the meaning of data. They enable audiences to "see" the relationship you are explaining. Bar graphs located in this report can be utilized in describing gateway drug use. However, you can lose the audience's attention with too many graphs. Tables are also effective if they are kept simple.

Short sentences or phrases called *bullets* are an excellent way to communicate your findings. Bullets can stand alone, be included in a list of findings, or accompany a graph or table. The following are examples of *bullets* that can be used in presentations:

- ONE IN FIVE STUDENTS IN GRADES SEVEN AND EIGHT REPORTED USING BEER AND/OR WINE COOLERS WITHIN THE PAST YEAR
- ONLY ONE PERCENT OF (–YOUR SCHOOL NAME–) STUDENTS IN GRADES FOUR THROUGH SIX REPORTED USING MARIJUANA WITHIN THE PAST YEAR
- OVER ONE-THIRD OF STUDENTS IN UPPER ELEMENTARY SCHOOL REPORTED THAT BEER AND WINE COOLERS WERE EASY TO GET BY THEIR PEERS AND NEARLY ONE-FOURTH INDICATED LIQUOR WAS EASY TO GET
- ONE-FOURTH OF SEVENTH GRADE STUDENTS IN –YOUR SCHOOL NAME– REPORTED MARIJUANA AS EASILY ACCESSIBLE TO THEIR PEERS

A combination of graphics, tables and bullets are suggested in a presentation to add variety and keep audience attention. It should be kept in mind that a good presentation is:

- straightforward
- easy to understand

- relevant to the interests of the audience
- supportive of local drug efforts.

Using Visual Aids

When presenting statistical data, it is advisable to use some visual aids. These may range from a simple handout to more elaborate aids, depending upon the resources and time available to the school or other organizations concerned with drug abuse prevention. A single visual aid may be used, or combination aids may be chosen when preparing for a presentation. Often the time parameters may determine what and how many visual aids can be used. However, you should be cautious not to use too many visual aids or rely too heavily on the aids so that the information presented and flow of the presentation is diminished.

The following are types of presentation aids that you may want to consider:

1. **PowerPoint Presentations** – have become popular, but require special equipment, (i.e. laptop computer with projector). One of the advantages of a PowerPoint Presentation is that handouts can be generated directly from the presentation without the need to prepare them separately;
2. **Handouts** – are useful in addition to other types of aids and are easy to transport, and provide a *take-home* product, but can be expensive to produce, may be difficult to utilize with large audiences, and may distract attention from your presentation;
3. **Overhead transparencies** – are easy and inexpensive to make, can be viewed by large audiences, but can be cumbersome to use and require an on-site projector and screen;
4. **Flip charts and poster boards** – are easy to use, fairly easy to transport, and require no special equipment, but are sometimes expensive

and time consuming to make and can only be viewed by a relatively small audience;

5. **Slides** – are easy to use and can be viewed by large audiences, but are difficult and expensive to make, and require an on-site projector and screen;
6. **Video tapes** – provide a *canned*, consistent approach to a topic, utilize *expertise* of presenter(s) on tape, and are easy to use, but are very time consuming and expensive to make, require technical expertise for quality product, require on-site play-back equipment, and may be difficult to use with large audiences.

YOUR NOTES:

5.4.4 Sample Press Release

FOR RELEASE *(Time)*
(Date)

(Contact Name)
(Phone)

MOST DRUG AND ALCOHOL USE OCCURS OUTSIDE SCHOOL ENVIRONMENT

(City), (State), (Date) – Students in grades ____ in *(Name of School System)* use drugs and alcohol at nights and weekends, but few of them report ever taking drugs or alcohol during school hours.

"The results of our survey indicates that we have a community drug problem in *(Locality)*, not just a school drug problem," said *(Name & Title of School Official)*.

More than (approximate # students surveyed) students were surveyed in grades ____ through ____ to determine the extent and nature of drug use by adolescents in this community. Nationally, Pride Surveys, the research group that developed the Questionnaire used in this survey, found that students report drug use primarily at two specific times: "Week Nights" and "Weekends". Very little use is reported during school.

*** MORE ***

** Page 2 **

Although few drugs are consumed during school hours, the survey detected both drug and alcohol use outside of school, according to *(Last Name of School Official)*.

Alcohol remained the "drug of choice" of the young people surveyed in *(Locality)*.

____ percent of the senior high students (grades ____) drank beer in the past year;

* ____ percent reported liquor use;

* ____ percent drank wine coolers.

In junior high (grades ____), ____ percent drank beer; ____ percent drank liquor; and ____ percent drank wine coolers.

Cocaine and Marijuana

Local students reported less use of cocaine than marijuana, but drug prevention specialists like Dr. Thomas J. Gleaton, Jr., president of Pride Surveys cautions that any use of cocaine is disturbing, particularly at young ages.

Marijuana use during the past year was reported by ____ percent of the students in senior high, and ____ percent in junior high. Cocaine was reported by ____ percent of the senior high students, and

*** MORE ***

** Page 3 **

_____ percent of the junior high students.

When

The most popular times for marijuana use were: weekends, _____ percent;
week nights, _____ percent; and after school, _____ percent.

The Pride Questionnaire

The Pride Questionnaire has undergone continuous development since 1982 and provides reliable and accurate information for monitoring adolescent drug use. Pride Surveys is America's largest survey of adolescent drug use. It is based in Bowling Green, Ky (1-800-279-6361). For additional information on national trends, visit the Pride Surveys website at www.pridesurveys.com.

##

Chapter 6

Drug-Free Communities Support Program Core Measures

The Drug-Free Communities Support Program, administered by the Center for Substance Abuse Prevention, requests specific data which is typically referred to as the Core Measures. The drug categories measured are tobacco, alcohol and marijuana. The first table is broken down by grade level and the second is broken down by gender. A *Combined* drug category has been created for all of these areas. The questions regarding *Availability* and *Friends' Use* are not typically part of the Core Measures but have been included at the request of school systems using the ***Pride Surveys Questionnaire***.

30-Day Use The question *How often do you use?* is used to measure this statistic by reporting the percentage of students who report using *Once a Month* or more often.

Perception of Risk The question *Do you feel the following drugs are harmful to your health?* is used to measure this statistic by reporting the percentage of students who report that using the drug is *Harmful* or *Very Harmful* to their health.

Perception of Disapproval The questions *How wrong would your parents feel it would be for you to use ...?* and *How wrong would your friends feel it would be for you to use ...?* are used to measure this statistic by reporting the percentage of students who report that parents/friends would feel it is *Wrong* or *Very Wrong* to use tobacco, alcohol and marijuana.

Age of Onset The question *At what age did you first use...?* is used to measure this statistic. The possible responses to this question range from *10 or Under* to *17 or Older*. The table shows the average age of onset of use of those students who answered the question with a response other than *Never Used*.

Availability The question *How easy is it to get...?* is used to measure this statistic by reporting the percentage of students who report that the drug is *Fairly Easy* or *Very Easy* to get.

Friends' Use The question *Do your friends use...* is used to measure this statistic by reporting the percentage of students who report that their friends *Never* use tobacco or illicit drugs and *Never* or *Seldom* use alcohol.

Table 6.1: Outcome Measures by Grade

| Outcomes | Substance | Grade 6 | | Grade 7 | | Grade 8 | | Grade 9 | | Grade 10 | | Grade 11 | | Grade 12 | | Combined Grades | |
|------------------------------------|-----------|---------|-------|---------|-------|---------|-------|---------|-------|----------|-------|----------|-------|----------|------|-----------------|-------|
| | | % | n | % | n | % | n | % | n | % | n | % | n | % | n | % | n |
| 30-Day Use | Alcohol | 5.6 | 14073 | 9.2 | 18847 | 15.7 | 21075 | 24.8 | 11967 | 32.9 | 12631 | 38.4 | 10283 | 44.1 | 7859 | 21.1 | 96735 |
| | Tobacco | 4.6 | 14090 | 7.1 | 18866 | 12.1 | 21086 | 20.1 | 11975 | 23.9 | 12636 | 28.8 | 10302 | 31.6 | 7868 | 15.9 | 96823 |
| | Marijuana | 2.3 | 14013 | 3.8 | 18752 | 7.5 | 20980 | 12.0 | 11887 | 16.4 | 12566 | 19.7 | 10216 | 19.5 | 7825 | 10.0 | 96239 |
| | Combined | 7.3 | 14106 | 12.0 | 18878 | 20.0 | 21107 | 31.2 | 11990 | 39.1 | 12647 | 45.0 | 10307 | 50.7 | 7873 | 25.6 | 96908 |
| Perception of Risk | Alcohol | 87.4 | 14013 | 82.9 | 18762 | 78.3 | 20942 | 72.5 | 11889 | 68.8 | 12537 | 66.7 | 10231 | 65.2 | 7789 | 76.3 | 96163 |
| | Tobacco | 92.4 | 14040 | 91.9 | 18781 | 90.0 | 20963 | 87.8 | 11902 | 86.9 | 12544 | 86.9 | 10239 | 86.7 | 7791 | 89.5 | 96260 |
| | Marijuana | 92.0 | 13938 | 89.8 | 18656 | 85.1 | 20865 | 77.3 | 11835 | 73.0 | 12482 | 68.6 | 10200 | 67.9 | 7763 | 81.3 | 95739 |
| | Combined | 95.1 | 14040 | 95.2 | 18792 | 94.4 | 20972 | 92.3 | 11909 | 91.6 | 12551 | 91.4 | 10246 | 91.3 | 7798 | 93.5 | 96308 |
| Perception of Parental Disapproval | Alcohol | 90.5 | 13325 | 89.5 | 18088 | 86.1 | 20428 | 80.8 | 11482 | 78.2 | 12224 | 74.8 | 9856 | 68.4 | 7545 | 83.1 | 92948 |
| | Tobacco | 93.3 | 13371 | 93.7 | 18118 | 91.9 | 20464 | 86.8 | 11517 | 85.8 | 12228 | 82.1 | 9861 | 77.4 | 7550 | 88.8 | 93109 |
| | Marijuana | 94.8 | 13310 | 95.4 | 18100 | 94.4 | 20419 | 91.6 | 11499 | 91.1 | 12209 | 89.1 | 9860 | 88.5 | 7530 | 92.8 | 92927 |
| | Combined | 95.1 | 13425 | 96.2 | 18201 | 95.7 | 20542 | 93.3 | 11568 | 93.4 | 12291 | 92.0 | 9923 | 91.1 | 7579 | 94.4 | 93529 |
| Age of Onset | Alcohol | 10.7 | 2938 | 11.2 | 5579 | 11.7 | 9023 | 12.3 | 6501 | 13.1 | 7855 | 13.5 | 6958 | 14.1 | 5704 | 12.5 | 44558 |
| | Tobacco | 10.7 | 1704 | 11.1 | 3454 | 11.6 | 5566 | 12.0 | 4386 | 12.7 | 5262 | 13.2 | 4984 | 13.7 | 4069 | 12.3 | 29425 |
| | Marijuana | 11.3 | 470 | 11.8 | 1251 | 12.3 | 2659 | 12.8 | 2405 | 13.5 | 3490 | 14.0 | 3518 | 14.4 | 2840 | 13.3 | 16633 |
| Perception of Peer Disapproval | Alcohol | 83.2 | 13058 | 74.4 | 17762 | 60.6 | 20119 | 45.6 | 11362 | 36.4 | 12067 | 31.0 | 9740 | 26.6 | 7482 | 55.5 | 91590 |
| | Tobacco | 85.5 | 13073 | 79.2 | 17790 | 69.7 | 20143 | 56.3 | 11384 | 50.2 | 12082 | 43.3 | 9756 | 39.6 | 7483 | 64.3 | 91711 |
| | Marijuana | 89.2 | 13057 | 85.0 | 17754 | 76.2 | 20111 | 65.6 | 11367 | 58.5 | 12060 | 52.6 | 9741 | 52.0 | 7468 | 71.6 | 91558 |
| | Combined | 90.2 | 13156 | 86.7 | 17879 | 79.1 | 20249 | 69.6 | 11447 | 63.5 | 12146 | 58.0 | 9816 | 56.6 | 7518 | 74.8 | 92211 |
| Availability | Alcohol | 24.8 | 13534 | 33.5 | 18310 | 45.4 | 20673 | 55.6 | 11677 | 64.9 | 12401 | 70.9 | 10047 | 75.3 | 7679 | 49.1 | 94321 |
| | Tobacco | 19.0 | 13488 | 26.4 | 18236 | 36.1 | 20619 | 47.7 | 11642 | 57.5 | 12360 | 66.0 | 10003 | 73.5 | 7652 | 42.2 | 94000 |
| | Marijuana | 7.5 | 13452 | 12.1 | 18201 | 20.5 | 20571 | 31.7 | 11611 | 42.4 | 12323 | 52.7 | 9975 | 54.0 | 7644 | 27.4 | 93777 |
| | Combined | 28.5 | 13562 | 38.4 | 18349 | 51.0 | 20703 | 62.2 | 11702 | 71.1 | 12414 | 76.6 | 10061 | 81.4 | 7686 | 54.5 | 94477 |
| Perception of Peer Use | Alcohol | 88.9 | 13884 | 79.1 | 18616 | 64.0 | 20917 | 43.6 | 11880 | 31.8 | 12570 | 24.7 | 10230 | 21.3 | 7829 | 56.1 | 95926 |
| | Tobacco | 80.4 | 13888 | 67.4 | 18656 | 52.7 | 20911 | 32.6 | 11880 | 26.5 | 12581 | 19.6 | 10242 | 17.4 | 7829 | 47.2 | 95987 |
| | Illicit | 93.1 | 13715 | 88.0 | 18302 | 80.1 | 20645 | 69.7 | 11714 | 63.0 | 12415 | 57.4 | 10118 | 58.2 | 7758 | 75.8 | 94667 |
| | Combined | 94.9 | 13982 | 90.7 | 18756 | 83.4 | 21029 | 72.5 | 11948 | 65.9 | 12627 | 59.9 | 10283 | 60.5 | 7856 | 78.5 | 96481 |

Table 6.2: Outcome Measures by Gender

| Outcomes | Substance | Male | | Female | | Combined Genders | |
|--|-----------|------|-------|--------|-------|---------------------|-------|
| | | % | n | % | n | % | n |
| 30-Day Use | Alcohol | 21.8 | 42137 | 19.0 | 43724 | 20.4 | 85861 |
| | Tobacco | 18.0 | 42165 | 12.7 | 43760 | 15.3 | 85925 |
| | Marijuana | 11.3 | 41874 | 8.0 | 43568 | 9.6 | 85442 |
| | Combined | 27.1 | 42209 | 22.6 | 43784 | 24.8 | 85993 |
| Perception of Risk | Alcohol | 74.8 | 41952 | 78.4 | 43408 | 76.6 | 85360 |
| | Tobacco | 88.1 | 41999 | 91.5 | 43444 | 89.8 | 85443 |
| | Marijuana | 78.9 | 41755 | 84.8 | 43254 | 81.9 | 85009 |
| | Combined | 92.3 | 42031 | 95.1 | 43447 | 93.7 | 85478 |
| Perception of Parental Disapproval | Alcohol | 81.7 | 40194 | 85.2 | 42451 | 83.5 | 82645 |
| | Tobacco | 86.6 | 40257 | 91.9 | 42525 | 89.3 | 82782 |
| | Marijuana | 91.7 | 40184 | 94.6 | 42438 | 93.2 | 82622 |
| | Combined | 93.3 | 40489 | 96.0 | 42636 | 94.7 | 83125 |
| Age of Onset | Alcohol | 12.3 | 18812 | 12.6 | 20115 | 12.5 | 38927 |
| | Tobacco | 12.2 | 13693 | 12.4 | 11734 | 12.3 | 25427 |
| | Marijuana | 13.1 | 7706 | 13.5 | 6560 | 13.3 | 14266 |
| Perception of Peer Disapproval | Alcohol | 53.9 | 39487 | 58.1 | 42045 | 56.1 | 81532 |
| | Tobacco | 59.7 | 39544 | 70.0 | 42100 | 65.0 | 81644 |
| | Marijuana | 68.7 | 39487 | 75.6 | 42028 | 72.3 | 81515 |
| | Combined | 71.6 | 39804 | 79.0 | 42255 | 75.4 | 82059 |
| Availability | Alcohol | 47.6 | 40987 | 49.8 | 42815 | 48.7 | 83802 |
| | Tobacco | 42.7 | 40825 | 40.9 | 42710 | 41.8 | 83535 |
| | Marijuana | 27.4 | 40735 | 26.3 | 42609 | 26.8 | 83344 |
| | Combined | 54.0 | 41060 | 54.2 | 42872 | 54.1 | 83932 |
| Perception of Peer Use | Alcohol | 57.6 | 41735 | 56.2 | 43436 | 56.9 | 85171 |
| | Tobacco | 46.0 | 41772 | 50.2 | 43440 | 48.1 | 85212 |
| | Illicit | 76.1 | 41224 | 76.5 | 42837 | 76.3 | 84061 |
| | Combined | 79.1 | 41998 | 78.9 | 43622 | 79.0 | 85620 |

Chapter 7

National Summary Statistics

7.1 Outline of Procedures Used to Obtain PRIDE National Summary Data

Since 1982, the PRIDE Survey has been used by schools, school systems, communities, and states, to gather data on student drug and alcohol use. In recent years, questions on violence and threatening behaviors have been added. The PRIDE Questionnaire for Grades 6-12 has been utilized by thousands of school systems across the United States, as well as in six other countries. Developmental studies (Adams, 1994; Craig and Emshoff, 1987; Metze, 2000) have indicated that the survey procedures developed by PRIDE result in reliable data on the prevalence and patterns of drug and alcohol use and other behaviors. Further, the evolution of PRIDE Questionnaires since 1980 not only provides research quality data, it provides information that can be easily used by educators, parents and others at the local school and community level to study and monitor the drug and alcohol use, and violent or threatening behaviors.

From the beginning, the PRIDE Survey has assisted local schools and communities with obtaining accurate, defensible information about the drug and alcohol use and related behaviors among their youth. The PRIDE Survey has been utilized by several state education and other government agencies in providing state-wide and regional information on student drug and alcohol

use and related behaviors. These state-wide surveys have included near-census studies as well as surveys employing sophisticated sampling designs. Survey results have been used in program and policy decision making at state and regional levels. In addition, each statewide survey also included reports to participating schools for use at the local school level.

Each year the PRIDE data is archived from each student questionnaire. This procedure allows local or state educational agencies to retrieve their data for multi-year comparisons should such a service be needed. This archiving process also provides for summary data to be compiled to create a national database. This national level summary data can be used by local and state clients as comparison data.

The PRIDE national archived data provide a rich source of information for the study of adolescent prevalence and patterns of drug and alcohol use and related behaviors. In the years prior to the 1989-90 school year, sample sizes of national annual summaries ranged from 14,815 in 1982-83 to 392,003 in 1988-89. The annual summaries for the past ten years involved a weighting system for states that conducted state-wide surveys and states where relatively large numbers of school systems used the PRIDE Questionnaire in local surveys. This weighting system was implemented to prevent any one state from having a disproportionate influence on annual summary results. Random samples were drawn from those states where disproportionately large

numbers of students were surveyed. Tables 1-3 contain information regarding national samples for the past ten years.

Table 1 contains the total number of students surveyed in Grades 6-12 for the ten-year period. The large number of total students surveyed in certain years reflects statewide surveys conducted in those years. Table 2 provides percentage information by state for those states that comprised the PRIDE national summaries for each of the ten years. No state contributed more than approximately 10% for any year. Table 3 provides a year by year comparison by sex and race. These demographic comparisons indicate no inordinate differences among years.

As indicated in the previous discussion, the purpose of the PRIDE Questionnaire was to assist state and local education agencies in conducting quality surveys of student prevalence and patterns of drug and alcohol use. Questions concerning violence and other threatening behaviors have been added to the questionnaires in recent years. The national annual summary reports represent large numbers of students who have completed the PRIDE Questionnaire using standardized procedures. While not randomly drawn, the sheer magnitude of the numbers represented in the annual summaries, suggest that these data take on the properties of the population. In addition, the samples appear to have somewhat similar patterns of students sampled across the various states (see Table 2). Discussion of sample sizes may be found in Guilford's *Fundamentals Statistics in Psychology and Education*. While it is desirable to have non-biased sampling, e.g., samples based on random procedures; this is not always possible. Guilford states:

Where there is less than customary experimental control of the observations, every possible effort should be made to know the conditions under which the data are obtained. Thorough knowledge of the conditions should be a basis for deciding whether selection of cases has been biased. (Page 140)

Probably the information that speaks most to consistent findings of the PRIDE annual summary analyses across the ten years, was the finding of other drug studies. For example, the PRIDE findings reflect similar findings of the NIDA funded studies conducted at the Institute for Social Research, University of Michigan, from the 1990-91 school year to the present.

7.2 National Summary Tables

This section contains tables of national summary statistics for the following:

- sample size for the past ten years,
- sex and race demographics for the past ten years,
- the sample distribution by state for the past ten years,
- comparisons of the frequency of drug use for the current year vs the previous year,
- chi-square analysis of the difference in use for the current year vs the previous year,
- violence summary for the current year and
- frequency of drug use for every year since the 1987-88 school year.

Table 7.1: Sample Sizes of Annual Summaries for Grades 6 thru 12

| Year | # Students Surveyed | *Sample |
|---------|---------------------|---------|
| 1997-98 | 162,623 | 154,350 |
| 1998-99 | 265,430 | 138,079 |
| 1999-00 | 183,781 | 114,318 |
| 2000-01 | 89,661 | 75,804 |
| 2001-02 | 320,169 | 101,882 |
| 2002-03 | 459,906 | 109,919 |
| 2003-04 | 503,732 | 114,402 |
| 2004-05 | 609,151 | 193,658 |
| 2005-06 | 407,741 | 101,141 |
| 2006-07 | 410,688 | 98,086 |

**Sample (number drawn from the total number of students)*

Table 7.2: Comparisons of Demographic Variables - Grades 6 thru 12

| | 97-98 | 98-99 | 99-00 | 00-01 | 01-02 | 02-03 | 03-04 | 04-05 | 05-06 | 06-07 |
|------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| SEX | | | | | | | | | | |
| Male | 49.6 | 49.3 | 48.7 | 49.4 | 49.2 | 48.5 | 48.8 | 48.9 | 48.5 | 49.2 |
| Female | 50.4 | 50.7 | 51.3 | 50.6 | 50.8 | 51.5 | 51.2 | 51.1 | 51.5 | 50.8 |
| RACE | | | | | | | | | | |
| African American | 9.8 | 10.6 | 15.2 | 12.5 | 14.2 | 18.2 | 17.9 | 17.3 | 18.1 | 15.3 |
| Asian | 3.0 | 4.9 | 2.4 | 2.5 | 2.5 | 2.3 | 2.6 | 2.5 | 3.2 | 2.4 |
| Hispanic | 5.9 | 7.0 | 6.9 | 5.0 | 5.5 | 6.7 | 5.3 | 4.9 | 7.6 | 8.7 |
| Mixed Origin* | | 4.9 | 4.9 | 4.7 | 4.5 | 3.8 | 3.7 | 4.0 | 4.5 | 4.6 |
| Native American | 0.7 | 0.9 | 0.9 | 1.1 | 0.9 | 1.0 | 1.2 | 1.3 | 1.4 | 1.9 |
| Other* | 2.1 | | | | | 1.6 | 1.7 | 1.7 | 2.1 | 1.9 |
| White | 78.5 | 71.7 | 69.6 | 74.1 | 72.4 | 66.5 | 67.7 | 68.4 | 63.1 | 65.2 |

**Category not asked for all years*

Table 7.3: Sample Distribution by Percentage Drawn from Each State - Grades 6 thru 12

| State | 97-98 | 98-99 | 99-00 | 00-01 | 01-02 | 02-03 | 03-04 | 04-05 | 05-06 | 06-07 |
|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| AK | 1.3 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.1 | 0.0 | 0.0 | 0.0 |
| AL | 0.0 | 1.7 | 5.5 | 1.4 | 10.2 | 8.7 | 10.5 | 10.6 | 10.4 | 11.2 |
| AR | 0.0 | 7.7 | 4.5 | 5.4 | 9.6 | 7.9 | 3.4 | 1.6 | 6.0 | 1.6 |
| AZ | 3.5 | 0.0 | 1.2 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.1 |
| CA | 7.7 | 8.4 | 2.1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.2 |
| CO | 0.0 | 0.0 | 0.0 | 4.9 | 0.0 | 3.1 | 0.1 | 1.6 | 0.0 | 0.0 |
| CT | 0.0 | 0.8 | 0.0 | 2.3 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| DC | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| DE | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| FL | 8.2 | 4.9 | 5.7 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| GA | 5.0 | 2.4 | 1.7 | 0.0 | 0.5 | 8.7 | 10.5 | 10.6 | 2.4 | 0.3 |
| HI | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| IA | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.5 | 0.0 | 0.0 |
| ID | 0.9 | 0.0 | 1.2 | 0.0 | 1.3 | 0.0 | 1.4 | 0.0 | 2.4 | 0.0 |
| IL | 4.8 | 3.3 | 4.7 | 6.3 | 3.1 | 3.5 | 4.8 | 3.3 | 8.2 | 7.2 |
| IN | 0.3 | 1.1 | 0.0 | 0.0 | 0.0 | 0.5 | 0.0 | 0.4 | 0.0 | 0.0 |
| KS | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| KY | 9.8 | 9.9 | 10.2 | 10.2 | 10.4 | 8.7 | 5.4 | 2.8 | 10.4 | 5.1 |
| LA | 0.7 | 0.0 | 0.0 | 0.1 | 8.7 | 4.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| MA | 2.0 | 3.1 | 5.0 | 1.2 | 1.2 | 0.4 | 0.3 | 0.5 | 0.0 | 0.0 |
| MD | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| ME | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| MI | 0.7 | 2.5 | 0.0 | 4.6 | 0.0 | 2.1 | 0.0 | 0.0 | 3.4 | 0.0 |
| MN | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.2 | 3.3 | 0.0 | 0.1 |
| MO | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |

Table 7.4: Sample Distribution by Percentage Drawn from Each State - Grades 6 thru 12 (continued)

| State | 97-98 | 98-99 | 99-00 | 00-01 | 01-02 | 02-03 | 03-04 | 04-05 | 05-06 | 06-07 |
|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| MS | 1.8 | 2.8 | 5.7 | 10.2 | 5.1 | 8.7 | 10.5 | 10.6 | 10.4 | 11.2 |
| MT | 0.1 | 0.0 | 0.2 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| NC | 0.0 | 0.8 | 0.0 | 0.0 | 0.0 | 0.6 | 0.0 | 1.2 | 0.6 | 2.0 |
| ND | 0.5 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| NE | 0.4 | 0.5 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| NH | 0.9 | 0.4 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 1.9 |
| NJ | 2.9 | 6.3 | 9.3 | 2.8 | 1.6 | 0.8 | 0.6 | 0.5 | 5.3 | 2.5 |
| NM | 0.0 | 1.1 | 1.4 | 1.9 | 0.5 | 1.2 | 0.0 | 0.8 | 0.0 | 0.0 |
| NV | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| NY | 7.5 | 9.9 | 10.2 | 10.2 | 10.4 | 8.2 | 10.5 | 10.6 | 4.1 | 8.4 |
| OH | 9.8 | 8.1 | 3.1 | 2.1 | 10.4 | 0.7 | 5.5 | 5.4 | 10.4 | 6.1 |
| OK | 0.6 | 1.8 | 0.5 | 0.8 | 0.9 | 1.0 | 0.8 | 0.3 | 1.9 | 3.5 |
| OR | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| PA | 3.9 | 2.4 | 3.8 | 0.9 | 2.5 | 1.9 | 0.0 | 0.6 | 2.1 | 2.1 |
| RI | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| SC | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| SD | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.3 | 0.2 | 1.1 | 0.3 |
| TN | 9.9 | 4.5 | 4.4 | 8.3 | 3.8 | 4.5 | 7.6 | 8.5 | 10.4 | 3.7 |
| TX | 1.1 | 2.8 | 0.7 | 1.2 | 1.7 | 4.8 | 10.5 | 3.1 | 4.6 | 11.2 |
| UT | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| VA | 9.4 | 9.0 | 10.2 | 10.2 | 10.4 | 8.7 | 10.5 | 10.6 | 2.7 | 9.3 |
| VT | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| WA | 0.0 | 1.9 | 3.2 | 0.8 | 0.6 | 0.5 | 0.0 | 0.1 | 0.0 | 0.0 |
| WI | 0.9 | 1.2 | 2.8 | 0.4 | 3.3 | 0.6 | 0.7 | 1.4 | 0.0 | 0.9 |
| WV | 4.5 | 0.1 | 2.7 | 3.4 | 3.9 | 8.7 | 4.7 | 10.6 | 3.3 | 11.2 |
| WY | 0.0 | 0.7 | 0.0 | 1.4 | 0.0 | 0.0 | 0.8 | 0.0 | 0.0 | 0.0 |

Table 7.5: Percentage of Students Who Report Using Drugs - Tobacco and Alcohol

| DRUG | GRADE LEVEL | Annual Use | | | Monthly Use | | |
|--------------------------|--------------|------------|---------|--------|-------------|---------|--------|
| | | 2005-06 | 2006-07 | change | 2005-06 | 2006-07 | change |
| Cigarettes | Junior High | 14.3 | 13.3 | -1.0* | 7.2 | 6.6 | -0.6* |
| | Senior High | 30.8 | 31.5 | 0.7* | 19.9 | 20.7 | 0.8* |
| | 12th Graders | 37.6 | 38.3 | 0.7 | 25.5 | 26.9 | 1.4* |
| | Total | 22.3 | 21.3 | -1.0* | 13.3 | 12.8 | -0.5* |
| Smokeless Tobacco | Junior High | 5.8 | 6.0 | 0.2 | 3.1 | 3.2 | 0.1 |
| | Senior High | 13.2 | 14.5 | 1.3* | 8.0 | 9.3 | 1.3* |
| | 12th Graders | 15.3 | 16.1 | 0.8 | 9.3 | 10.6 | 1.3* |
| | Total | 9.4 | 9.7 | 0.3* | 5.5 | 5.9 | 0.4* |
| Cigars | Junior High | 7.1 | 6.7 | -0.4* | 3.1 | 3.0 | -0.1 |
| | Senior High | 20.0 | 20.1 | 0.1 | 9.8 | 9.9 | 0.1 |
| | 12th Graders | 27.2 | 26.7 | -0.5 | 13.2 | 13.3 | 0.1 |
| | Total | 13.3 | 12.6 | -0.7* | 6.3 | 6.0 | -0.3* |
| Any Tobacco | Junior High | 17.2 | 16.4 | -0.8* | 8.6 | 8.1 | -0.5* |
| | Senior High | 37.3 | 37.9 | 0.6* | 24.0 | 25.2 | 1.2* |
| | 12th Graders | 45.2 | 45.1 | -0.1 | 30.6 | 31.5 | 0.9 |
| | Total | 26.9 | 25.9 | -1.0* | 16.1 | 15.7 | -0.4* |
| Beer | Junior High | 22.3 | 22.8 | 0.5 | 7.8 | 7.9 | 0.1 |
| | Senior High | 47.5 | 48.3 | 0.8* | 27.1 | 28.2 | 1.1* |
| | 12th Graders | 55.5 | 56.5 | 1.0 | 35.5 | 37.5 | 2.0* |
| | Total | 34.5 | 34.0 | -0.5* | 17.1 | 16.8 | -0.3 |
| Wine Coolers | Junior High | 22.4 | 21.1 | -1.3* | 7.8 | 7.5 | -0.3* |
| | Senior High | 48.4 | 46.7 | -1.7* | 24.6 | 24.0 | -0.6* |
| | 12th Graders | 55.2 | 54.6 | -0.6 | 30.5 | 30.2 | -0.3 |
| | Total | 35.0 | 32.4 | -2.6* | 15.9 | 14.7 | -1.2* |
| Liquor | Junior High | 16.2 | 16.8 | 0.6* | 6.0 | 6.2 | 0.2 |
| | Senior High | 46.6 | 46.9 | 0.3 | 25.6 | 26.3 | 0.7* |
| | 12th Graders | 56.7 | 57.4 | 0.7 | 34.4 | 35.3 | 0.9 |
| | Total | 30.9 | 30.1 | -0.8* | 15.5 | 15.1 | -0.4* |
| Any Alcohol | Junior High | 31.3 | 30.6 | -0.7* | 10.5 | 10.4 | -0.1 |
| | Senior High | 60.5 | 59.8 | -0.7* | 33.0 | 33.6 | 0.6* |
| | 12th Graders | 68.6 | 68.8 | 0.2 | 42.1 | 43.8 | 1.7* |
| | Total | 45.4 | 43.5 | -1.9* | 21.4 | 20.6 | -0.8* |

*Statistically significant difference at .05 level using chi-square with variables year and no

Table 7.6: Percentage of Students Who Report Using Drugs - Illicit Drugs

| DRUG | GRADE LEVEL | Annual Use | | | Monthly Use | | |
|----------------------|--------------|------------|---------|--------|-------------|---------|--------|
| | | 2005-06 | 2006-07 | change | 2005-06 | 2006-07 | change |
| Marijuana | Junior High | 7.8 | 7.3 | -0.5* | 4.8 | 4.5 | -0.3* |
| | Senior High | 25.3 | 25.2 | -0.1 | 16.0 | 15.9 | -0.1 |
| | 12th Graders | 32.0 | 30.5 | -1.5* | 19.8 | 18.9 | -0.9 |
| | Total | 16.2 | 15.2 | -1.0* | 10.2 | 9.6 | -0.6* |
| Cocaine | Junior High | 2.1 | 2.3 | 0.2 | 1.4 | 1.4 | 0.0 |
| | Senior High | 6.0 | 6.2 | 0.2 | 3.7 | 3.8 | 0.1 |
| | 12th Graders | 7.9 | 8.2 | 0.3 | 4.8 | 5.0 | 0.2 |
| | Total | 4.0 | 4.0 | 0.0 | 2.5 | 2.4 | -0.1 |
| Uppers | Junior High | 4.0 | 2.6 | -1.4* | 2.2 | 1.7 | -0.5* |
| | Senior High | 9.7 | 8.0 | -1.7* | 6.2 | 5.2 | -1.0* |
| | 12th Graders | 12.1 | 9.1 | -3.0* | 7.6 | 6.0 | -1.6* |
| | Total | 6.8 | 5.0 | -1.8* | 4.1 | 3.2 | -0.9* |
| Downers | Junior High | 8.2 | 2.8 | -5.4* | 3.8 | 1.7 | -2.1* |
| | Senior High | 13.2 | 8.0 | -5.2* | 7.5 | 5.2 | -2.3* |
| | 12th Graders | 14.2 | 9.1 | -5.1* | 8.1 | 5.8 | -2.3* |
| | Total | 10.6 | 5.1 | -5.5* | 5.6 | 3.3 | -2.3* |
| Inhalants | Junior High | 5.3 | 5.1 | -0.2 | 2.5 | 2.3 | -0.2 |
| | Senior High | 5.8 | 6.0 | 0.2 | 3.2 | 3.5 | 0.3 |
| | 12th Graders | 5.5 | 5.6 | 0.1 | 3.4 | 3.5 | 0.1 |
| | Total | 5.5 | 5.5 | 0.0 | 2.9 | 2.8 | -0.1 |
| Hallucinogens | Junior High | 1.8 | 1.9 | 0.1 | 1.2 | 1.2 | 0.0 |
| | Senior High | 5.1 | 5.2 | 0.1 | 3.1 | 3.3 | 0.2 |
| | 12th Graders | 6.6 | 6.4 | -0.2 | 3.9 | 3.7 | -0.2 |
| | Total | 3.4 | 3.4 | 0.0 | 2.1 | 2.2 | 0.1 |

*Statistically significant difference at .05 level using chi-square with variables year and no

Table 7.7: Percentage of Students Who Report Using Drugs - Illicit Drugs (continued)

| DRUG | GRADE LEVEL | Annual Use | | | Monthly Use | | |
|--------------------------|--------------|------------|---------|--------|-------------|---------|--------|
| | | 2005-06 | 2006-07 | change | 2005-06 | 2006-07 | change |
| Heroin | Junior High | 1.6 | 1.7 | 0.1 | 1.2 | 1.2 | 0.0 |
| | Senior High | 3.4 | 3.7 | 0.3 | 2.5 | 2.7 | 0.2* |
| | 12th Graders | 4.2 | 4.3 | 0.1 | 3.0 | 3.1 | 0.1 |
| | Total | 2.5 | 2.6 | 0.1 | 1.8 | 1.8 | 0.0 |
| Steroids | Junior High | 1.9 | 1.9 | 0.0 | 1.1 | 1.2 | 0.1 |
| | Senior High | 3.4 | 3.6 | 0.2 | 2.5 | 2.6 | 0.1 |
| | 12th Graders | 4.1 | 4.1 | 0.0 | 3.1 | 3.1 | 0.0 |
| | Total | 2.6 | 2.7 | 0.1 | 1.8 | 1.8 | 0.0 |
| Ecstasy | Junior High | 1.9 | 2.0 | 0.1 | 1.2 | 1.3 | 0.1 |
| | Senior High | 5.2 | 5.6 | 0.4* | 3.1 | 3.3 | 0.2 |
| | 12th Graders | 6.7 | 6.8 | 0.1 | 3.9 | 3.8 | -0.1 |
| | Total | 3.5 | 3.6 | 0.1 | 2.1 | 2.2 | 0.1 |
| OxyContin | Junior High | 2.0 | 2.1 | 0.1 | 1.3 | 1.3 | 0.0 |
| | Senior High | 5.5 | 6.2 | 0.7* | 3.2 | 3.8 | 0.6* |
| | 12th Graders | 6.6 | 7.1 | 0.5 | 3.8 | 4.2 | 0.4 |
| | Total | 3.7 | 3.9 | 0.2* | 2.2 | 2.4 | 0.2* |
| Meth | Junior High | 2.2 | 2.1 | -0.1 | 1.4 | 1.3 | -0.1 |
| | Senior High | 4.0 | 4.1 | 0.1 | 2.7 | 2.9 | 0.2 |
| | 12th Graders | 5.0 | 4.8 | -0.2 | 3.6 | 3.5 | -0.1 |
| | Total | 3.1 | 3.0 | -0.1 | 2.0 | 2.0 | 0.0 |
| Any Illicit Drugs | Junior High | 16.9 | 12.0 | -4.9* | 8.9 | 6.6 | -2.3* |
| | Senior High | 32.5 | 28.3 | -4.2* | 20.6 | 18.3 | -2.3* |
| | 12th Graders | 38.4 | 33.1 | -5.3* | 24.2 | 21.4 | -2.8* |
| | Total | 24.5 | 19.2 | -5.3* | 14.5 | 11.7 | -2.8* |

*Statistically significant difference at .05 level using chi-square with variables year and no

N-Sizes by Grade

| Grade | 2005-06 | 2006-07 |
|--------------|---------|---------|
| Junior High | 52,138 | 54,748 |
| Senior High | 49,003 | 43,338 |
| 12th Graders | 9,756 | 7,963 |
| Total | 101,141 | 98,086 |

Table 7.8: Chi-Square Analysis of Junior High Student Who Used These Drugs At Least 1/Year

| DRUG | 2005-06 | 2006-07 | Chi-Square | Change |
|-------------------|----------------|----------------|-------------------|---------------|
| Cigarettes | 14.3 | 13.3 | 23.8* | -1.0 |
| Smokeless Tobacco | 5.8 | 6.0 | 1.0 | 0.2 |
| Cigars | 7.1 | 6.7 | 4.0* | -0.4 |
| Any Tobacco | 17.2 | 16.4 | 13.8* | -0.8 |
| Beer | 22.3 | 22.8 | 3.4 | 0.5 |
| Wine Coolers | 22.4 | 21.1 | 26.8* | -1.3 |
| Liquor | 16.2 | 16.8 | 6.5* | 0.6 |
| Any Alcohol | 31.3 | 30.6 | 5.5* | -0.7 |
| Marijuana | 7.8 | 7.3 | 7.0* | -0.5 |
| Cocaine | 2.1 | 2.3 | 1.9 | 0.2 |
| Uppers | 4.0 | 2.6 | 146.1* | -1.4 |
| Downers | 8.2 | 2.8 | 1469.8* | -5.4 |
| Inhalants | 5.3 | 5.1 | 1.8 | -0.2 |
| Hallucinogens | 1.8 | 1.9 | 0.2 | 0.1 |
| Heroin | 1.6 | 1.7 | 1.4 | 0.1 |
| Steroids | 1.9 | 1.9 | 0.1 | 0.0 |
| Ecstasy | 1.9 | 2.0 | 2.6 | 0.1 |
| OxyContin | 2.0 | 2.1 | 1.6 | 0.1 |
| Meth | 2.2 | 2.1 | 2.4 | -0.1 |
| Any Illicit Drugs | 16.9 | 12.0 | 526.0* | -4.9 |

**Statistically significant difference at .05 level using chi-square with 1 degree of freedom*

N-Sizes by Grade

| Grade | 2005-06 | 2006-07 |
|-------------|---------|---------|
| Junior High | 52,138 | 54,748 |
| Senior High | 49,003 | 43,338 |

Table 7.9: Chi-Square Analysis of Senior High Student Who Used These Drugs At Least 1/Year

| DRUG | 2005-06 | 2006-07 | Chi-Square | Change |
|-------------------|----------------|----------------|-------------------|---------------|
| Cigarettes | 30.8 | 31.5 | 4.2* | 0.7 |
| Smokeless Tobacco | 13.2 | 14.5 | 33.9* | 1.3 |
| Cigars | 20.0 | 20.1 | 0.1 | 0.1 |
| Any Tobacco | 37.3 | 37.9 | 4.0* | 0.6 |
| Beer | 47.5 | 48.3 | 5.8* | 0.8 |
| Wine Coolers | 48.4 | 46.7 | 25.8* | -1.7 |
| Liquor | 46.6 | 46.9 | 1.3 | 0.3 |
| Any Alcohol | 60.5 | 59.8 | 5.0* | -0.7 |
| Marijuana | 25.3 | 25.2 | 0.1 | -0.1 |
| Cocaine | 6.0 | 6.2 | 1.9 | 0.2 |
| Uppers | 9.7 | 8.0 | 81.4* | -1.7 |
| Downers | 13.2 | 8.0 | 623.8* | -5.2 |
| Inhalants | 5.8 | 6.0 | 2.0 | 0.2 |
| Hallucinogens | 5.1 | 5.2 | 1.3 | 0.1 |
| Heroin | 3.4 | 3.7 | 3.6 | 0.3 |
| Steroids | 3.4 | 3.6 | 3.2 | 0.2 |
| Ecstasy | 5.2 | 5.6 | 5.7* | 0.4 |
| OxyContin | 5.5 | 6.2 | 20.6* | 0.7 |
| Meth | 4.0 | 4.1 | 1.1 | 0.1 |
| Any Illicit Drugs | 32.5 | 28.3 | 184.3* | -4.2 |

**Statistically significant difference at .05 level using chi-square with 1 degree of freedom*

N-Sizes by Grade

| Grade | 2005-06 | 2006-07 |
|-------------|---------|---------|
| Junior High | 52,138 | 54,748 |
| Senior High | 49,003 | 43,338 |

Table 7.10: PRIDE Summary Report - Violence

| 6-8th grade n = 54,668 Percentage of Junior High (6-8th) students who report... | | | 9-12th grade n = 43,123 Percentage of Senior High (9-12th) students who report... | | |
|--|-------|--------|--|-------|--------|
| carrying a gun to school = 4.5% | | | carrying a gun to school = 9.2% | | |
| taking part in gang activities = 11.9% | | | taking part in gang activities = 12.0% | | |
| thinking of suicide often or a lot = 5.1% | | | thinking of suicide often or a lot = 6.6% | | |
| Drug Use of Junior High (6-8th) Students Who Report... | | | Drug Use of Senior High (9-12th) Students Who Report... | | |
| carrying a gun to school | | | carrying a gun to school | | |
| Drug | Yes | No | Drug | Yes | No |
| Liquor | 65.8% | 14.3% | Liquor | 88.4% | 42.7% |
| Marijuana | 55.8% | 4.8% | Marijuana | 81.6% | 19.2% |
| Cocaine | 34.8% | 0.6% | Cocaine | 48.6% | 1.8% |
| Inhalants | 41.4% | 3.3% | Inhalants | 40.5% | 2.4% |
| N-sizes | 2,280 | 49,512 | N-sizes | 3,689 | 37,094 |
| taking part in gang activities | | | taking part in gang activities | | |
| Drug | Yes | No | Drug | Yes | No |
| Liquor | 48.0% | 12.6% | Liquor | 71.3% | 43.6% |
| Marijuana | 33.5% | 3.9% | Marijuana | 59.1% | 20.6% |
| Cocaine | 14.1% | 0.7% | Cocaine | 26.6% | 3.4% |
| Inhalants | 19.6% | 3.2% | Inhalants | 24.6% | 3.4% |
| N-sizes | 6,219 | 46,885 | N-sizes | 4,966 | 37,051 |
| thinking of suicide often or a lot | | | thinking of suicide often or a lot | | |
| Drug | Yes | No | Drug | Yes | No |
| Liquor | 49.4% | 15.1% | Liquor | 68.9% | 45.4% |
| Marijuana | 33.7% | 6.0% | Marijuana | 53.3% | 23.2% |
| Cocaine | 17.3% | 1.4% | Cocaine | 26.6% | 4.8% |
| Inhalants | 27.2% | 4.0% | Inhalants | 28.4% | 4.4% |
| N-sizes | 2,669 | 50,191 | N-sizes | 2,729 | 39,226 |

*Drug use figures represent annual usage (at least 1 per year)

Table 7.11: PRIDE Summary Report - Violence

| 6-8th grade n = 54,668 Percentage of Junior High (6-8th) students who report... | | | 9-12th grade n = 43,123 Percentage of Senior High (9-12th) students who report... | | |
|--|--------|--------|--|--------|--------|
| threatening to harm another = 12.2% | | | threatening to harm another = 17.7% | | |
| getting into trouble with police = 22.2% | | | getting into trouble with police = 29.4% | | |
| Drug Use of Junior High (6-8th) Students Who Report... | | | Drug Use of Senior High (9-12th) Students Who Report... | | |
| threatening to harm another | | | threatening to harm another | | |
| Drug | Yes | No | Drug | Yes | No |
| Liquor | 47.2% | 12.4% | Liquor | 70.7% | 41.7% |
| Marijuana | 27.9% | 4.3% | Marijuana | 47.5% | 20.1% |
| Cocaine | 11.9% | 0.8% | Cocaine | 19.8% | 3.1% |
| Inhalants | 19.8% | 2.9% | Inhalants | 19.1% | 3.0% |
| N-sizes | 6,344 | 45,945 | N-sizes | 7,227 | 33,947 |
| getting into trouble with police | | | getting into trouble with police | | |
| Drug | Yes | No | Drug | Yes | No |
| Liquor | 40.0% | 10.2% | Liquor | 69.8% | 37.5% |
| Marijuana | 24.2% | 2.5% | Marijuana | 49.9% | 15.0% |
| Cocaine | 8.0% | 0.6% | Cocaine | 15.9% | 2.2% |
| Inhalants | 13.4% | 2.8% | Inhalants | 13.9% | 2.7% |
| N-sizes | 11,718 | 41,479 | N-sizes | 12,253 | 29,743 |

*Drug use figures represent annual usage (at least 1 per year)

Table 7.12: Percentage of Annual Drug Use Across Years for Tobacco and Alcohol

| DRUG | 97-98 | 98-99 | 99-00 | 00-01 | 01-02 | 02-03 | 03-04 | 04-05 | 05-06 | 06-07 |
|----------------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| Alcohol | | | | | | | | | | |
| Cigarettes | | | | | | | | | | |
| Jr. High | 29.4 | 26.2 | 21.0 | 19.1 | 16.2 | 19.6 | 16.2 | 16.2 | 14.3 | 13.3 |
| Sr. High | 48.9 | 46.5 | 43.9 | 41.8 | 35.6 | 34.8 | 33.3 | 31.6 | 30.8 | 31.5 |
| 12th Grade | 54.0 | 51.4 | 49.7 | 48.1 | 41.7 | 41.0 | 39.3 | 37.4 | 37.6 | 38.3 |
| Total | 40.3 | 37.9 | 32.0 | 30.5 | 26.4 | 27.3 | 24.8 | 24.3 | 22.3 | 21.3 |
| Smokeless Tobacco** | | | | | | | | | | |
| Jr. High | | 6.3 | 5.3 | 5.5 | 4.7 | 7.0 | 6.5 | 6.9 | 5.8 | 6.0 |
| Sr. High | | 13.0 | 12.6 | 12.5 | 10.9 | 12.6 | 13.5 | 13.3 | 13.2 | 14.5 |
| 12th Grade | | 14.9 | 14.5 | 15.0 | 13.2 | 14.4 | 15.0 | 15.7 | 15.3 | 16.1 |
| Total | | 10.1 | 8.8 | 9.0 | 7.9 | 9.8 | 10.0 | 10.2 | 9.4 | 9.7 |
| Cigars** | | | | | | | | | | |
| Jr. High | | 12.2 | 9.5 | 8.6 | 6.7 | 8.9 | 7.9 | 8.0 | 7.1 | 6.7 |
| Sr. High | | 29.2 | 26.3 | 24.5 | 19.5 | 20.2 | 20.7 | 20.4 | 20.0 | 20.1 |
| 12th Grade | | 35.4 | 32.8 | 32.1 | 26.5 | 26.0 | 26.7 | 27.4 | 27.2 | 26.7 |
| Total | | 22.0 | 17.6 | 16.6 | 13.5 | 14.6 | 14.3 | 14.6 | 13.3 | 12.6 |
| Any Tobacco** | | | | | | | | | | |
| Jr. High | | 28.9 | 23.6 | 21.9 | 18.5 | 23.0 | 19.2 | 19.2 | 17.2 | 16.4 |
| Sr. High | | 52.2 | 49.7 | 47.8 | 40.7 | 40.8 | 39.7 | 38.1 | 37.3 | 37.9 |
| 12th Grade | | 58.4 | 56.5 | 55.6 | 48.8 | 47.5 | 46.6 | 45.7 | 45.2 | 45.1 |
| Total | | 42.3 | 36.2 | 34.9 | 30.2 | 32.0 | 29.4 | 29.1 | 26.9 | 25.9 |
| Beer | | | | | | | | | | |
| Jr. High | 30.3 | 29.6 | 27.2 | 24.5 | 22.5 | 25.7 | 24.0 | 23.2 | 22.3 | 22.8 |
| Sr. High | 57.0 | 55.9 | 55.2 | 54.5 | 50.3 | 49.3 | 49.0 | 47.9 | 47.5 | 48.3 |
| 12th Grade | 64.5 | 63.2 | 61.8 | 62.4 | 57.6 | 56.9 | 57.3 | 56.0 | 55.5 | 56.5 |
| Total | 45.2 | 44.7 | 40.7 | 39.7 | 37.2 | 37.6 | 36.5 | 36.2 | 34.5 | 34.0 |
| Wine Coolers | | | | | | | | | | |
| Jr. High | 31.6 | 31.2 | 30.3 | 27.4 | 25.7 | 28.5 | 25.5 | 24.0 | 22.4 | 21.1 |
| Sr. High | 51.5 | 52.0 | 51.8 | 50.6 | 48.8 | 45.8 | 44.1 | 41.7 | 48.4 | 46.7 |
| 12th Grade | 54.9 | 55.1 | 55.4 | 54.4 | 53.6 | 48.7 | 46.3 | 44.5 | 55.2 | 54.6 |
| Total | 42.7 | 43.2 | 40.7 | 39.1 | 37.9 | 37.3 | 34.8 | 33.3 | 35.0 | 32.4 |
| Liquor | | | | | | | | | | |
| Jr. High | 21.0 | 21.1 | 18.8 | 17.3 | 15.4 | 19.1 | 17.7 | 17.1 | 16.2 | 16.8 |
| Sr. High | 52.1 | 52.9 | 52.5 | 52.8 | 48.1 | 48.3 | 48.6 | 47.5 | 46.6 | 46.9 |
| 12th Grade | 61.8 | 61.9 | 62.2 | 62.5 | 59.4 | 58.3 | 59.2 | 57.9 | 56.7 | 57.4 |
| Total | 38.4 | 39.5 | 35.1 | 35.2 | 32.7 | 33.9 | 33.2 | 33.1 | 30.9 | 30.1 |
| Any Alcohol | | | | | | | | | | |
| Jr. High | 41.8 | 41.4 | 39.5 | 36.5 | 34.0 | 37.0 | 34.0 | 32.6 | 31.3 | 30.6 |
| Sr. High | 68.8 | 68.1 | 68.1 | 67.5 | 65.0 | 63.0 | 62.3 | 60.3 | 60.5 | 59.8 |
| 12th Grade | 75.6 | 74.5 | 74.4 | 74.6 | 72.3 | 70.1 | 69.8 | 68.0 | 68.6 | 68.8 |
| Total | 56.9 | 56.8 | 53.3 | 52.1 | 50.4 | 50.1 | 48.1 | 47.2 | 45.4 | 43.5 |

*New drug category added 95-96 school year.
 **New drug category added 98-99 school year.
 ***New drug category added 02-03 school year.
 ****New drug category added 05-06 school year.

Table 7.13: Percentage of Annual Drug Use Across Years for Illicit Drugs

| DRUG | 97-98 | 98-99 | 99-00 | 00-01 | 01-02 | 02-03 | 03-04 | 04-05 | 05-06 | 06-07 |
|----------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| Marijuana | | | | | | | | | | |
| Jr. High | 12.5 | 11.0 | 9.2 | 9.3 | 8.3 | 11.7 | 9.3 | 9.4 | 7.8 | 7.3 |
| Sr. High | 33.4 | 32.3 | 31.4 | 32.3 | 29.4 | 30.0 | 28.8 | 27.9 | 25.3 | 25.2 |
| 12th Grade | 38.6 | 37.8 | 38.0 | 39.0 | 35.7 | 35.5 | 35.5 | 33.6 | 32.0 | 30.5 |
| Total | 24.2 | 23.3 | 19.9 | 20.9 | 19.5 | 20.9 | 19.1 | 19.1 | 16.2 | 15.2 |
| Cocaine | | | | | | | | | | |
| Jr. High | 2.8 | 2.7 | 2.2 | 2.1 | 2.1 | 3.1 | 2.9 | 2.9 | 2.1 | 2.3 |
| Sr. High | 6.0 | 6.1 | 5.3 | 5.5 | 5.1 | 6.3 | 6.7 | 6.5 | 6.0 | 6.2 |
| 12th Grade | 7.9 | 8.0 | 7.1 | 7.9 | 7.1 | 8.6 | 9.5 | 8.8 | 7.9 | 8.2 |
| Total | 4.6 | 4.7 | 3.7 | 3.8 | 3.7 | 4.7 | 4.8 | 4.8 | 4.0 | 4.0 |
| Uppers | | | | | | | | | | |
| Jr. High | 4.7 | 3.8 | 3.0 | 2.9 | 2.4 | 3.3 | 3.0 | 2.7 | 4.0 | 2.6 |
| Sr. High | 10.4 | 9.2 | 9.1 | 9.8 | 7.0 | 7.1 | 6.8 | 6.3 | 9.7 | 8.0 |
| 12th Grade | 11.8 | 10.9 | 11.1 | 12.3 | 8.5 | 8.8 | 8.6 | 7.7 | 12.1 | 9.1 |
| Total | 7.9 | 6.9 | 6.0 | 6.4 | 4.8 | 5.2 | 4.9 | 4.6 | 6.8 | 5.0 |
| Downers | | | | | | | | | | |
| Jr. High | 3.6 | 3.1 | 2.5 | 2.5 | 2.4 | 3.5 | 3.4 | 3.3 | 8.2 | 2.8 |
| Sr. High | 7.7 | 7.0 | 7.1 | 7.7 | 6.9 | 7.7 | 7.9 | 7.7 | 13.2 | 8.0 |
| 12th Grade | 8.6 | 8.3 | 8.6 | 9.8 | 8.1 | 9.4 | 9.6 | 9.0 | 14.2 | 9.1 |
| Total | 5.9 | 5.3 | 4.7 | 5.2 | 4.8 | 5.6 | 5.7 | 5.6 | 10.6 | 5.1 |
| Inhalants | | | | | | | | | | |
| Jr. High | 8.1 | 7.0 | 5.6 | 5.4 | 4.9 | 5.9 | 5.7 | 5.9 | 5.3 | 5.1 |
| Sr. High | 7.1 | 6.5 | 5.7 | 5.6 | 4.6 | 5.7 | 5.8 | 6.1 | 5.8 | 6.0 |
| 12th Grade | 5.8 | 6.0 | 5.2 | 5.6 | 4.3 | 5.7 | 5.7 | 5.9 | 5.5 | 5.6 |
| Total | 7.6 | 6.7 | 5.6 | 5.5 | 4.8 | 5.8 | 5.7 | 6.0 | 5.5 | 5.5 |
| Hallucinogens | | | | | | | | | | |
| Jr. High | 3.2 | 2.8 | 2.2 | 2.2 | 1.9 | 2.6 | 2.6 | 2.5 | 1.8 | 1.9 |
| Sr. High | 8.7 | 8.8 | 7.8 | 7.9 | 5.9 | 5.7 | 5.9 | 5.6 | 5.1 | 5.2 |
| 12th Grade | 11.3 | 12.0 | 10.9 | 11.3 | 8.3 | 7.8 | 8.0 | 7.3 | 6.6 | 6.4 |
| Total | 6.2 | 6.3 | 4.9 | 5.1 | 4.0 | 4.2 | 4.2 | 4.2 | 3.4 | 3.4 |

*New drug category added 95-96 school year.
 **New drug category added 98-99 school year.
 ***New drug category added 02-03 school year.
 ****New drug category added 05-06 school year.

7.3 National Summary Graphics

Table 7.14: Percentage of Annual Drug Use Across Years for Illicit Drugs

| DRUG | 97-98 | 98-99 | 99-00 | 00-01 | 01-02 | 02-03 | 03-04 | 04-05 | 05-06 | 06-07 |
|--------------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| Heroin* | | | | | | | | | | |
| Jr. High | 2.1 | 1.9 | 1.6 | 1.6 | 1.5 | 2.3 | 2.4 | 2.3 | 1.6 | 1.7 |
| Sr. High | 3.2 | 3.1 | 2.9 | 3.2 | 2.9 | 3.8 | 3.9 | 3.9 | 3.4 | 3.7 |
| 12th Grade | 3.8 | 3.6 | 3.2 | 4.4 | 3.7 | 5.0 | 4.9 | 5.0 | 4.2 | 4.3 |
| Total | 2.7 | 2.6 | 2.2 | 2.4 | 2.2 | 3.0 | 3.1 | 3.1 | 2.5 | 2.6 |
| Steroids** | | | | | | | | | | |
| Jr. High | | 2.7 | 2.4 | 2.6 | 1.9 | 2.5 | 2.5 | 2.4 | 1.9 | 1.9 |
| Sr. High | | 3.1 | 3.2 | 3.5 | 3.0 | 3.7 | 3.8 | 3.7 | 3.4 | 3.6 |
| 12th Grade | | 3.2 | 3.2 | 4.0 | 3.4 | 4.8 | 4.7 | 4.7 | 4.1 | 4.1 |
| Total | | 3.0 | 2.8 | 3.0 | 2.5 | 3.1 | 3.1 | 3.1 | 2.6 | 2.7 |
| Ecstasy*** | | | | | | | | | | |
| Jr. High | | | | | | 3.1 | 3.0 | 2.7 | 1.9 | 2.0 |
| Sr. High | | | | | | 6.7 | 6.1 | 5.7 | 5.2 | 5.6 |
| 12th Grade | | | | | | 8.9 | 7.9 | 7.2 | 6.7 | 6.8 |
| Total | | | | | | 4.9 | 4.5 | 4.3 | 3.5 | 3.6 |
| OxyContin*** | | | | | | | | | | |
| Jr. High | | | | | | 2.8 | 2.8 | 2.8 | 2.0 | 2.1 |
| Sr. High | | | | | | 5.5 | 6.2 | 6.3 | 5.5 | 6.2 |
| 12th Grade | | | | | | 7.0 | 7.3 | 7.2 | 6.6 | 7.1 |
| Total | | | | | | 4.2 | 4.5 | 4.6 | 3.7 | 3.9 |
| Meth**** | | | | | | | | | | |
| Jr. High | | | | | | | | | 2.2 | 2.1 |
| Sr. High | | | | | | | | | 4.0 | 4.1 |
| 12th Grade | | | | | | | | | 5.0 | 4.8 |
| Total | | | | | | | | | 3.1 | 3.0 |
| Any Illicit Drugs | | | | | | | | | | |
| Jr. High | 18.6 | 16.3 | 13.6 | 13.7 | 11.9 | 15.8 | 13.5 | 13.3 | 16.9 | 12.0 |
| Sr. High | 36.7 | 35.2 | 34.3 | 35.3 | 31.6 | 32.7 | 31.4 | 30.4 | 32.5 | 28.3 |
| 12th Grade | 41.0 | 40.2 | 40.2 | 41.4 | 37.4 | 37.8 | 37.5 | 35.6 | 38.4 | 33.1 |
| Total | 28.7 | 27.1 | 23.6 | 24.6 | 22.3 | 24.3 | 22.5 | 22.3 | 24.5 | 19.2 |

This section contains graphs of national summary statistics for Junior & Senior High Drug Use for the past six years.


*New drug category added 95-96 school year.

**New drug category added 98-99 school year.

***New drug category added 02-03 school year.


****New drug category added 05-06 school year.

Percentage of Students Who Use Cigarettes & Alcohol - Grades 6 to 8




Source: Pride Surveys -- # Surveyed by Years - 01-02=48,026 02-03=54,520 03-04=57,380 04-05=91,704 05-06=52,138 06-07=54,748

Percentage of Students Who Use Cigarettes & Alcohol - Grades 9 to 12




Source: Pride Surveys -- # Surveyed by Years - 01-02=53,856 02-03=55,399 03-04=57,022 04-05=101,954 05-06=49,003 06-07=43,338

Percentage of Students Who Use Marijuana, Cocaine, Inhalants & Hallucinogens - Grades 6 to 8




Source: Pride Surveys -- # Surveyed by Years - 01-02=48,026 02-03=54,520 03-04=57,380 04-05=91,704 05-06=52,138 06-07=54,748

Percentage of Students Who Use Marijuana, Cocaine, Inhalants & Hallucinogens - Grades 9 to 12




Source: Pride Surveys -- # Surveyed by Years - 01-02=53,856 02-03=55,399 03-04=57,022 04-05=101,954 05-06=49,003 06-07=43,338

Percentage of Students Who Use Uppers, Downers & Any Illicit Drugs - Grades 6 to 8



Source: Pride Surveys -- # Surveyed by Years - 01-02=48,026 02-03=54,520 03-04=57,380 04-05=91,704 05-06=52,138 06-07=54,748

Percentage of Students Who Use Uppers, Downers & Any Illicit Drugs - Grades 9 to 12



Source: Pride Surveys -- # Surveyed by Years - 01-02=53,856 02-03=55,399 03-04=57,022 04-05=101,954 05-06=49,003 06-07=43,338